

Journal of Human, Environment, and Health Promotion



Journal homepage: www.zums.ac.ir/jhehp

Optimization of Extraction Method of the Natural Coagulant from *Descurainia Sophia* Seed: Minimization of Color Generation

Rezan Rezaeian^a, Mazyar Peyda^{a,*}, Mehran MohammadianFazli^a, TooranYarahmadi^a

^a Department of Environmental Health Engineering, School of Public Health, Zanjan University of Medical Sciences, Zanjan, Iran.

*Corresponding Author. E- mail address: mazyarpeyda@zums.ac.ir

A R T I C L EI N F O

Article history: Received April 20, 2016 Accepted May 31, 2016

Article Type: Original Article

Keywords: Natural coagulants *Descurainia Sophia* Color

ABSTRACT

Background: Water treatment sometimes needs a coagulation and flocculation process to remove suspended and colloidal materials. Inorganic coagulants used create concerns about pollution of the environment and harmful effects on the human's health. The studies carried out previously indicated the capability of an active coagulant agent extracted from *Descurainia Sophia* seed to remove turbidity of water.

Methods: The purpose of this study was to investigate the effect of NaCl $(0.05-1 \text{ gL}^{-1})$, NaOH $(0.01-0.1 \text{ gL}^{-1})$, extraction duration (1-25 min) and the ultrasound frequency (0-45-75 kHz), used in the extraction of *Descurainia Sophia* seed, on the generation of color in purified water and to provide a model to predict the effects of the studied variables on color generation. Extraction was performed using water as solvent, supplemented with NaCl and NaOH and irradiated by ultrasound. Design of experiments and analysis of results were conducted by the D-optimal method based on the response surface methodology (RSM).

Results: The results demonstrated that only the effect of concentration of NaOH is significant in color generation (with p < 0.05).

Conclusion: The effect of NaOH on color generation in purified water is predictable by the use of a statistically valid linear model at a confidence level of 95%.

1. Introduction

In order to remove organic pollutants, heavy metals, color and some anions in water and wastewater treatment, a coagulation and flocculation process is used (1). Supply of potable water from raw water necessitates using the coagulation and flocculation process to remove suspended and colloidal material. Iron and Aluminum salts are among the commonly used coagulant materials. Of the problems caused by the use of Aluminum salts, remains of Aluminum in water, concern about a relation between Aluminum and Alzheimer's disease and high management costs of the sludge containing metals can be mentioned. Thus, in recent years studies on the use of a variety of natural coagulants in water and wastewater industry have grown (2). Natural coagulants have been used in water treatment for centuries. For example, *Nirmali* seed and *maize* (3), *mesquite bean* and *Cactus latifaria* (4), *chest-nut* (5), *Jatropha curcas* (6), *Moringa Oleifera* (7) and *leguminous species* (8) have been used to remove turbidity of water.

Descurainia Sophia, whose growth is from the beginning of spring to late summer, is a plant with high stems that grows naturally (9). Descurainia Sophia seeds, which are bright brown in color and have a length of 0.7 to 1.5 mm, contain mucilaginous substances (10). The mucilage of the seed has been used in traditional medicine and the enrichment of some foods. The most common way of extracting mucilaginous substances is to use water (11, 12). Recent studies have demonstrated that the Descurainia Sophia seed agent, extracted by the use of the water containing NaCl and NaOH, is capable of being used as a coagulant material to remove turbidity caused by water colloidal particles. Surveys also indicate that having passed the coagulation and flocculation stage, the agent generates color in purified water. Therefore this study carried out to investigate the independent variables affecting the extraction of the Descurainia Sophia agent and the effect of each variable on generation of color in the water treated by the use of the obtained agent.

2. Materials and Methods

The salt of NaCl and NaOH used was purchased from the German Company of Merck. The *Descurainia Sophia* seed used was purchased from shops across the cities of Sanandaj, Dorood and Zanjan.

2.1. Design of experiments

Four variables of concentration of NaCl (0.05 to 1 gL⁻¹), concentration of NaOH (0.05 to 0.1 gL⁻ ¹), duration of extraction (1 to 25 minutes) and the ultrasound frequency (0-45-75 kHz) are considered independent variables and the color generated after the stage of coagulation and flocculation in water (jar test) is considered a dependent variable Design of experiments and analysis of the results was carried out by the Doptimal method based on the response surface methodology. Experiments to develop the model and validate it in optimal conditions were respectively conducted in 50 experiments and additional triplicate experiments.

2.2. Preparation of turbid water

In order to prepare the turbid water, 1 liter of

Distilled water was added to 10 grams of kaolin powder and it was put on a magnetic stirrer so that they were completely mixed. Then, the mixture was put aside so particles subsided completely. The suspension was kept as a stock (13).

2.3. Preparation of the Descurainia Sophia seed

Descurainia Sophia seeds were collected from the supplying shops in market and were completely cleaned. Then, they were put in an oven with $100^{\circ C}$ for two hours to be dried. Having been dried, the seeds were turned into flour using a domestic grinder (14).

Five grams of *Descurainia Sophia* seed powder was added to 500 ml of the distilled water supplemented with NaCl (0.05 to 1 gL⁻¹) and NaOH (0.01-0.1 gL⁻¹) and was put on a magnetic stirrer for ten minutes to be mixed (15). The mixture was left stand still for 48 hours. Then 50 samples of the soaked Descurainia Sophia seed powder were put in an ultrasound bath, model (LUC405-Korea), for a definite duration. The samples were cleared using a cloth filter. The cleared agent, as an effective coagulant substance, was used for the designed experiments.

2.4. Determination of turbidity

Having conducted each of the jar tests, the samples were immediately taken at a depth of 5 cm above the water surface, in order to measure turbidity of samples, the turbidity device model HACH-2100, made in Germany was used. The device was first calibrated using distille

2.5. Determination of the maximum absorption wavelength

Descurainia Sophia powder, soaked in the distilled water containing 0.1 g L^{-1} NaOH, was centrifuged at an rpm of 2000 for 20 minutes. Then, absorbance was scanned from 250 to 700 nm with 10 nm increment using a spectrophotometer (HACH DR 5000.

The maximum absorbance wavelength (λ max) was at 349 nm was read before and after coagulation and flocculation (jar test).

3.Results

The results of the designed experiments are given in Table 1.

Figure 1 shows normal distribution of residuals. Residual values are the difference between the observed empirical values and those predicted by the model. The lower the residual values, the higher the accuracy of the model in prediction of results. Distribution of residual points along a direct line indicates normal distribution of residuals. If the distribution of residual points is as a S form or curved, the data transformation might lead to better results (16, 17).

Results of the analysis of variance (ANOVA) in table 2 show that, the only independent variable affecting the color creation at the end of the jar test is NaOH concentration (B). Also, the test of lack of a fit between the model and the data was not significant (p>0.05). The insignificance of lack of fit indicates that the values predicted by the model are well matched by the data obtained from empirical observations.

3.1. The model used to predict color

Using the statistical method of RSM, equation 1, which predicts the effect of the independent variable of NaOH concentration on the color creation at the end of the jar test, was obtained.

Equation 1: Final equation of the actual variable affecting the color investigation Model

Y=0.0352+0.782×B (NaOH)

The model presented by equation 1, which is first order, predicts, at a confidence level of 95%, the color generation caused by concentration of NaOH at the end of the jar test. The constant value is the model estimation coefficient. The positive sign of the coefficient of the term indicates the direct effect of the variable on the increase of color. The density of Sodium Hydroxide in water (NaOH) denoted by C and Y represents the absorbance due to color generated at a wavelength of 349 nm.

3.2. Optimum conditions

Optimum conditions predicted by the model to achieve the least absorbance due to generated color including NaCl concentration of 1 gL⁻¹, NaOH concentration of 0.03 gL⁻¹, duration of 5 minutes, an ultrasound frequency of 75 kHz, and the value of light absorption predicted as the response variable was equal to 0.007. The optimum conditions presented by the model were implemented repeatedly three times. Light absorption values caused by the color generated after the jar test were respectively obtained as 0.005, 0.007 and 0.006 (with a difference of less than 5%). The average efficiency of turbidity removal after the jar test was calculated as $95\%\pm5\%$.

Investigation of the effect of NaOH on the color generated in water is shown in Figure 2. According to the diagram, as the concentration of Sodium Hydroxide in the stage of extraction of the coagulant increases, so does the color generated in water after the coagulation and flocculation (after the jar test). Similar results were reported in a study conducted on the effect of soda on wheat seed color. Having soaked in the Sodium Hydroxide solution, red and white wheat respectively changed color to dark red and yellow (18).

As a result, it can be said that the Sodium Hydroxide used for the extraction of the coagulant material causes the color change in Descurainia Sophia seed extract.

4. Discussion and Conclusion

The results of the ANOVA indicated that among the studied variables, Sodium Hydroxide concentration in water (p<0.05) is the only effective variable on generation of color in water after the coagulation and flocculation stage.

The first order model is statistically valid and capable of predicting, with a confidence level of 95%, the color generated in water after the jar test caused by different values of NaOH used in the extraction stage of Descurainia Sophia seed.

Table 1: Observed and	predicted values of	f absorbance at a wavelength of 349 nm.	
-----------------------	---------------------	---	--

	NaCl	NaOH	Time	Ultrasound -	Absorbance at a w	Absorbance at a wavelength of 349 nm		
RUN	g L ⁻¹	g L ⁻¹	Min	KHz	Initial Observed	Final Observed	Predicted Value	
1	1.00	0.10	25	0	0.238	0.120	0.089	
2	1.00	0.01	13	45	0.090	0.012	0.039	
3	0.05	0.01	17	75	0.091	0.014	0.110	
4	1.00	0.10	25	75	0.238	0.123	0.039	
5	1.00	0.10	1	0	0.230	0.120	0.039	
6	0.05	0.01	1	75	0.089	0.020	0.064	
7	0.05	0.10	25	0	0.163	0.140	0.039	
8	0.53	0.05	19	75	0.059	0.042	0.064	
9	0.05	0.10	1	0	0.206	0.173	0.110	
10	1.00	0.07	1	75	0.080	0.062	0.089	
11	0.68	0.01	25	45	0.078	0.058	0.076	
12	1.00	0.07	1	75	0.074	0.067	0.110	
13	0.53	0.10	1	45	0.170	0.150	0.110	
14	0.68	0.01	1	75	0.090	0.012	0.039	
15	0.68	0.07	25	0	0.101	0.080	0.039	
16	0.68	0.01	9	0	0.099	0.075	0.110	
17	1.00	0.10	1	45	0.238	0.123	0.039	
18	0.05	0.05	1	45	0.104	0.087	0.076	
19	0.05	0.10	17	45	0.238	0.124	0.110	
20	0.76	0.05	7	45	0.059	0.056	0.064	
21	1.00	0.01	17	75	0.127	0.053	0.039	
22	1.00	0.10	25	75	0.064	0.053	0.110	
23	0.05	0.05	25	75	0.157	0.061	0.110	
24	0.37	0.10	25	45	0.156	0.068	0.039	
25	0.05	0.04	9	0	0.047	0.045	0.039	
26	0.05	0.10	1	45	0.145	0.120	0.110	
27	1.00	0.10	9	75	0.164	0.122	0.110	
28	1.00	0.01	1	0	0.127	0.053	0.089	
29	1.00	0.10	25	45	0.177	0.170	0.058	
30	0.29	0.05	19	45	0.183	0.047	0.110	
31	0.29	0.05	7	75	0.012	0.002	0.076	
32	0.29	0.08	19	0	0.140	0.050	0.039	
33	1.00	0.07	9	0	0.049	0.142	0.095	
34	1.00	0.01	1	0	0.059	0.053	0.110	
35	0.76	0.03	19	0	0.174	0.179	0.039	
36	0.05	0.10	25	75	0.031	0.240	0.110	
37	0.05	0.01	25	0	0.047	0.017	0.039	
38	0.37	0.10	9	0	0.118	0.093	0.039	
39	0.57	0.10	25	75	0.062	0.039	0.110	
40	0.68	0.10	1	75	0.062	0.051	0.039	
40	0.08	0.10	1	0	0.047	0.042	0.039	
41	0.05	0.01	1	0 75	0.106	0.042	0.076	
	1.00	0.10	25	45				
43					0.057	0.052	0.076	
44 45	0.37	0.04	1	0	0.052	0.050	0.039	
45	1.00	0.01	1	45	0.049	0.045	0.110	
46	1.00	0.01	25	0	0.059	0.057	0.089	
47	1.00	0.10	9	75	0.067	0.060	0.039	
48	0.37	0.01	9	45	0.060	0.056	0.076	
49	0.05	0.01	25	45	0.065	0.060	0.110	




Fig.1: Normal distribution of remaining and predicted color values.

ource	Sum of Squares	DF	Mean Square	F Value	Prob> F	
Model	0.049	1	0.049	31.18	< 0.0001	significant
B(NaOH)	0.049	1	0.049	31.18	< 0.0001	
Residual	0.075	48	1.560			
Lack of Fit	0.070	43	1.640	1.86	0.2524	Not significant
	C					

Table 2: Analysis of variance ((ANOVA)) for the line	ear model of	f color prediction.
---------------------------------	---------	----------------	--------------	---------------------

Fig.2: Effect of Sodium Hydroxide on generation of color (Absorbance at 349 nm).

0.60

0.05

B: NeOH (g/l)

0.01

11.10

0.08

References

1. Xiao F, Huang JC, Zhang BJ, Cui CW. Effects of low temperature on coagulation kinetics and floc surface morphology using alum. *Desalination*. 2009; 237(1): 201-13.

2. Muyibi S, Alfugara A. Treatment of surface water with Moringa Oleifera seed extract and alum–a comparative study using a pilot scale water treatment plant. *Internal Journal of Environmental Studies*. 2003; 60(6): 617-26.

3.Raghuwanshi PK, Mandloi M, Sharma AJ, Malviya HS, Chaudhari S. Improving filtrate quality using agrobased materials as coagulant aid. Water quality research *journal of Canada*. 2002; 37(4): 745-56.

4. Diaz A, Rincon N, Escorihuela A, Fernandez N, Chacin E, Forster CF. A preliminary evaluation of turbidity removal by natural coagulants indigenous to Venezuela. *Process Biochemistry*. 1999; 35(3): 391-5.

5. Šćiban M, Klašnja M, Antov M, Škrbić B. Removal of water turbidity by natural coagulants obtained from chestnut and acorn. *Bioresource technology*. 2009; 100(24): 6639-43.

6. Abidin ZZ, Shamsudin NS, Madehi N, Sobri S. Optimisation of a method to extract the active coagulant agent from Jatropha curcas seeds for use in turbidity removal. *Industrial Crops and Products*. 2013; 41: 319-23.

7. Ndabigengesere A, Narasiah KS, Talbot BG. Active agents and mechanism of coagulation of turbid waters using Moringa oleifera. *Water research*. 1995; 29(2): 703-10.

8. Antov MG, Šćiban MB, Petrović NJ. Proteins from common bean (Phaseolus vulgaris) seed as a natural coagulant for potential application in water turbidity removal. *Bioresource technology*. 2010; 101(7): 2167-72.

9. Golalikhani M, Khodaiyan F, Khosravi A. Response surface optimization of mucilage aqueous extraction from flixweed (Descurainia sophia) seeds. *International journal of biological macromolecules*. 2014; 70: 444-9.

10. Lee YJ, Kim NS, Kim H, Yi JM, Oh SM, Bang OS, Lee J. Cytotoxic and anti-inflammatory constituents from the seeds of Descurainia sophia.

Archives of pharmacal research. 2013; 36(5): 536-41.

11. Sepúlveda E, Sáenz C, Aliaga E, Aceituno C. Extraction and characterization of mucilage in Opuntia spp. *Journal of Arid Environments*. 2007; 68(4): 534-45.

12. Brummer Y, Cui W, Wang Q. Extraction, purification and physicochemical characterization of fenugreek gum. *Food hydrocolloids*. 2003; 17(3): 229-36.

13. Yarahmadi M, Hossieni M, Bina B, Mahmoudian MH, Naimabadie A, Shahsavani A. Application of Moringa oleifera seed extract and poly aluminium chloride in water treatment. World *Application Sciences Journal*. 2009; 7(8): 962-7.

14. Chaibakhsh N, Ahmadi N, Zanjanchi MA. Use of Plantago major L. as a natural coagulant for optimized decolorization of dye-containing wastewater. *Industrial Crops and Products*. 2014; 61: 169-75.

15. Okuda T, Baes AU, Nishijima W, Okada M. Coagulation mechanism of salt solution-extracted active component in Moringa oleifera seeds. *Water Research.* 2001; 35(3): 830-4.

16. Del Castillo E, Montgomery DC, McCarville DR. Modified desirability functions for multiple response optimization. *Journal of quality technology*. 1996; 28: 337-45.

17. Myers RH, Montgomery DC, Anderson-Cook CM. Response surface methodology: process and product optimization using designed experiments: John Wiley & Sons. 2009.

18. Ram MS, Dowell FE, Seitz LM. FT-Raman spectra of unsoaked and NaOH-soaked wheat kernels, bran, and ferulic acid. *Cereal chemistry*. 2003; 80(2): 188-92.