

# The Estimation of Receiving Solar Radiation at Earth's Surface in Kermanshah Province

**Dr. Firouz Mojarad\***

Ph.D. of Climatology, Associate Professor, Geography Dept., Razi Univ., Kermanshah, Iran.

**Dr. Amanollah Fathnia**

Ph.D. of Climatology, Assistant Professor, Geography Dept., Razi Univ., Kermanshah, Iran.

**Saeed Rajaei**

Ph.D. Candidate of Climatology, Geography Dept., Razi Univ., Kermanshah, Iran.

## Extended Abstract

### Introduction

Solar radiation is the most important meteorological element which affects all climatological and biological processes such as evaporation and transpiration, snowmelt and plant growth directly and indirectly. Various planning in agriculture, hydrology, architecture and energy largely depend on the correct estimation of the amount of solar radiation. One of the most accurate methods in measuring solar radiation is using pyranometer which its usage is still limited in many parts due to the lack of facilities. Consequently, the researchers are trying more to estimate the radiation, instead of directly measuring it. Most of the previous studies have used Angstrom model, having the values of sunshine hours as its input, or regression equations through considering the climatic factors and elements affecting the radiation, to estimate the solar radiation. The aim of this study is to estimate and evaluate the spatial-temporal changes of receiving solar radiation in Kermanshah Province by using the "Bird and Hulstrom" model.

### Research Methodology

In this study, optimized "Bird and Hulstrom" model is used to estimate incoming solar radiation in Kermanshah Province by using the daily data from synoptic weather stations of the province between the years 1990- 2009. For this purpose, the amounts of incoming solar radiation on a daily basis were estimated considering local (altitude, latitude and longitude) and climatic (Humidity, temperature, pressure, length of day, sunshine hours, solar angle, sky albedo, absorption by aerosols, ground albedo, air mass, absorption by ozone, and Rayleigh distribution) characteristics. Bird and Hulstrom presented the equation (1) for estimating solar radiation concerning the effect of climatic parameters:

$$H = (H_B \cos \theta + H_{DF}) / (1 - r_g r_s) \quad (1)$$

Where:

H        Daily global irradiation at earth's surface,  
 $H_B$      Direct daily global irradiation at earth's surface,  
 $\theta$        Zenith angle,  
 $H_{DF}$     Daily diffuse irradiation at earth's surface,  
 $r_g$        Ground albedo,  
 $r_s$        Sky albedo,

The  $H_B$  (direct daily global irradiation at earth's surface) value is calculated by equation (2):

$$H_B = I_B \frac{n}{N} \quad (2)$$

\* E-mail: f\_mojarad@yahoo.com

Where:

$I_B$  Direct beam irradiance for clear sky,  
 $n$  Hours of measured sunshine,  
 $N$  Potential astronomical sunshine hours,

In equation (1), the  $H_{DF}$  (daily diffuse irradiation at earth's surface) value is calculated by equation (3):

$$H_{DF} = I_{DF} \frac{n}{N} + K^* \left(1 - \frac{n}{N}\right) (I_B + I_{DF}) \quad (3)$$

Where:

$I_{DF}$  Diffuse irradiance for clear sky,  
 $K^*$  0.32  
 $I_B$  Direct beam irradiance for clear sky,

Based on the above-mentioned equations, all parameters of the model were calculated for stations, and receiving solar radiation maps were plotted for the region in all months of the year.

### Discussion and Results

The results showed that all components of the Bird and Hulstrom model at the stations, including  $I_B$  (direct beam irradiance for clear sky),  $I_{DF}$  (diffuse irradiance for clear sky),  $H_B$  (direct daily global irradiation at earth's surface), and  $H_{DF}$  (daily diffuse irradiation at earth's surface) reach their maximums in June, the time of maximum solar altitude, maximum sunshine hours and minimum air mass. In contrast, the lowest amounts of radiation happen in December and January, when the solar angle and sunshine hours decrease, and consequently the effect of atmospheric factors increases. Therefore the final output of the model or daily global irradiation at earth's surface ( $H$ ) also obeys this rule. Generally, the largest amounts of receiving solar radiation occur in the highlands. Spatial-temporal differences of radiation in the region are high during the warm period of the year (from 32 to 42 MJ/m<sup>2</sup>/day with a difference of 10 MJ/m<sup>2</sup>/day) due to the direct radiation at highlands, and elimination of radiation by water vapor and other atmospheric factors in the lowlands; While in the cold period of the year, this spatial difference is reduced (from 9 to 13 MJ/m<sup>2</sup>/day with a difference of 4 MJ/m<sup>2</sup>/day) because of the diffuse radiation.

### Conclusion

Most previous studies have used the Angstrom model and calibration of its coefficients for estimating the receiving solar radiation in Iran. Some studies have also used other methods such as regression models and artificial neural networks through considering the factors that affect the radiation. This study has attempted to estimate the amount of receiving solar radiation in Kermanshah province with the Bird and Hulstrom model using all relevant local and climatic parameters, and to evaluate its spatial-temporal changes. Comparing the amount of solar radiation measured by pyranometer in Kermanshah station (422.8 Cal/cm<sup>2</sup>/day) with the estimated amount in this study (402.9 Cal/cm<sup>2</sup>/day) indicates the acceptable accuracy of the estimates. Also comparing our results with the results of other studies is another evidence for the reasonableness of the results. To complete the studies in this regard, more precise studies can be provided in future on the role of slope effect, and condition of land cover on the amount of receiving solar radiation.

**Keywords:** Estimating, Recieving Solar Radiation, Kermanshah Province, Spatial Changes, Bird and Hulstrom Model.

## References

1. Afrakhteh, H., Ahmadabadi, F. and Ahmadabadi, H., (2014), Solar Energy Exploitation in Rural Areas) Case: Eshgh Abad District in Neyshabour County), Human Geography Research Quarterly, Vol. 46, No. 1, pp. 15-30.
2. Aghashariatmadary, Z. Khalili, A., Irannejad, P. and Liaghat, A., (2011), Calibration and Annual Changes of the Coefficients of the Angstrom-Prescott Equation (a and b) in Different Time Scales, Case Study: Tehran North Station (Aghdasieh), Journal of Water and Soil, Vol. 25, No. 4, pp. 905-911.
3. Alizadeh, A. and Khalili N. (2009), Estimation of Angstrom Coefficient and Developing A Regression Equation for Solar Radiation Estimation (Case Study: Mashhad), Bimonthly Journal of Water And Soil (Agricultural Sciences and Technology), Vol. 23, No. 1, pp. 229-238.
4. Almorox, J. and Hontoria, C., (2004), Global Solar Radiation Estimation Using Sunshine Duration in Spain, Energy Conversion and Management, Vol. 45, No. 9-10, pp. 1529-1535.
5. Angstrom, A., (1924), Solar and Terrestrial Radiation, Quart. J. Roy. Met. Soc., Vol. 50, pp. 121-125.
6. Ashournejad, Q., Paktinat, H. and Darvishi Bolorani, A. (2014), Modeling the Optimum Site for Solar Panels' Installation in Buildings' Rooftops using the GIS, Case Study: Between Vesal Street and Qods Street of Tehran City, Geography and Territorial Spatial Arrangement (Quarterly), Vol. 4, No. 12, pp. 33-50.
7. Badescu, V., (2008), Modeling Solar Radiation at the Earth's Surface, Springer, ISBN: 978-3-540-77454-9, PP 327 – 392.
8. Bakirci, K., (2009), Models of Solar Radiation with Hours of Bright Sunshine; A Review, Renewable and Sustainable Energy Reviews; Vol. 13, pp. 2580-2588.
9. Bayat, K. and Mirlatifi, S. M., (2009), Estimation of Global Solar Radiation using Regression and Artificial Neural Networks Models, Bimonthly Journal of Agricultural Sciences and Natural Resources, Vol. 16, No. 3, pp. 270-280.
10. Belcher, B. N. and DeGaetano, A. T., (2007) A Revised Empirical Model to Estimate Solar Radiation Using Automated Surface Weather Observations, Solar Energy, Vol. 81, No. 3, pp. 329-345.
11. Bird, R. E. and Hulstrom, R. L., (1981), A Simplified Clear Sky Model for Direct and Diffuse Insolation on Horizontal Surfaces, Technical Report, Solar Energy Research Institute, Golden, Colorado, SERI/TR-642-761.
12. Chen, R.; Kang, E.; Lu, S.; Yang, J.; Ji, X.; Zhang Z. and Zhang, J., (2006), New Methods to Estimate Global Radiation Based on Meteorological Data in China, Energy Conversion and Management, Vol. 47, No. 18-19, pp. 2991-2998.
13. Daneshyar, M., (1978), Solar Radiation Statistics for Iran, Solar Energy, Vol. 21, pp. 345-349.
14. Davies, J. A., McKay, D. C., Luciani, G. and Abdel-Wahab, M., (1988), Validation of Models for Estimating Solar Radiation on Horizontal Surfaces, IEA Task IX, Final Report, Atmospheric Environment Service of Canada, Downsview, Ontario, Canada.
15. Dincer, I., (2000), Renewable Energy and Sustainable Development: A Crucial Review, Renewable and Sustainable Energy Reviews, pp. 157-175.
16. Ebrahimpour, A. A. S., Marefat, M. and Nayeri H., (2009), Offering a New Relation to Estimate the Total Amount of Radiation in Different Climates of Iran, Geographic Space, Vol. 9, No. 25, pp. 1-22.
17. Ebrahimpour, A. A. S., Marefat, M. and Nayeri H., (2009b), Comparative Study of Various Methods of Estimation of the Solar Radiation Diffuse in Iranian Climates, Geographic Space, Vol. 9, No. 27, pp. 1-21

18. Erfanian, M. and Babaei Hesar S., (2013), Evaluation of Hybrid Model for Estimating Daily Solar Radiation in Some Solar Sites of Iran, *Journal of Water and Soil*, Vol. 27, No. 1, pp. 158-168.
19. Fooladmand, H. and Hadipoor, S., (2013), Calibration and Validation of Different Methods for Estimation of Daily Solar Radiation (Case Study: Rasht), *Geographical Research (Quarterly)*, Vol. 28, No. 2, pp. 1-12.
20. Hansen, J. W., (1999), Stochastic Daily Solar Irradiance for Biological Modeling Applications, *Agricultural and Forest Meteorology*, Vol. 94, pp. 53-63.
21. Hottel, H. C. and Whillier, A., (1958); Evaluation of Flat-Plate Solar Collector Performance, *Transaction of Conference on the Use of Solar Energy*, II: 74-104.
22. Kazemi Karegar, H., Zahedi, A., Ohis, V., Taleghani, G. and Khalaji, M., (2014), Wind and Solar Energy Developments in Iran, available at: <http://www.itee.uq.edu.au/~aupec/aupec02/Final-Papers/H-Kazemi1.pdf>. Accessed: August 15, 2014.
23. Khalili, A., Irannejad, P. and Aghashariatmadary, Z., (2010), Comparing the Efficiency of Univariate Models and Multiple Linear Equations for Estimating the Radiation Received on a Horizontal Surface at the Ground Level Using Meteorological Variables, Case Study: Tehran North Station (Aghdasieh), 14<sup>th</sup> Iranian Conference on Geophysics, Tehran, pp. 143-177.
24. Khosravi, M., Jahanbakhsh, S. and Derakhshi J., (2013), Estimating and Classification of Solar Radiation on Horizontal Surfaces using Climatic Parameters in GIS (Case Study: East Azerbaijan Province), *Quarterly Geographic Space*, Vol. 13, No. 43, pp. 39-63.
25. Leckner, B., (1978), The Spectral Distribution of Solar Radiation at the Earth's Surface-Elements of a Model, *Solar Energy*, Vol. 20, No. 2, pp. 143-150.
26. Maghrabi, A. H., (2009), Parameterization of Simple Model to estimate Monthly Global Solar Radiation Based on Meteorological Variables and Evaluation of Existing Solar Radiation Models for Tabuk, Saudi Arabia, *Energy Conversion and Management*, Vol. 50, pp. 2754-2760.
27. Majnoni-Heris, A., Zand-Parsa, S., Sepaskhah, A. and Nazemosadat, M., (2009), Development and Evaluation of Global Solar Radiation Models Based on Sunshine Hours and Meteorological Data, *Journal of Science and Technology of Agriculture and Natural Resources, Water and Soil Science*, Vol. 12, No. 46, pp. 491-499.
28. Moghadam, H., Farshchi Tabrizi, F. and Zolfaghari Sharak, A., (2011), Optimization of Solar Flat Collector Inclination, *Desalination*, Vol. 256, No. 1-3, pp. 107-111.
29. Moieni, S., Javadi, S., Kokabi, M. and Nanshadi, M., (2010), Estimating the Solar Radiation in Iran by Using the Optimal Model, *Iranian Journal of Energy*, Vol. 13, No. 2, pp. 1-10.
30. Paltridge, G. W. and Proctor, D., (1976), Monthly Mean Solar Radiation Statistics for Australia, *Solar Energy*, Vol. 18, pp. 235-243.
31. Prescott, J. A., (1940), Evaporation from a Water Surface in Relation to Solar Radiation, *Trans. R. Soc. South Aust.*, Vol. 64, pp. 114-118.
32. Sabbagh, J., Sayigh, A. A. M. and Al-Salam, E. M. A., (1977), Estimation of the Total Solar Radiation From Meteorological Data, *Solar Energy*, Vol. 19, pp. 307-311.
33. Saberifar, R., (2010), Potentials of Utilization of Solar Energy in Southern Khorasan, *Energy Economy*, No. 131-132, pp. 43-47.
34. Sabziparvar, A. A., (2007), General Formula for Estimation of Monthly Mean Global Solar Radiation in Different Climates on the South and North Coasts of Iran, *International Journal of Photoenergy*, Online: <http://dx.doi.org/10.1155/2007/94786>, Doi: 10.1155/2007/94786.
35. Safaai, B., Khalaji Asadi, M., Taghizadeh, H., Jilavi A., Taleghani, G. and Danesh M., (2005), Estimating Solar Energy Potential in Iran and Related Radiation Atlas, *J. of Nuclear Sci. and Tech.*, No. 33, pp. 27-34.
36. Safaripour, M. H. and Mehrabian, M. A., (2011), Predicting the Direct, Diffuse and Global Solar Radiation on a Horizontal Surface and Comparing with Real Data, *Heat and Mass Transfer*, Vol. 47, No. 12, pp. 1537-1551.

37. Safaripour, M. H. and Mehrabian, M. A, (2009), Predicting Total Amount of Solar Radiation in Kerman using Geometric, Astronomical, Geographical and Meteorological Characteristics, Sharif: Mechanical Engineering (Quarterly), Vol. 51, pp. 3–13.
38. Samimi, J., (1994), Estimation of Height-Dependent Solar Irradiation and Application to the Solar Climate of Iran, Solar Energy, Vol. 52, No. 5, pp. 401-409.
39. Soltani, A., Meinke, H. and De Voil, P., (2004), Assessing Linear Interpolation to Generate Daily Radiation and Temperature Data for Use in Crop Simulations, Eur. J. Agron, Vol. 21, pp. 133-148.
40. Soltani, S. and Morid, S., (2005), Solar Radiation Estimation Using Temperature-Based and Artificial Neural Networks Approaches, Journal of Agricultural Science, Vol. 15, No. 1, pp 69-77.
41. Wu, C., Liu, Y. and Wang, T., (2007), Methods and Strategy for Modeling Daily Global Solar Radiation with Measured Meteorological Data; Case Study in Nanchang Station, China, Energy Conversion and Management, Vol. 47, pp. 2447-2452.
42. Yazdanpanah, H., Mirmojarabian, R. and Barghi, H. (2010), Estimating Total Incoming Solar Radiation on the Earth Surface of Isfahan, Geography and Environmental Planning, Vol. 21, No. 1, pp. 95-104.