

### A Report on "the first Concept Map Design Contest on Infection Prevention and Control"

Arash Arianpoor<sup>1,2</sup>, Emran Askari<sup>2,3,4\*</sup>, Ahmadreza Zarifian<sup>2,4</sup>, Golnaz Bayat<sup>2,5,6</sup>, Mojtaba Dayyani<sup>2,6</sup>, Somayeh Mahdipour<sup>2,6</sup>, Elahe Amini<sup>1,2</sup>, Mohammad Hasan Aelami<sup>5,6</sup>

<sup>1</sup>Surgical Oncology Research Center, Mashhad University of Medical Sciences, Mashhad, Iran

<sup>2</sup>Student Research Committee, Faculty of Medicine, Mashhad University of Medical Sciences, Mashhad, Iran.

<sup>3</sup>Mashhad Medical Microbiology Student Research Group, Faculty of Medicine, Mashhad University of Medical Sciences, Mashhad, Iran.

<sup>4</sup>Nuclear Medicine Research Center, Mashhad University of Medical Sciences, Mashhad, Iran.

<sup>5</sup>Department of Pediatrics, Faculty of Medicine, Mashhad University of Medical Sciences, Mashhad, Iran.

<sup>6</sup>Infection Control and Hand Hygiene Research Center, Mashhad University of Medical Sciences, Mashhad, Iran.

\*Qaem Hospital Nuclear Medicine Research Center  
Ahmadabad Blvd  
Mashhad, 99199 91766, Iran

Tel: +989365317744  
Email:  
Askarie951@mums.ac.ir

**Background:** Educational achievement is highly important in the higher education and universities' system in all countries. Critical thinking and problem solving skills are the main outcomes of higher education and the accreditation criteria. Happiness is one of the fundamental emotions of human beings that has a crucial role in the health of individuals and society. It could be the catalyst and facilitator in the development of critical thinking. The purpose of the present study was to compare critical thinking skills and happiness among the students of different universities.

**Methods:** This is a descriptive analytical study conducted on 244 students of different universities of Ghaen that entered the study by multistage cluster sampling. Ryas questionnaire of critical thinking 2003 and Oxford Happiness questionnaire were used and the data were analyzed by SPSS (ver. 14), Pearson's correlation, independent t-test, and ANOVA and the statistical significance level was 0.05.

**Results:** 163 participants (66.8%) were male and 81 students (33.2%) were female. The results presented that there is a significant difference between the mean of critical thinking and happiness among the students based on universities ( $p < 0.05$ ). Furthermore, there is a significant difference between critical thinking and happiness ( $r = 0.246$ ).

**Conclusions:** Educational programmers should concern critical thinking and the methods to upgrade it. Moreover, the teachers should use new teaching methods in the curriculum in order to increase happiness in the students.

**Keywords:** Critical thinking, Happiness, Students

### گزارشی از اولین مسابقه نقشه مفهومی در ارتباط با کنترل و پیشگیری از عفونت

**مقدمه:** نقشه های مفهومی به طور کلی نه تنها به عنوان یک روش تاثیر گذار در یادگیری بلکه به عنوان یک روش ارزیابی کیفیت یادگیری نیز مطرح شده اند. برخی بررسی ها نشان داده اند نقشه های مفهومی با افزایش مهارت های تفکر نقادانه و قضاوت بالینی نقش مهمی در بهبود اجرا و پایبندی به راهکارهای پیشگیری از عفونت و نهایتاً کاهش عفونت ناشی از سیستم بهداشتی- درمانی می شود.

**مواد و ابزارها:** گروه تحقیقاتی دانشجویی میکروبیولوژی دانشکده پزشکی مشهد برای نخستین بار در کشور، در دی ماه ۱۳۹۴ رقابت علمی طراحی نقشه های مفهومی را برگزار کرد و از محققین و دانشجویان سراسر کشور درخواست نمود جهت شرکت در این رقابت نقشه های مفهومی خود را در پاسخ به این پرسش هدفمند که "چگونه می توانیم عفونت های ناشی از سیستم بهداشتی- درمانی را کاهش دهیم؟" ارسال نمایند. چهل نقشه مفهومی دریافت شد که ۲۹ مورد واجد معیارهای شرکت در رقابت بودند. تمامی نقشه های مفهومی بر اساس معیارهای Novak and Cronin's scoring (با کمی تغییرات) مورد ارزشیابی و داوری قرار گرفتند.

**نتایج:** از میان ۲۹ نقشه مفهومی دریافت شده، ۴ مورد که بالاترین امتیاز را بر اساس سیستم ارزشیابی مذکور کسب نموده و همچنین ایده های جدیدی را در رابطه با پیشگیری و کنترل عفونت مطرح نمودند به عنوان طرح های برگزیده انتخاب شدند. تمامی نقشه های مفهومی در آدرس <https://goo.gl/81EA7i> قابل دسترسی هستند.

**نتیجه گیری:** تجربه جاری حاکی از نقش امیدوار کننده و تأثیر گذار نقشه های مفهومی در راستای پیشگیری و کنترل عفونت در سیستم بهداشتی- درمانی می باشد و این روش به عنوان یک طرح سریع و آسان جهت آموزش و یادگیری مباحث مطرح شده پیشنهاد می شود.

**کلمات کلیدی:** نقشه مفهومی، پیشگیری و کنترل عفونت، آموزش پزشکی، ایران.

### تقرير عن "اول مسابقة للرسوم والمخطوطات التعبيرية في موضوع التحكم والوقاية من العدوى"

**المقدمة:** الرسوم التعبيرية ليست فقط طريقة للتأثير في التعلم ولكننا طريقة لتقييم التعليم أيضاً. لقد بينت بعض الدراسات أن الرسوم يمكننا أن نزيد من مهارة النقد الفني والتقييم السريري وأيضاً لربما دور في تحسين طرق الوقاية والتحكم بالعدوى وفي النهاية تقليل انتقال العدوى ضمن المنظمة الصحية والعلامة والتمثلة بالسفاني وغيرها.

**الوسائل:** أقام مجموعة من الطلبة في فرع ميكروبيولوجي التابع لكلية الطب في جامعة مشهد ولأول مرة في إيران في عام ٢٠١٥ مسابقة علمية في المخطوطات والرسوم التعبيرية في مجال مكافحة العدوى في النظام الصحي العلاجي المتمثل بالسفاني وغيرها وقد طلب من المحققين والطلبة ارسال رسوماتهم التعبيرية في ما يتعلق بالسؤال التالي (كيف بالإمكان تقليل العدوى المنتقلة في النظام الصحي العلاجي؟)

تم استلام ٤٠ رسم وكان ٢٩ منها يستوفي الشروط للمشاركة بالمسابقة. وقد تم تقييم الرسوم حسب معايير Novak and Cronin's scoring (مع إجراء بعض التعديلات عليها).

**النتائج:** من بين ٢٩ رسم تعبيري تم حصول ٤ رسومات على أعلى علامة حسب معيار التقييم المطروح وقد طرحت هذه الرسومات أفكار جديدة في ما يتعلق بالوقاية والتحكم بالعدوى. كل الرسوم والمخطوطات موجودة على الرابط التالي <https://goo.gl/81EA7i>

**النتيجة:** كانت هذه التجربة دليل على أن هناك دور مؤثر للرسوم التعبيرية في ما يتعلق بالتحكم والوقاية من العدوى.

وهذه الطريقة تعتبر طريقة سريعة لجهة تعليم الأمور الضرورية.

**الكلمات الدلالية:** رسم تعبيري، الوقاية والتحكم بالعدوى، التعليم الطبي، إيران

### عفونت کو کنترول اور اس سے بچاؤ کے سلسلے میں مفہومی منصوبوں کی تیاری کے بارے میں ایک رپورٹ

**بیک گراؤنڈ:** مفہومی منصوبوں نہ صرف حصول علم میں موثر ہوتے ہیں بلکہ تعلیمی روشوں کا جائزہ لینے کے لئے نہایت اہمیت رکھتے ہیں۔ بعض تحقیقات سے پتہ چلتا ہے کہ مفہومی منصوبے عفونت سے بچنے اور نتیجے میں عفونت میں کمی لانے میں نہایت موثر ثابت ہوتے ہیں کیونکہ یہ ڈاکٹروں کو غور سے مرض کا پتہ لگانے اور کلینیکل تشخیص میں مدد دیتے ہیں۔

**روش:** مشہد فیکلٹی آف میڈیسن میں مائیکرو بایولوجی میں طلباء کے تحقیقاتی گروہ نے دوہزار پندرہ میں مفہومی منصوبے بنانے کا علمی مقابلہ رکھا، اس مقابلے میں ملک کے تمام محققین اور میڈیکل طلباء کو دعوت دی گئی تھی کہ وہ اس سوال کے جواب میں کہ 'حفظان صحت کے اصولوں اور علاج معالجے کی روشوں میں عفونت کو کس طرح سے روکا جاسکتا ہے؟ اپنے نظریات ارسال کریں۔ اس دعوت کے بعد چالیس جوابات موصول ہوئے جس میں انتیس جوابات معینہ معیاروں پر اترتے تھے، مفہومی منصوبوں کا نواک اینڈ کرونین اسکورینگ کے ذریعے تجزیہ کیا گیا۔

**نتیجے:** موصولہ انتیس جوابات میں سے چار کو سب سے زیادہ نمبر ملے تھے، ان میں عفونت کو کنترول کرنے کے لئے نئے نظریات پیش کئے گئے تھے۔ ان چار جوابوں کو بہترین منصوبوں کی حیثیت سے چنا گیا۔ یہ سارے منصوبے آپ کو <http://goo.gl/81EA7i> پر دیکھے جاسکتے ہیں۔

**سفارش:** موجودہ میڈیکل اور حفظان صحت کے میدان میں حاصل تجربوں سے یہ ثابت ہوتا ہے کہ مفہومی منصوبے موثر واقع ہوتے ہیں اور ان سے میڈیکل نصاب کو آسانی اور تیزی سے مکمل کیا جاسکتا ہے، اسی بنا پر ان مفہومی منصوبوں کو اپنانے کی سفارش کی جاتی ہے۔

**کلیدی کلمات:** مفہومی منصوبے، عفونت، کنترول کرنا۔

**INTRODUCTION**

Concept maps (C-maps), developed by professor Novak and his team, are graphical tools designed to facilitate the process of organizing, representing, and learning different aspects of knowledge. The theory underlying the C-maps is based on the learning psychology of David Ausubel which states that learning transpires by the assimilation of new ideas and conceptions into existing cognitive structure of the learner (1). Concept maps are efficient tools for learning and creating knowledge which try to answer a focus question and are comprised of two pivotal parts: 1. *Concepts* (perceived regularities in events/objects designated by labels); and 2. *Propositions* (statements about some objects or events in the universe, either naturally occurring or constructed) (2).

Based on many studies performed on infection prevalence, despite the presence of different guidelines and measures for infection prevention, healthcare-associated infections (HAIs) are still considered a major peril for patients. One of the key concerns in this regard is the compliance of healthcare workers (HCWs) with preventive methods and strategies. Studies have shown that the length of healthcare experience has a negative correlation with the adherence to preventive measures, and suggested that participating in educational interventions may increase the adherence (3).

Concept maps are considered not only as a powerful method of meaningful learning, but also as an instrument for evaluating the efficiency of learning and accuracy of thinking process. In recent years, concept maps are being employed mostly as tools for planning and evaluation of healthcare services. Different inquiries suggest that concept maps by promoting critical thinking and clinical reasoning may play a significant role in increasing adherence to infection prevention methods and therefore reduce healthcare-associated infections (4). Based on this idea, we held “the First Concept Map Design Contest on Infection Prevention and Control” with two goals. Our first goal was to promote infection prevention and control (IPC) basics and to motivate people, especially students in different healthcare associated fields to expand their knowledge on IPC and our second goal was to obtain new ideas on IPC in order to find new solutions

for healthcare-associated infections prevention. In this paper, we aim to discuss our experiences of this contest.

**METHODS**

In January 2015, Mashhad Medical Microbiology Student Research Group (MMMSRG) invited all academics from all over Iran, especially students, who were interested in infection prevention and control, to design concept maps trying to answer this focus question: “How can we reduce the Healthcare-associated Infections?”

We received about 40 concept maps, from which 29 met our inclusion criteria:

1. C-maps were preferred to be designed in English.
2. C-maps should have contained at least one of the 5 basic concepts of infection prevention and control (including: 1-CDC standard precautions, 2-Hand hygiene, 3-Isolation standards, 4-Environmental cleaning and 5-Surveillance).
3. All concepts and links should be referenced appropriately (According to the Vancouver referencing style).
4. All C-maps should be designed as 100 \* 70 cm landscape posters.
5. Approved fonts were: Times New Roman, Calibri, Arial and Arial Black (font size should be at least 35 pt.)
6. The logos of ‘The first International Congress on Prevention Strategies for Health care-associated Infections’ and ‘The first Concept Map Design Contest on Infection Prevention and Control’ should be included.
7. The author’s affiliation and e-mail should be mentioned in the poster.
8. All the references should be mentioned separately at the end of the poster.

All the attendees presented their C-maps on April 14<sup>th</sup> and 15<sup>th</sup> as posters during a poster section in the “First International Congress on Prevention Strategies for Healthcare-associated infections”. All the C-maps were judged based on the designed rubrics, which were adapted from Novak (5) and Cronin’s (6) scoring criteria with some modifications (Table 1).

Table 1. The grading rubrics of the first Concept Map Design Contest on Infection Prevention and Control			
Inclusion Criteria			
Is the Presenter in attendance?	Yes <input type="checkbox"/>	No <input type="checkbox"/> (- 5 points)	
The C-map contains at least one of the 5 basic concepts of infection prevention and control*?	Yes <input type="checkbox"/> (+ 0.25 points for each more; + 1 if all the 5 concepts are mentioned)	No <input type="checkbox"/> (- 2 points)	*including: 1. CDC standard Precautions 2. Hand Hygiene 3. Isolation Standards 4. Environmental cleaning 5. Surveillance
Are Concepts and links referenced appropriately? Are Hypothetical links specified with a symbol or a color?	Yes <input type="checkbox"/>	No <input type="checkbox"/> (- 0.5 points for each link without a reference*)	*If the reference is mentioned in a higher segment and the lower links are adopted from that reference, No negative points should be given.
The map contains hypothetical valid links?	Yes <input type="checkbox"/> (+2 point for each)	No <input type="checkbox"/>	

Table 1. Continued			
<b>Inclusion Criteria</b>			
At most 5 references are used?	Yes <input type="checkbox"/>	No <input type="checkbox"/> (-0.25 points for each more)	*+0.5 points for each reference after 2013
At most 30 nodes are used?	Yes <input type="checkbox"/>	No <input type="checkbox"/> (-0.25 points for each more)	
<b>C-map Construction</b>			
<i>Concepts</i>			
*are objects, events, or properties of things that are designated by a label or symbol	<i>How many?</i>		*Score 1 point for each concept
<i>Propositions</i>			
*Is the relationship between two concepts indicating by a connecting line and linking words?	<i>How many?</i>		*For each meaningful, valid proposition shown, score 1 point
*Is the relationship valid?			
<i>Hierarchy</i>			
*Does the map show hierarchy?	<i>How many?</i>		
*Is each subordinate concept more specific and less general than the concept drawn above it?			*Score 5 points for each valid level of the hierarchy.
<i>Cross links</i>			
*Does the map show meaningful connections between one segment of hierarchy and another segment?	<i>How many?</i>		*Score 10 points for each cross link that is both valid and significant, and 2 points for each cross link that is valid but does not illustrate a synthesis between sets of related concepts or propositions.
<i>Examples</i>			
	<i>How many?</i>		*1 point for each specific event or objects that are valid instances of those designated by the concept label.
<b>C-map Design</b>			
Is the poster in English?	Yes <input type="checkbox"/> (+2 Points)	No <input type="checkbox"/>	*Negative points should be allotted if there are grammatical mistakes.
Appropriate Fonts (size and Format)	Score from 1 to 5		
Appropriate color	Score from 1 to 5		
Concepts and links are clearly illustrated?	Score from 1 to 5		
References are mentioned in a separate box, numbered and in Vancouver style	Yes <input type="checkbox"/>	No <input type="checkbox"/> (-2 points)	
The poster number is mentioned in the right upper corner of the poster	Yes <input type="checkbox"/>	No <input type="checkbox"/> (-0.5 points)	
<b>Adapted and Modified from:</b> (Cronin, P. J., Dekker, J., Dunn, J. G. (1982). A procedure for using and evaluating concept maps. <i>Research in Science Education</i> , 12(1), 17-24.) <b>And</b> (Novak, J. D., & Gowin, D. B. (1984). <i>Learning how to learn</i> . New York: Cambridge University Press.)			

## RESULTS


We received about 40 concept maps from different parts of Iran. Among the accepted concept maps, four maps, which had achieved the most scores and proposed some new ideas in infection prevention and control were chosen as the best concept maps (Figure 1-Figure 4).

All the C-maps presented in the first Concept Map Design Contest on Infection Prevention and Control are available in

<https://goo.gl/8IEA7i>.

## DISCUSSION

Finding the optimal learning method in education and science is not a new challenge in teaching-learning process (7). There are many teaching methods including lectures, discussions, Jigsaw puzzle maps, flashcards, media, role-playing and concept maps, which facilitate the learning process. C-maps have a great potential to lead the students



CONCEPT MAP  
**Health Care Associated Infections (HAI): Super Detectors!**

Kosar Shabani Varaki  
 Medical student, Faculty of medicine  
 Mashhad University of Medical Sciences (MUMS), Mashhad, Iran.  
 Email: kosarshabani@um.ac.ir

References

1. National Action Plan to Prevent Health Care-Associated Infections (HAIs) [internet]. [Place unknown] [cited 2015 March 28]. Available from: [http://www.health.gov/haiprevent\\_hai.asp](http://www.health.gov/haiprevent_hai.asp)
2. Sterlflinger K, Eitenauer J, Piñar G. Microbes, science, art and conservation, who wins the game? Science, Technology and Cultural Heritage. 2014;191.
3. Fariza Z, Kováč D, Škaldová P. Rapid Detection of Microorganisms Based on Active and Passive Modes of QCM Sensors. 2014; 15(1):79-92.
4. Levine S, Stevenson HI, Chambers LA, Kemmer BA. Infrared spectroscopy of enteric bacteria. Journal of bacteriology. 1953; 65(1):10.
5. Nam SH, ROH S, Park H, Yun SH, HONG H. Infrared detector and infrared image sensor including the same. Google Patents; 2014.
6. Health Care-Associated Infections (HAIs): Types of Healthcare-associated Infections [Internet]. [Place unknown]. [Date unknown]. [updated 2014 March 26; cited 2015 March 27]. Available from: <http://www.cdc.gov/HAI/infectionTypes.html>
7. Boyce, J.M. & Pittet, D. Guideline for Hand Hygiene in Health-Care Settings: Recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. MMWR. October 25, 2002; 51(RR-16) [inclusive page numbers].

Figure 1. Healthcare-associated Infections: Super Detectors: a Concept Map; designed by Kosar Shabani Varaki






Figure 2. Infection Prevention and Control: a Concept Map; designed by Mohammad Koohsarian and Samira Kor



Figure 3. Strategies for Effective Hand Hygiene: a Concept Map; designed by Alizadeh M et al.




Figure 4. Surgical Site Infection Prevention: a Concept Map; designed by Mahla Rahmani and Sara Jangjoo






Figure 5. Role of Concept Maps in Infection Prevention and Control; designed by Arash Arianpoor

and trainers to creative and critical thinking (8-10). Although the idea of using concept maps as a learning material may back to mid-twenty century, but they did not become of interest until recent two decades (11).

During these years, foundation of C-maps has been gradually developed and therefore, it has now some general accepted features and characteristics. Along with the progressive evolution of information technology in new century, many research groups work on softwares such as C-map Tools, Knowledge Manager, and Smart Idea to facilitate the construction of C-maps (11).

One of the interesting features of concept maps is that they are not limited to a special scientific field or even a special graduation level. They can be simple diagrams for high school students or even elementary school students or complicated illustrative presentations for university students (12). In any condition, it is modifiable and effective.

Regarding the use of C-maps in infection prevention and control, the study performed by Anderson *et al.* was aimed to evaluate the use of concept mapping learning strategy as an educational intervention to improve critical thinking and prioritization skills regarding infection prevention in novice graduate nurses. Their results showed noticeable improvements in the critical thinking and prioritization skills of the participants regarding the nursing assessments and interventions related to infection prevention (4). We can

summarize the role of concept maps in infection prevention and control in a c-map designed by the author (Figure 5).

“The First Concept Map Design Contest on Infection Prevention and Control” was held based on the idea that concept mapping could be an effective way not only to teach infection prevention and control strategies but also to develop new strategies, which may be more effective. Accepted C-maps were designed by different students majoring in different fields (medical, nursing, midwifery, and basic sciences). We also received some C-maps developed by experts in IPC, which indicates the ability of our contest to attract young minds to this field.

Although the basic concepts were similar in many of accepted C-maps, each of them were developed genuinely and showed a different point of view. However, some of the C-maps pointed out unique novel ideas in IPC, which may be considered a basis for new studies in this field.

The main limitation of this study could be the fact that concept map is a new learning method which many are not familiar with; this lead to relatively low participation in this contest. However, it should be mentioned that this was the first concept map contest in Iran. After this contest, the student research committee of Mashhad university of medical sciences have hold two other Mashhad concept map contests (Stem Cell and Nastaran) which revealed that there is a growing attention toward concept maps as a method of

teaching, learning and idea development.

In conclusion, our experience indicates a promising role for concept mapping in IPC. We suggest using C-maps as a method for faster and easier learning of infection prevention and control.

#### ACKNOWLEDGMENTS

We would like to thank Dr. Mahboubeh Naderinasab and Dr. Farzad Akbarzadeh, who encouraged us to take this step.

#### REFERENCES

1. Seel NM. Assimilation theory of learning. *Encyclopedia of the Sciences of Learning*. Springer. 2012: 324-6.
2. Novak JD, Cañas AJ. The theory underlying concept maps and how to construct and use them. Florida Institute for Human and Machine Cognition Pensacola Fl. [cited 2008]. Available from; <http://cmapihmc.us/Publications/ResearchPapers/TheoryCmaps/TheoryUnderlyingConceptMaps.htm>.
3. Siegel JD, Rhinehart E, Jackson M, Chiarello L, Committee HCICPA. 2007 guideline for isolation precautions: preventing transmission of infectious agents in health care settings. *Am J Infect Control* 2007; 35(10): S65-S164.
4. Anderson PH, Johnson C, Singson K. Teaching Infection Prevention Using Concept Mapping Learning Strategies. *Am J Infect Control* 2013; 41(6): S58.
5. Novak JD. *Learning how to learn*. Cambridge: Cambridge University; 1984.
6. Cronin PJ, Dekkers J, Dunn JG. A procedure for using and evaluating concept maps. *Res Sci Educ* 1982; 12(1): 17-24.
7. Martinez IL, Artze-Vega I, Wells AL, Mora JC, Gillis M. Twelve tips for teaching social determinants of health in medicine. *Med Teach*. 2014 Nov 6: 1-6. [Epub ahead of print]
8. Clayton LH. Concept mapping: an effective, active teaching-learning method. *Nurs Educ Perspect* 2006; 27(4): 197-203.
9. Novak JD. Concept maps and Vee diagrams: Two metacognitive tools to facilitate meaningful learning. *Instruct Sci* 1990; 19(1): 29-52.
10. Stoica I, Moraru S, Miron C. Concept maps, a must for the modern teaching-learning process. *Roman Reports Physics* 2011; 63(2): 567-76.
11. Novak JD, Cañas AJ. The origins of the concept mapping tool and the continuing evolution of the tool. *Inform Visual* 2006; 5(3): 175-84.
12. Novak JD, Bob Gowin D, Johansen GT. The use of concept mapping and knowledge vee mapping with junior high school science students. *Sci Educ* 1983; 67(5): 625-45.