

Evaluation of the Effectiveness of Client Participation in Drug Abuse Treatment

Akbar Aliverdinia*

Associate Professor, Department of Social Sciences, Mazandaran University, Babolsar, Iran

S. Ahmad Mir Mohamad Tabar Divkolai

M.A. in Social Sciences, Mazandaran University, Babolsar, Iran

** Corresponding author, e-mail: aliverdinia@umz.ac.ir*

Introduction

Drug abuse seems to be a major problem in all contemporary societies; it has destroyed millions of lives and fighting it has consumed a substantial percentage of national budgets around the world (UN Drug Report, 2011: 8). Iran has one of the most serious drug problems in the world and the latest Rapid Situation Assessment (RSA), which was conducted in 2010 by the authorities in the country, estimated the number of drug users - both drug abusers and recreational drug users - to be 2/1 million people. Iran has the greatest growth rate of drug abusers in the world, after Afghanistan, with 2/65 % growth rate (Drug Situation Analysis Report, 2011: 15). The main pillars of any program to reduce demand for drug in the world are: epidemiology, prevention, and treatment. Generally, treatment is divided into two parts, pharmacological and non-pharmacological (UN Demand Reduction Program, 2000: 19). Substance abuse treatment centers and rehabilitation centers for drug dependence are the components of pharmacological treatment, which have increased in comparison to previous years (Statistical Yearbook of the Ministry of Health, 2010). Many studies show the prevalence of relapse, which is quite common among drug abusers after getting rid of the addiction in treatment centers. Considering this high rate of relapse in drug addiction treatment programs and the ambiguous efficiency of drug treatment programs, this research seeks to study the rate of drug abusers in Fereydonkenar and Babolsar methadone maintenance centers, and measure the effectiveness of methadone maintenance centers in drug abuse control. In a general classification, research conducted about addiction treatment centers can be divided into three categories: (1) those in which addicts are the only important research subject and the treatment itself is not often considered important, (2) those in which two or more types of addiction treatments are compared, and (3) those in which one kind of treatment is evaluated. In general, the majority of research projects that have been done about addiction treatment centers in the past can be located in the first category of the above classification and the other two are less frequent. Measuring the effectiveness of drug treatment centers is often conducted in the second category. Most research projects in this category, however, include medical and psychological perspectives and the share of sociological perspectives is little. On other words, sociological theories of explaining reduction in deviant behaviors (drug abuse) have been used in the treatment of addiction in an insufficient way. In this study, various theories that explain deviant behavior, including social bond theory of Hirschi and Gottfredson and Hirschi's self-control theory, Sutherland's theory of differential associations and self-esteem theory are used to form our research theoretical framework, according to which, the following assumption is formulated: the variable of participation in the treatment process is inversely related to drug abuse via interface variables such as attachment, belief, self-control, self-esteem, differential associations and attitudes to drug.

Materials and Methods

The Research method in this study is survey and

data collection was done via questionnaire.
Research population consists of 1324 drug users

who visited 11 methadone maintenance centers in Babolsar and Fereidoonkenar in the spring of 1391. Of this population, a total of 405 subjects were selected by stratified random sampling method. The data was analyzed using SPSS software and such procedures as multiple regression analysis. Attachment variables were assessed using 18 items, of which 6 items were related to dimensions of attachment to family and 12 items were related to dimension of attachment to religion. Of the 12 items measuring belief variable, 8 items were related to dimension of general belief, and 4 items were related to dimension of deviant activities. Also, a total of 10 items were used to measure self-esteem variables. Self-control variables were assessed using 6 items, of which 3 items were related to dimension of impulsive behavior and 3 items were related to dimension of risk seeking. To measure the variable of differential association, 4 dimensions were used: number of addicted friends, first initiation with addicted friends, the intensity of friendship with addicted friends and duration of friendship with addicted friends. The variable of attitudes to drug was also assessed using 16 items, of which 3 items were related to cognitive dimension, 6 items were related to emotional dimension, and 7 items were related to behavioral dimension. A total of 5 items were used to measure the variable of participation in the treatment process. Also to measure the variable of drug abuse, 3 items were used. All of these items were taken from previous research and were measured in a five-grade Likert scale.

Discussion of Results and Conclusions

Findings suggest that 38.5 % of research subjects assess their participation rate in the treatment process to be low and 35.1 % assess their participation as moderate. However, 26.4 % reported to have a high participation rate in the treatment process. 90.9 % of subjects stopped using drug after entering to the methadone maintenance treatment centers. However, 2 % of the subjects reported their use to be at a low level, 2.4 % reported their use at an average level, and the 4.7 % reported their use at a high level. The most commonly used drug in Babolsar and Fereidoonkenar methadone maintenance treatment centers before and after treatment was opium. 90.9 % of drug users did not use any illegal

narcotics after treatment. Multiple regression analysis results also show that the variables of differential association (beta coefficient = 0.15), treatment participation (beta coefficient = -0.13), attachment (beta coefficient = -0.13) belief (beta coefficient = -0.12) and attitudes towards drugs (beta coefficient = 0.10) are the strongest predictors of the dependent variable.

The results of the study also show that a significant and inverse relationship exists between participation in the treatment process and intermediate variables (attachment and belief) with drug abuse. Pharmacological treatment generally improves the patient's physical and mental condition. By improving the mental and physical health of the patient, his relations and social bonds with family, friends, acquaintances, institutions and organizations improve as well. Studies have shown that, as long as the addict is in the treatment system there is a lower risk of getting involved in social crimes. This bond encourages them to respect the rules and norms of the family and society. It also strengthens their belief in social laws and norms. This indicates that the belief system of patients is reinforced by being present in the treatment process.

The present results suggest an inverse relationship between attitude towards drugs and participation in the treatment process. The presence in the methadone treatment center reduces depression and stress. Considering that attitude toward drug is directly related with stress and depression, we can say that the existence of stress and depression create a more positive attitude towards drugs. Also, the research findings show that there is a significant direct relationship between attitude towards drugs and drug abuse. So we can conclude that participation in the treatment process leads to reduction of drug abuse by negating patients' attitude towards drugs.

The results suggest an inverse relationship between participation in the treatment process and differential association. Previous studies have also shown that as long as the patient is present in the treatment system there is a lower risk of committing social crimes.

In general, we can conclude that participation in the treatment process leads to reduction of drug abuse by increasing associations and beliefs that are against drug abuse and by negating positive attitudes towards drugs.

Keywords: participation in methadone treatment, drug abuse, drug users on methadone maintenance centers.

References

- Akers, R. Krohn, M. Lanza-Kaduce, L. Radosevich, M. (1979) "Social Learning and Deviant Behavior: A Specific Test of a General Theory", *American Sociological Review*, Vol. 44, No. 4: 636-655.
- Aliverdinia, A and Pridemore, W. A. (2007) "A First Glimpse at Narcotics Offenders in an Islamic Republic: A Test of an Integrated Model of Drug Involvement among a Sample of Men Incarcerated for Drug Offenses in Iran", *International Criminal Justice Review*, Vol. 17, No. 1:27-44.
- Aliverdinia, A. (2009) "Effectiveness Narcotics Anonymous Programs in attitude to drug", *Journal of Social Studies*, third period, number 3: 143-177
- Aliverdinia, A. Riahi, M.E. Soleimani, M.R. (2008) "Sociological Explanation Tendency to Cigarette Smoking", *Journal of Faculty Literature and Humanities*, No. 63: 159-184.
- Alvarez-Rivera, L. and Fox, K. (2010) "Institutional Attachments and Self-Control", *Journal of Criminal Justice*, Vol. 38, No. 4: 666-674.
- Azadarmaki, T. and Zare, M. (2008) "University, Modernity and Religion", *Journal of the Humanities and Social Sciences*, Vol. 8, No. 28: 133-160.
- Banazadeh, N. Abed, H. Kheradmand, A. (2009) "Opioid-Dependent Patients in Methadone Centers of the Therapeutic Relationship in Kerman", *Journal of the Medical Sciences Kerman University*, Vol. 16, No. 2: 144-154.
- Bachiredy, Ch. Bazazi, A. Kavasery, R. (2011) "Attitudes toward Opioid Substitution Therapy", *Drug and Alcohol Dependence*, Vol. 116, No. 3: 151-157.
- Benda, B. (2002) "Religion and Violent Offenders in Boot Camp: A Structural Equation Model", *Journal of Research in Crime and Delinquency*, Vol. 39, No. 1, 91-121.
- Booth, J. Farrell, A. Varano, S. (2008) "Social Control, Serious Delinquency and Risky Behavior", *Crime & Delinquency*, Vol. 54, No. 3: 423-456.
- Bramness, J. and Kornor, H. (2007) "Benzodiazepine Prescription for Patients in Opioid Maintenance Treatment in Norway", *Drug and Alcohol Dependence*, Vol. 90, No. 3: 203-209.
- Bravo, M. Llorensc, N. Barriob, G. (2010) "Methadone Maintenance Treatment: A Protective Factor for Cocaine Injection in a Street-Recruited Cohort of Heroin Users", *Drug and Alcohol Dependence*, Vol. 112, No. 2: 62-68.
- Chen, K. Banduccia, A. Gullera, L. (2010) "An Examination of Psychiatric Comorbidities as a Function of Gender and Substance Type", *Journal of Drug and Alcohol Dependence*, Vol. 118, No. 2: 232-240.
- Chui, W. and Chan, H. (2010) "Social Bonds and Male Juvenile Delinquency While on Probation", *Children and Youth Services Review*, Vol. 33, No. 1: 2329-2334.
- Clinard, M. and Meier, R. (2008) *"Sociology of Deviant Behavior"*, New York: Thomson Wadsworth Publications.
- De Vaus, D. A. (2007) *"Survey in Social Research"*, Hoshang Nayebe translation, Tehran: Ney Publication, Fourth Edition.
- Dornbusch, S. Glasgow Erickson, K. Laird, J. Wong, C. (2001) "The Relation of Family and School Attachment to Adolescent Deviance in Diverse Groups and Communities", *Journal of Adolescent Research*, Vol. 16, No. 1: 396-422.
- Forrest, W. and Hay, C. (2008) "Life-Course Transitions, Self-Control and Desistance from Crime", *Criminology and Criminal Justice*, Vol. 11, No.5:487-513.
- Ganji, H. (2009) *Personality Assessment*, Tehran: Savalan Publication, Fifth Edition.
- Hadland, S. Kerr, T. Li, K. Montaner, J. (2009) "Access to Drug and Alcohol Treatment", *Drug and Alcohol Dependence*, Vol. 101, No. 2:1-7.
- Hoffmann, J. (2002) "A Contextual Analysis of Differential Association Social Control, and Strain Theories of Delinquency", *Social Forces*, Vol. 81, No.3:753-785.
- Ilgena, M. Amanda, P. Burnett-Zeiglera, I. Perrona, B. Islama, Kh. (2011)

- "Longitudinal Predictors of Addictions Treatment Utilization in Treatment-Naïve Adults", *Drug and Alcohol Dependence*, Vol. 113, No. 2:215-221.
- Joseph, J. (1995) "*Black Youths, Delinquency, and Juvenile Justice*", London: British Library Cataloguing in Publication.
- Joseph, H. Stancliff, Sh. Langrod, J. (2000) "Methadone Maintenance Treatment (MMT): A Review of Historical and Clinical Issues", *the Mount Sinai Journal of Medicine*, Vol. 67, No. 5:347-364.
- Junger, M. and Marshall, I. (1997) "The Interethnic Generalizability of Social Control Theory", *Journal of Research in Crime and Delinquency*, Vol. 34, No. 1:79-112.
- Karow, A. Reimera, J. Schäfera, I. Krauszb, M. (2010) "Quality of Life under Maintenance Treatment with Heroin versus Methadone in Patients with Opioid Dependence", *Drug and Alcohol Dependence*, Vol. 112, No. 3: 209-215.
- Kerlinger, F. and Pedhazur, E. (2010) "*Multiple Regression in Behavioral Research*", Hasan Saraiy translation, Tehran: Samt Publication, fourth edition.
- Kinlock, T. Gordon, M. Schwartz, R. (2007) "A Randomized Clinical Trial of Methadone Maintenance for Prisoners", *Drug and Alcohol Dependence*, Vol. 91, No. 1: 220-227.
- Lamarsh, Luc. (2005) *Social Psychology*, Hamze Ganji translation, Tehran.
- Lavie, E. Fatséas, M. Denis, C. (2009) "Benzodiazepine Use among Opiate-Dependent Subjects in Buprenorphine Maintenance Treatment", *Drug and Alcohol Dependence*, Vol. 99, No. 2: 338-344.
- Leonardi, C. Hanna, N. Laurenzi, P. Fagetti, R. (2007) "Multi-Centre Observational Study of Buprenorphine Use in 32 Italian Drug Addiction Centres", *Drug and Alcohol Dependence*, Vol. 94, No. 2:125-132.
- Li, L. and Moore, D. (2010) "Disability and Illicit Drug Use: an Application of Labeling Theory", *Deviant Behavior*, Vol. 22, No. 1: 1 - 21.
- Lo, C. Kim, Y. Allen, T. Allen, A. (2010) "The Impact of School Environment and Grade Level on Student Delinquency", *Crime & Delinquency*, Vol. 57, No. 4:622-657.
- Longshore, D. Chang, E. Hsieh, S. Messina, N. (2004) "Self-Control and Social Bonds: A Combined Control Perspective on Deviance", *Crime & Delinquency*, Vol. 50, No. 4:542-564.
- Marcos, A. and Bahr, S. (1988) "Control Theory and Adolescent Drug Use", *Youth & Society*, Vol. 19, No. 4: 395-425.
- Matthews, K. and Agnew, R. (2008) "Extending Deterrence Theory: Do Delinquent Peers Condition the Relationship between Perceptions of Getting Caught and Offending", *Journal of Research in Crime and Delinquency*, Vol. 45, No 2, 91-118.
- Mears, D. and Field, S. (2002) "A Closer Look at the Age, Peers, and Delinquency Relationship", *Western Criminology Review*, Vol. 4, No.1, 20-29.
- Megens, K. and Weerman, F. (2012) "The Social Transmission of Delinquency: Effects of Peer Attitudes and Behavior Revisited", *Journal of Research in Crime and Delinquency*, Vol. 49, No.3: 420-443.
- Magura, S. Lee, D. Hersherberger, J. Joseph, H. (2009) "Buprenorphine and Methadone Maintenance in Jail and Post-Release", *Drug and Alcohol Dependence*, Vol. 99, No. 2: 222-230.
- Meldrum, R. (2008) "Beyond Parenting: An Examination of the Etiology of Self-Control", *Journal of Criminal Justice*, Vol. 36, No. 3: 244-251.
- Moradi, A. (2009) "Evaluate the Effectiveness of Methadone Maintenance Treatment in Reducing Injuries in Male Help seekers Hamedan Prison", *Journal of Health Sunrises*, No.3: 6-7.
- Nastaizai, N. Moghadam, M. Molazehi, A. (2010) "Factors Affecting Relapse in Addiction Centers in Zahedan", *Journal of Nursing and Midwifery*, Vol.8, No. 3, 169-174.
- Nunes, E. Sullivan, M. Levin, F. (2004) "Treatment of Depression in Patients with Opiate Dependence", *Biological Psychiatry*, Vol. 56, No. 10:793-802
- Özcan, Y. and Özbay, Ö. (2006) "A Test of Hirschi's Social Bonding Theory: Juvenile Delinquency in the High Schools of Ankara", *Turkey, Therapy and Comparative International Journal of Offender*

- Criminology*, Vol. 50, No. 6, 711-726.
- Parvaresh, N. Masoudi, A. Majidi Tabrizi, S. Mazhari, Sh. (2012) "The Correlation between Methadone Dosage and Comorbid Psychiatric Disorders in Patients on Methadone Maintenance Treatment", *Addict & Health*, Vol. 4, 1-8.
- Redmon, D. (2010) "Testing Informal Social Control Theory: Examining Lewd Behavior During Mardi Gras", *Deviant Behavior*, Vol. 23, No. 4: 363 – 384.
- 46-Richard, A. Bell, D. Carlson, J. (2000) "Individual Religiosity, Moral Community, and Drug User Treatment", *Journal for the Scientific Study of Religion*, Vol. 39, No. 2:240-246.
- Ridenour, T. Greenberg, M. Cook, E. (2006) "Structure and Validity of People in my life: A Self-Report Measure of Attachment in Late Childhood", *Journal Youth Adolescence*, Vol. 35, No. 6:1037–1053.
- Rocque, M. Bierie, D. MacKenzie, D. (2010) "Social Bonds and Change during Incarceration: Testing a Missing Link in the Reentry Research", *International Journal of Offender Therapy and Comparative Criminology*, Vol. 10, No. 1:1-25.
- Salmela-Aro, K. and Nurmi, J. (2007) "Self-Esteem during University Studies Predicts Career Characteristics 10 Years Later", *Journal of Vocational Behavior*, Vol. 70, No. 1: 463–477.
- Shakeri, J. Azimi, M. Rezaei, M. Abdul, N. Ghasemi, R. (2010) "Evaluation of Demographic, Behavioral and Psychiatric Consumers Amphetamine in Addiction Centers of Kermanshah University of Medical Sciences", *Journal of Psychiatry and Clinical Psychology*, Vol. 16, No. 3: 304-308.
- Stylianou, S. (2004) "The Role of Religiosity in the Opposition to Drug Use", *Therapy and Comparative International Journal of Offender Criminology*, Vol. 48, No. 4:429-448.
- Tayeri, F. (2009) "Impact of Methadone Treatment in the Prevention of Risky Behavior", *Journal of Health Surveys*, No. 3: 3-2.
- Tittle, Ch. Ward, D. Grasmick, H. (2003) "Self-Control and Deviance: Cognitive vs Behavioral Measures", *Journal of Quantitative Criminology*, Vol. 19, No. 4:330-365.
- Triplett, R. and Payne, B. (2004) "Problem Solving as Reinforcement in Adolescent Drug Use", *Journal of Criminal Justice*, Vol. 32, No. 6, 617– 630.
- Tzeng, S. and Yi, Ch. (2007) "The Nonlinear Effects of Self-Esteem on Adolescent Delinquency", *Justice Quarterly*, Vol. 40, No.1, 97-126.
- United Nations. (2011) *"World Drug Report"*, New York: United Nations Publication.
- United Nations Office on Drugs and Crime. (2011) *"Drug Situation Analysis Report Islamic Republic of Iran"*, Tehran: United Nations publication printed in Tehran.
- United Nations Office on Drugs and Crime. (2000) *"Demand Reduction"*, Vienna: United Nations publication printed in Slovenia.
- United Nations Office on Drugs and Crime. <http://www.unodc.org/unodc/en/drug-prevention-and-treatment/index.html:2011/9/21>.
- Vito, G. Maahs, J. Holmes, R. (2007) *"Criminology: Theory, Research and Policy"*, Massachusetts: Jones & Bartlett Publishers.
- Ziaodini, H. Kheradmand, A. Meymandi, M. Divsalar, K. Mahmoudi, M. (2010) "Relationship between Drug Abuse and Blood Group in Addiction Treatment Centers", *Journal of Addiction and Health*, No. 3, 92-105.