

RESEARCH

Open Access

A new form of Grad-Shafranov equation for a tokamak with an elongated cross section

Alireza Seife Khajeh Marjan* and Samad Sobhanian

Abstract

Different forms of the well-known Grad-Shafranov (G-S) equations that define the equilibrium behavior of tokamak plasma have been already obtained. None of these equations contain explicitly the triangularity δ and the elongation ratio k_s . The aim of this work is to obtain a new form of G-S equation which includes both the triangularity and the elongation ratio. For verifying the correctness of the obtained equation, the triangularity is set to 0, which leads to a G-S equation for circular cross section. Also, the magnetic field and current density obtained from this new G-S equation is reduced to the quantities already derived for circular cross section.

Keywords: Elongation, Triangularity, G-S equation, Magnetic field, Current density

PACS: 52.25-Xz, 52.55-s, 28.52-s

Introduction

Tokomaks are axisymmetric devices with toroidal and equilibrium (also called poloidal) fields. There are four basic magnet systems in the tokamak: (1) the toroidal field coils, which produce the large toroidal field; (2) the ohmic transformer, which induces the toroidal plasma current required for equilibrium and ohmic heating; (3) the vertical field system, which is required for toroidal force balance; and (4) the shaping coils, which produce a noncircular cross section to improve the magnetohydrodynamic (MHD) stability limits and alleviate plasma-wall impurity problems.

In this device, the plasma current itself also produces the required poloidal field for equilibrium. Toroidal field is used besides the ohmic heating of plasma for suppressing MHD instabilities and will be strong enough to confine the hot plasma.

This toroidal field is produced by external electric currents flowing in coils wound around the torus. Superimposed on the toroidal field is a much weaker poloidal field generated by an electric current flowing in the plasma around the torus, so the plasma forms the secondary circuit of a transformer. Today, most tokomaks have an elongated cross section. The reason for using an elongated cross section comes out essentially from problems that are

related to MHD instabilities like kink and ballooning instabilities [1-4]. In this paper, the main advantage of using an elongated D-shaped cross section is discussed.

In the section 'Derivation of G-S equation in the new approach', G-S equation including the effect of elongation ratio and triangularity is derived, and in the section 'Reduction of new G-S equation to the simple case of circular cross section', the reduction of the obtained equations to the case of circular cross section is shown as a justification. Finally, in the 'Conclusions' section, a brief conclusion will be given. A schematic view of a tokamak is shown in Figure 1.

Derivation of G-S equation in the new approach

First of all, using relations between geometrical parameters on an elongated tokamak, the partial differential equation between these parameters is obtained. Using these relations, the new G-S equation, magnetic field, and the current density are obtained. The basis of the paper relies on the local and cylindrical coordinates as follows [5,6]:

$$R = R_0 + r \cos(\theta + \delta \sin\theta) \quad (1)$$

and

$$Z = rk_s \sin\theta \quad (2)$$

where R_0 and r are respectively the major and minor radii, and θ is the angle between r and the direction of the major radius.

* Correspondence: graduatescience_90@yahoo.com
Department of Atomic and Molecular Physics, Science and Research Branch, Islamic Azad University, Tabriz, Iran




Figure 1 A schematic view of a tokamak.

Substituting $\theta = \sin^{-1}\left(\frac{z}{rk_s}\right)$ from Equation 2 in Equation 1, one can get

$$R = R_0 + r \cos\left(\sin^{-1}\left(\frac{z}{rk_s}\right) + \frac{\delta z}{rk_s}\right) \quad (3)$$

Differentiating both sides of Equation 3, we have

$$dR = \cos\left(\sin^{-1}\left(\frac{z}{rk_s}\right) + \frac{\delta z}{rk_s}\right) - r \left[\frac{d}{dr} \left(\sin^{-1}\left(\frac{z}{rk_s}\right) - \frac{\delta z}{r^2 k_s} \right) \sin\left(\sin^{-1}\left(\frac{z}{rk_s}\right) + \frac{\delta z}{rk_s}\right) \right] dr \quad (4)$$

We use a new variable $t_r = \sin^{-1}\left(\frac{z}{rk_s}\right)$, for which we will have

$$t'_r = \frac{d}{dr} \left(\sin^{-1}\left(\frac{z}{rk_s}\right) \right) = -\frac{\sin\theta}{r \cos\theta} \quad (5)$$

Substituting Equations 5 and 2 in Equation 4, we get

$$\frac{\partial r}{\partial R} = \frac{1}{\cos(\theta + \delta \sin\theta) + [\tan\theta + \delta \sin\theta] \sin(\theta + \delta \sin\theta)} = M_1(\theta) \quad (6)$$

Equation 3 can be rearranged in the form of

$$F(r, z) = \cos\left(\sin^{-1}\left(\frac{z}{rk_s}\right) + \frac{\delta z}{rk_s}\right) - \frac{R - R_0}{r} = 0 \quad (7)$$

If we derivate Equation 7 with respect to r and use Equations 1, 2, 5, and 6, we find

$$F'_r = \frac{1}{r M_1(\theta)} \quad (8)$$

Similarly, by taking the derivative of Equation 7 with respect to Z , the following result will be achieved:

$$F'_z = -\sin\left(\sin^{-1}\left(\frac{z}{rk_s}\right) + \frac{\delta z}{rk_s}\right) \left[\frac{d}{dz} \left(\sin^{-1}\left(\frac{z}{rk_s}\right) + \frac{\delta z}{rk_s} \right) \right] \quad (9)$$

Again, using $t_z = \sin^{-1}\left(\frac{z}{rk_s}\right)$ and $t'_z = \frac{d}{dz} \left(\sin^{-1}\left(\frac{z}{rk_s}\right) \right)$ we arrived at:

$$F'_z = -\frac{M_2(\theta)}{rk_s} \text{ where } M_2(\theta) = \left(\sin(\theta + \delta \sin\theta) \left[\frac{1}{\cos\theta} + \delta \right] \right) \quad (10)$$

From Equations 8 and 10, one can get

$$\frac{\partial r}{\partial z} = \frac{M_1(\theta) M_2(\theta)}{k_s} \quad (11)$$

The following relation has been used in the past step: $\frac{dy}{dx} = -\frac{F'_x}{F'_y}$. For obtaining partial differentiations of θ with respect to R and Z , both sides of Equation 1 should be divided by Equation 2 so that we find

$$\frac{\cos(\theta + \sin\theta)}{\sin\theta} = k_s \left(\frac{R - R_0}{Z} \right) \quad (12)$$

Differentiation of Equation 12 with respect to R results in

$$\frac{\partial \theta}{\partial R} = \frac{N_1(\theta)}{r}, \text{ where } N_1(\theta) = -\frac{\sin \theta}{(\cos(\delta \sin \theta) + \frac{\delta}{2} \sin 2\theta \sin(\theta + \delta \sin \theta))} \quad (13)$$

In the same manner, differentiation of Equation 12 with respect to Z will give

$$\frac{\partial \theta}{\partial Z} = \frac{N_2(\theta)}{rk_s}, \text{ where } N_2(\theta) = \frac{\cos(\theta + \delta \sin \theta)}{(\cos(\delta \sin \theta) + \frac{\delta}{2} \sin 2\theta \sin(\theta + \delta \sin \theta))} \quad (14)$$

Using Equations 6, 11, 13, and 14, the partial differential equations for an elongated cross section can be written as follows:

$$\frac{\partial}{\partial R} = M_1(\theta) \frac{\partial}{\partial r} + \frac{N_1(\theta)}{r} \frac{\partial}{\partial \theta} = K_1(r, \theta); \frac{\partial}{\partial Z} = \frac{M_1(\theta)M_2(\theta)}{k_s} \frac{\partial}{\partial r} + \frac{N_2(\theta)}{rk_s} \frac{\partial}{\partial \theta} = K_2(r, \theta) \quad (15)$$

where $K_1(r, \theta)$ and $K_2(r, \theta)$ are operators in terms of r and θ .

In the cylindrical coordinates, G-S equation, magnetic fields, and current densities are given (1,2) as

$$R \frac{\partial}{\partial r} \left(\frac{1}{R} \frac{\partial \psi}{\partial R} \right) + \frac{\partial^2 \psi}{\partial Z^2} = -\mu_0 R^2 \frac{dP}{d\psi} - F \frac{dF}{d\psi} \quad (16)$$

$$B_R = -\frac{1}{R} \frac{\partial \psi}{\partial Z}; B_z = \frac{1}{R} \frac{\partial \psi}{\partial R}; B_\phi = \left(\frac{\partial B_R}{\partial Z} - \frac{\partial B_Z}{\partial R} \right) \quad (17)$$

$$J_R = -\frac{1}{\mu_0 R} \frac{\partial F}{\partial Z}; J_Z = \frac{1}{\mu_0 R} \frac{\partial F}{\partial R}; J_\phi = \frac{1}{\mu_0} \left(\frac{\partial B_R}{\partial Z} - \frac{\partial B_Z}{\partial R} \right) \quad (18)$$

Substituting Equation 15 in Equation 16, the G-S equation for an elongated cross section is obtained where $L(r, \theta) = R = R_0 + r \cos(\theta + \delta \sin \theta)$:

$$L(r, \theta) K_1(r, \theta) \left(\frac{K_1(r, \theta)}{L(r, \theta)} \right) (\psi) + (K_2(r, \theta))^2 (\psi) = -\mu_0 L^2(r, \theta) \frac{dP}{d\psi} - \frac{1}{2} \frac{dF^2}{d\psi} \quad (19)$$

The relations between local and cylindrical coordinates for magnetic fields are given by

$$B_r = B_R \cos(\theta + \delta \sin \theta) + B_Z \sin(\theta + \delta \sin \theta) \quad (20)$$

$$B_\theta = -B_R \sin(\theta + \delta \sin \theta) + B_Z \cos(\theta + \delta \sin \theta) \quad (21)$$

Also in the cylindrical coordinates, the magnetic field components are defined as [5,6]

$$B_R = -\frac{1}{R} \frac{\partial \psi}{\partial Z}; B_Z = \frac{1}{R} \frac{\partial \psi}{\partial R} \quad (22)$$

Using Equations 15, 17, 20, 21, and 22, it will be easy to find magnetic fields for an elongated cross section:

$$B_r = -\frac{\cos(\theta + \delta \sin \theta)}{L(r, \theta)} K_2(r, \theta) (\psi) + \frac{\sin(\theta + \delta \sin \theta)}{L(r, \theta)} K_1(r, \theta) (\psi) \quad (23)$$

$$B_\theta = \frac{\sin(\theta + \delta \sin \theta)}{L(r, \theta)} K_2(r, \theta) (\psi) + \frac{\cos(\theta + \delta \sin \theta)}{L(r, \theta)} K_1(r, \theta) (\psi) \quad (24)$$

The relations between local and cylindrical coordinates for current densities are

$$J_r = J_R \cos(\theta + \delta \sin \theta) + J_Z \sin(\theta + \delta \sin \theta) \quad (25)$$

$$J_\theta = -J_R \sin(\theta + \delta \sin \theta) + J_Z \cos(\theta + \delta \sin \theta) \quad (26)$$

Also in the cylindrical coordinates, the current density components are defined as [5,6]:

$$J_R = -\frac{1}{\mu_0} \frac{\partial B_\phi}{\partial Z}; J_Z = \frac{1}{\mu_0 R} \frac{\partial R B_\phi}{\partial R} \quad (27)$$

Using Equations 15, 25, 26, and 27, one can find the current density components for an elongated cross section as follows:

$$J_r = \frac{1}{\mu_0 L(r, \theta)} (\sin \theta K_1(r, \theta) - \cos \theta K_2(r, \theta)) (L(r, \theta) B_\phi) \quad (28)$$

$$J_\theta = \frac{1}{\mu_0 L(r, \theta)} (\cos \theta K_1(r, \theta) + \sin \theta K_2(r, \theta)) (L(r, \theta) B_\phi) \quad (29)$$

The following step is taken to obtain the toroidal component of the current density:

$$B_R = B_r \cos(\theta + \delta \sin \theta) - B_\theta \sin(\theta + \delta \sin \theta) \quad (30)$$

$$B_Z = B_r \sin(\theta + \delta \sin \theta) + B_\theta \cos(\theta + \delta \sin \theta) \quad (31)$$

$$J_\phi = \frac{1}{\mu_0} \left(\frac{\partial B_R}{\partial Z} - \frac{\partial B_Z}{\partial R} \right) \quad (32)$$

Thus, using Equations 15, 30, 31, and 32 leads to the toroidal component of the current density for an elongated cross section:

$$J_\phi = \frac{1}{\mu_0} [K_1(r, \theta)(B_r \sin(\theta + \delta \sin\theta) + B_\theta \cos(\theta + \delta \sin\theta)) - K_2(r, \theta)(B_r \cos(\theta + \delta \sin\theta) - B_\theta \sin(\theta + \delta \sin\theta))] \quad (33)$$

Here, we summarize all equations governing tokomaks with an elongated cross section:

$$L(r, \theta)K_1(r, \theta) \left(\frac{K_1(r, \theta)}{L(r, \theta)} \right) (\psi) + (K_2(r, \theta))^2 (\psi) = -\mu_0 L^2(r, \theta) \frac{dP}{d\psi} - \frac{1}{2} \frac{dF^2}{d\psi} \quad (34)$$

$$B_r = -\frac{\cos(\theta + \delta \sin\theta)}{L(r, \theta)} K_2(r, \theta) (\psi) + \frac{\sin(\theta + \delta \sin\theta)}{L(r, \theta)} K_1(r, \theta) (\psi) \quad (35)$$

$$B_\theta = \frac{\sin(\theta + \delta \sin\theta)}{L(r, \theta)} K_2(r, \theta) (\psi) + \frac{\cos(\theta + \delta \sin\theta)}{L(r, \theta)} K_1(r, \theta) (\psi) \quad (36)$$

$$J_r = \frac{1}{\mu_0 L(r, \theta)} (\sin\theta K_1(r, \theta) - \cos\theta K_2(r, \theta)) (L(r, \theta) B_\phi) \quad (37)$$

$$J_\theta = \frac{1}{\mu_0 L(r, \theta)} (\cos\theta K_1(r, \theta) + \sin\theta K_2(r, \theta)) (L(r, \theta) B_\phi) \quad (38)$$

$$J_\phi = \frac{1}{\mu_0} \left[K_1(r, \theta)(B_r \sin(\theta + \delta \sin\theta) + B_\theta \cos(\theta + \delta \sin\theta)) - K_2(r, \theta)(B_r \cos(\theta + \delta \sin\theta) - B_\theta \sin(\theta + \delta \sin\theta)) \right] \quad (39)$$

$$\frac{\partial}{\partial R} = M_1(\theta) \frac{\partial}{\partial r} + \frac{N_1(\theta)}{r} \frac{\partial}{\partial \theta} = K_1(r, \theta) \quad (40)$$

$$\frac{\partial}{\partial Z} = \frac{M_1(\theta)M_2(\theta)}{k_s} \frac{\partial}{\partial r} + \frac{N_2(\theta)}{rk_s} \frac{\partial}{\partial \theta} = K_2(r, \theta) \quad (41)$$

$$M_1(\theta) = \frac{1}{\cos(\theta + \delta \sin\theta) + [\tan\theta + \delta \sin\theta] \sin(\theta + \delta \sin\theta)} \quad (42)$$

$$M_2(\theta) = \left(\sin(\theta + \delta \sin\theta) \left[\frac{1}{\cos} + \delta \right] \right) \quad (43)$$

$$N_1(\theta) = -\frac{\sin\theta}{(\cos(\delta \sin\theta) + \frac{\delta}{2} \sin 2\theta \sin(\theta + \delta \sin\theta))} \quad (44)$$

$$N_2(\theta) = \frac{\cos(\theta + \delta \sin\theta)}{(\cos(\delta \sin\theta) + \frac{\delta}{2} \sin 2\theta \sin(\theta + \delta \sin\theta))} \quad (45)$$

Reduction of new G-S equation to the simple case of circular cross section

Now, we are in a stage where we can prove the correctness of Equations 34 to 39. For this, the triangularity is set to 0 (knowing that in this case the elongation ratio is unity) in Equations 34 to 39, which reduces the results to equations for circular cross section:

$$\left(\frac{1}{r} \frac{\partial}{\partial r} \left(r \frac{\partial}{\partial r} \right) + \frac{1}{r^2} \frac{\partial^2}{\partial \theta^2} \right) (\psi) - \frac{1}{(R_0 + r \cos\theta)} \left(\cos\theta \frac{\partial}{\partial r} - \frac{\sin\theta}{r} \frac{\partial}{\partial \theta} \right) (\psi) = -\mu_0 (R_0 + r \cos\theta)^2 \frac{dP}{d\psi} - F \frac{dF}{d\psi} \quad (46)$$

$$B_r = -\frac{1}{Rr} \frac{\partial \psi}{\partial \theta}; B_\theta = \frac{1}{R} \frac{\partial \psi}{\partial r} \quad (47)$$

$$J_r = -\frac{1}{\mu_0 Rr} \frac{\partial RB_\phi}{\partial \theta}; J_\theta = \frac{1}{\mu_0 R} \frac{\partial RB_\phi}{\partial r}; \mu_0 J_\phi = \frac{1}{r} \frac{\partial(rB_\theta)}{\partial r} - \frac{1}{r} \frac{\partial B_r}{\partial \theta} \quad (48)$$

$$\frac{\partial}{\partial R} = \cos\theta \frac{\partial}{\partial r} - \frac{\sin\theta}{r} \frac{\partial}{\partial \theta} \quad (49)$$

$$\frac{\partial}{\partial Z} = \sin\theta \frac{\partial}{\partial r} + \frac{\cos\theta}{r} \frac{\partial}{\partial \theta} \quad (50)$$

Setting $\delta = 0$ and $k_s = 1$ in Equations 42 to 45 leads to the following equations:

$$M_1(\theta) = \cos\theta$$

$$M_2(\theta) = \tan\theta$$

$$N_1(\theta) = -\sin\theta$$

$$N_2(\theta) = \cos\theta$$

Substituting the obtained results in the partial differentiations of Equations 40 and 41 leads to

$$\frac{\partial}{\partial R} = \cos\theta \frac{\partial}{\partial r} - \frac{\sin\theta}{r} \frac{\partial}{\partial \theta} = K_1(r, \theta) \quad (51)$$

$$\frac{\partial}{\partial Z} = \sin\theta \frac{\partial}{\partial r} + \frac{\cos\theta}{r} \frac{\partial}{\partial \theta} = K_2(r, \theta) \quad (52)$$

Also, substituting Equations 51 and 52 in Equations 34 to 39 leads to

$$\begin{aligned} & \left(\frac{1}{r} \frac{\partial}{\partial r} \left(r \frac{\partial}{\partial r} \right) + \frac{1}{r^2} \frac{\partial^2}{\partial \theta^2} \right) (\psi) \\ & - \frac{1}{(R_0 + r \cos\theta)} \left(\cos\theta \frac{\partial}{\partial r} - \frac{\sin\theta}{r} \frac{\partial}{\partial \theta} \right) (\psi) \\ & = -\mu_0 (R_0 + r \cos\theta)^2 \frac{dP}{d\psi} - F \frac{dF}{d\psi} \end{aligned} \quad (53)$$

$$B_r = -\frac{1}{Rr} \frac{\partial \psi}{\partial \theta}; B_\theta = \frac{1}{R} \frac{\partial \psi}{\partial r} \quad (54)$$

$$\begin{aligned} J_r &= -\frac{1}{\mu_0 R r} \frac{\partial R B_\theta}{\partial \theta}; J_\theta = \frac{1}{\mu_0 R} \frac{\partial R B_r}{\partial r}; \mu_0 J_\phi \\ &= \frac{1}{r} \frac{\partial (r B_\theta)}{\partial r} - \frac{1}{r} \frac{\partial B_r}{\partial \theta} \end{aligned} \quad (55)$$

The comparison of Equations 46 to 50 with Equations 51 to 55 respectively shows the reduction of partial differential and G-S equations, magnetic fields, and current densities from an elongated cross section to a circular one.

Conclusions

In this paper, new formulae are obtained for partial differential and G-S equations, magnetic fields, and current densities that are special on elongated cross section. Thus, with these new formulations, one can easily understand the effect of the elongation ratio on tokamak parameters like magnetic fields and current densities. Furthermore, solving the G-S equation with this new formulation, the exact solution for the magnetic surfaces of the tokamak plasma with elongated cross section is obtained. Obviously, with this information one can easily plot the real magnetic surfaces of the elongated tokamak.

Competing interests

The authors declare that they have no competing interests.

Authors' contributions

ASKM contributed significantly to this study, and SS edited the manuscript and its correctness. Both authors read and approved the final manuscript.

Received: 28 October 2012 Accepted: 28 October 2012

Published: 22 November 2012

References

1. Ariola, M, Pironti, A: Magnetic Control of Tokamak Plasma. British Library, Napoli (2008)

2. Miyamoto, K: Plasma Physics and Controlled Nuclear Fusion. University of Tokyo Press, Tokyo (2004)
3. Stacey, WM: Fusion. British Library, Atlanta (1984)
4. Freidberg, J: Plasma Physics and Fusion Energy. Massachusetts Institute of Technology, Cambridge (2007)
5. Wesson, J: Tokamaks. Clarendon Press, Oxford (2004)
6. Woods, LC: Theory of Tokamak Transport. British Library, Oxford (2005)

doi:10.1186/2251-7235-6-34

Cite this article as: Marjan and Sobhanian: A new form of Grad-Shafranov equation for a tokamak with an elongated cross section. *Journal of Theoretical and Applied Physics* 2012 **6**:34.

Archive of SID

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Immediate publication on acceptance
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at ► springeropen.com