

Research Paper:

Nurses' Attitudes Towards Spiritual Care and Spiritual Care Practices



Marhamat Farahaninia^{1*}, Mojgan Abasi², Naimeh Seyedfatemi³, Ezzat Jafar Jalal⁴, Hamid Haghani⁵

1. Department of Community Health Nursing, School of Nursing and Midwifery, Iran University of Medical Sciences, Tehran, Iran.

2. Emam Sajjad Hospital, Iran University of Medical Sciences, Shahriar, Tehran, Iran.

3. Nursing Care Research Center, Iran University of Medical Sciences, Tehran, Iran.

4. Department of Nursing Management, School of Nursing and Midwifery, Iran University of Medical Sciences, Tehran, Iran.

5. Department of Biostatistics, School of Public Health, Iran University of Medical Sciences, Tehran, Iran.



Citation: Farahaninia, M., et al., 2018. Nurses' Attitudes Towards Spiritual Care and Spiritual Care Practices. *Journal of Client-Centered Nursing Care*, 4(2), pp. 61-68. <https://doi.org/10.32598/10.32598/jcenc.4.2.61>

doi: <https://doi.org/10.32598/10.32598/jcenc.4.2.61>



Funding: See Page 66

Article info:

Received: 10 Nov 2017

Accepted: 20 Feb 2018

Published: 01 May 2018

Keywords:

Attitude, Spiritual care, Spiritual practice, Nurse

ABSTRACT

Background: Spirituality is an important dimension of human existence with a crucial role in health promotion. This study aimed to investigate nurses' attitudes towards spiritual care and its practice.

Methods: It was a descriptive cross-sectional study. The relevant data were collected by Nursing Spiritual Care Perspective Scale (NSCPS). In this study, 166 nurses working in hospitals affiliated to Iran University of Medical Sciences were selected by proportional stratified randomized sampling method. The obtained data were analysed by descriptive statistics, including frequency, mean, and standard deviation, using SPSS V. 16.

Results: The Mean±SD score of nurses' attitudes towards spiritual practice was 3.67±0.51. The mean score of responses to 9 out of 11 items was above 3 indicating high range of attitude toward providing spiritual care. The Mean±SD score of nurses' spiritual practice was 1.93±0.48. The mean score of the responses to 3 out of 12 items was above 2 indicating the nurses' weak ability to provide spiritual care.

Conclusion: Despite nurses' positive attitudes towards providing spiritual care, they have provided insufficient spiritual care interventions. Thus, appropriate approach for teaching spiritual merits and increasing nurses' abilities for providing spiritual care seems necessary.

*** Corresponding Author:**

Marhamat Farahaninia, MSc.

Address: Department of Community Health Nursing, School of Nursing and Midwifery, Iran University of Medical Sciences, Tehran, Iran.

Tel: +98 (21) 43651806

E-mail: mary_f2008@yahoo.ca

Highlights

- Spirituality is a prominent factor in achieving balance in life that maintains health and well-being
- Holistic health care mandates attention to the spirit as well as other aspects
- Studies indicate that nurses' perception of their own spirituality influences how to identify the clients' spiritual needs, plan the suitable care, and implement the proper intervention.
- Regardless of nurses' positive attitudes towards providing spiritual care, they have insufficient skill in delivering spiritual care interventions.

Plain Language Summary

According to the holistic model, body, mind, and spirit are interrelated, so providing spiritual care is an integral feature of holistic nursing care. In other words, it is important for health care providers to include physical, psychological, sociocultural, and spiritual dimensions in their therapeutic interventions. This study aimed to examine nurses' attitudes towards spiritual care and its practices. Our results indicate that nurses should strengthen their abilities to provide spiritual care for their patients. Lack of training in spiritual care may be the main reason for not providing such care. Thus, holding inter-professional training, workshop, and in-service education are suggested. In addition, appropriate approach for teaching spiritual benefits and increasing nurses' abilities for providing spiritual care seems necessary.

1. Background

Spiritual care is a growing topic of interest in health care across the world (Cockell & McSherry 2012; Ronaldson et al. 2012), and the spiritual dimension is regarded as an important and ethical obligation in holistic care (Chung, Wong & Chan 2007).

Spirituality as a universal human experience, which includes sense of connection to the higher power being, involves search for meaning, hope, and purpose in life and death (Wynne 2013). Spirituality is a prominent factor in achieving balance in life that maintains health and well-being (Potter & Perry 2008; Ruder 2013).

According to the holistic paradigm, body, mind, and spirit are intertwined, so holistic health care mandates attention to the spirit as well as to other aspects (Aziz Dhamani, Paul & Kaye Olson 2011). Provision of spiritual care has been an integral feature of holistic nursing care (Chan et al. 2006, Ronaldson et al. 2012; Cooper et al. 2013). In other words, it is important for health care providers to include physical, psychological, sociocultural, and spiritual dimensions in their interventions (Abu-El-Noor 2012). The International Council of Nurses (ICN) recognizes the spiritual aspect of nursing care as a required duty of nursing discipline (Baldacchino 2008; Wu, Tseng & Liao 2016).

Although most nurses believe that spiritual care is an integral component of quality and holistic nursing care, they rarely address spiritual issues (Kaur, Sambasivan & Kumar 2015). Literature review suggests various reasons for this neglect such as lack of time, preparation and or education in this area as well as nurses' feeling of incompetency to deliver spiritual care (Baldacchino 2008; Lind, Sendelbach & Steen 2011; Ruder 2013). Recent studies indicate that nurses' perception of their own spirituality influences how to identify the clients' spiritual needs, plan the care, and implement the proper intervention (Wu & Lin 2011; Chiang et al. 2016).

Nurses should have spiritual self-awareness before observing and emphasizing patients' spiritual needs. Moreover, researchers recognized that nurses' individual spiritual perspectives, experience and education affect the delivery of their spiritual care and influence their abilities to practice it (Mitchell, Bennett & Manfrin Ledet 2006; Cooper et al, 2013). There are few studies on nurses' attitudes towards spiritual care, and spiritual care practices in Iran. Therefore, more knowledge should be obtained about the attitudes regarding spiritual care, and its practice. This information is necessary, not only to evaluate the existing situation of spiritual care, but also to draw the attention of authorities in health care system toward this issue and for conducting broader studies. This study aimed to examine nurses' attitudes towards spiritual care and spiritual care practices.

2. Materials and Methods

This is a descriptive cross-sectional study conducted in 2011. In this study, 166 nurses were recruited from hospitals affiliated to Iran University of Medical Sciences (IUMS) through stratified randomized sampling (proportion to size).

The relevant data were collected through a two-part questionnaire. The first part assessed demographic data. The second part included the Nursing Spiritual Care Perspective Scale (NSCPS) developed by Taylor et al. that has two parts. Part 1 measures spiritual care practices and contains 12 statements of spiritual interventions rated on a 4-point Likert-type scale. The scores for each answer are sum up and averaged for each item. The total score is between one and four. Part 2 consists of 13 phrases that assesses the attitude of the participants toward providing spiritual care. Participants should rank their responses to each item from 1 to 5 according to their agreement with the items. To calculate the total score that ranges from 1 to 5, the average score for each item is tabulated.

Mean scores above 3 were considered favourable responses toward providing spiritual care to patients (Hubbell et al. 2006). In this study, the second part of NSCPS was modified (With permission to use only part of the tool or to modify the tool as needed) (Farahaninia 2006). The alpha coefficient value for attitudes about providing spiritual care was between 0.78 and 0.82 for spiritual practice. The obtained data were analyzed by descriptive statistics, including frequency, mean, and standard deviation using SPSS V. 16.

Table 1. The participants' demographic characteristics (n=166)

Variables	Sociodemographic Characteristic	No. (%)
Gender	Female	146 (88)
	Male	20 (12)
Age, y	25 >	29 (18.6)
	25 - 29	46 (29.5)
	30 - 34	29 (18.6)
	35 - 39	19 (12.2)
	40 - 44	13 (8.3)
	≥ 45	20 (12.8)
	Missing data	10 (6)

3. Results

In this study, 166 questionnaires were completed. Demographic data of the participants are presented in Table 1. Findings revealed that the total Mean±SD score of nurses' attitudes toward providing spiritual care was 3.67±0.51. Mean score of responses to 9 out of 11 items were above 3 indicating more positive attitudes toward providing spiritual care. The statements that scored the highest were "Spiritual care is a significant part of advanced nursing practice" (item 1) and "Only clergy people should not help patients with specific religious activities" (item 10). The statement that scored the lowest was "Atheists and agnostic are spiritually healthy" (Table 2).

The total Mean±SD of nurse's intervention was 1.93±0.48. The most frequently practiced spiritual intervention were "offering to pray with a patient" (item 2) and "encouraging a patient to pray" (item 3). The least frequently practiced spiritual intervention was "referring my patient to a hospital chaplain" (item 8) and "referring my patient to his/her clergy or religious leader" (item 7) (Table 3).

4. Discussion

Recent studies have emphasized that spiritual care can be helpful (Deal 2010; Cetinkaya, Azak & Altundag Dundar 2013). In spite of agreement of many nurses on the issue that spiritual care is a nursing duty, discrepancy between believing in spiritual care and its actual practice is prominent (Deal 2010; Vlasblom et al. 2011).

Our finding indicated that the Mean±SD score of NSCPS (Part 2) was 3.67±0.51. Mean scores above 3

Variables	Sociodemographic Characteristic	No. (%)
Marital status	Married	110 (66.3)
	Single	54 (32.5)
	Widowed	2 (1.2)
Educational level	Bachelor's degree	163 (98.2)
	Master's degree	3 (1.8)
Work experience, y	≤ 1	19 (11.4)
	2 - 4	47 (28.3)
	5 - 9	36 (21.7)
	10 - 14	23 (13.9)
	15 - 19	11 (6.6)
	≥ 20	25 (15.1)
	Missing data	5 (3)
Shift-work type	Morning	28 (17)
	Evening	5 (3)
	Night	16 (9.7)
	Evening & night	2 (1.2)
	Rotation	104 (63)
	Morning & evening	10 (6.1)
	Missing data	1 (0.6)
Working unit	Surgical	44 (26.8)
	ICU	17 (10.4)
	CCU	16 (9.8)
	Medical	12 (7.2)
	Nursing administration	6 (3.7)
	Emergency	15 (9.1)
	Maternity	5 (3)
	Psychiatric	5 (3)
	Dialysis	9 (5.5)
	Operation room	4 (2.4)
	Oncology	8 (4.9)
	The burn	6 (3.7)
	Pediatric	10 (6.1)
	Post CCU	7 (4.3)
Missing data	1 (0.6)	

Table 2. Nurses' attitude toward providing spiritual care items (part 2)

Item	Strongly Agree (5)	Agree (4)	Uncertain (3)	Disagree (2)	Strongly Disagree (1)	Mean \pm SD
	No. (%)					
Spiritual care is a significant part of advanced nursing practice.	61 (36.7)	94 (5.6)	7 (4.2)	1 (0.6)	3 (1.8)	4.26 \pm 0.73
In general, my patients have spiritual needs.	39 (23.5)	103 (62)	18 (10.8)	3 (1.8)	3 (1.8)	4.04 \pm 0.76
I believe that as a nurse I should share my beliefs with patients.	15 (9.1)	49 (29.7)	39 (23.6)	54 (32.7)	8 (4.8)	3.05 \pm 1.08
The domain of advanced practice nursing includes spiritual care.	25 (15.1)	111 (66.9)	21 (12.7)	7 (4.2)	2 (1.2)	3.9 \pm 0.74
Spiritual care is not only for religious persons.	62 (37.6)	84 (50.9)	7 (4.2)	6 (3.6)	6 (3.6)	4.15 \pm 0.93
A patient's spiritual concerns are of my business.	26 (15.7)	89 (53.6)	37 (22.3)	11 (6.6)	3 (1.8)	3.75 \pm 0.86
Atheists and agnostic are spiritually healthy.	7 (4.3)	15 (9.2)	31 (19)	61 (37.4)	49 (30.1)	2.2 \pm 1.1
A person must not believe in a higher being/power to be spiritually healthy.	18 (11.1)	35 (21.6)	35 (21.6)	46 (28.4)	28 (17.3)	2.8 \pm 1.27
Relationships with others are important to patients' spiritual health.	29 (17.7)	109 (66.5)	21 (12.8)	2 (1.2)	3 (1.8)	3.97 \pm 0.72
Only clergy people should not help patients with specific religious activities.	53 (32.5)	98 (60.1)	5 (3.1)	5 (3.1)	2 (1.2)	4.2 \pm 0.74
Nurse should assist a patient in using his/her religious or spiritual resources to cope with illness.	40 (24.2)	108 (65.5)	8 (4.8)	7 (4.2)	2 (1.2)	4.07 \pm 0.75

Client-Centered Nursing Care

Table 3. The nurses' spiritual care practice items (part 1)

Item	No. (%)				Mean \pm SD
	Rarely	Some	Often	Always	
I prayed with a patient.	54 (34)	68 (42.8)	23 (14.5)	14 (8.8)	1.98 \pm 0.91
I offered to pray with a patient.	36 (22.5)	72 (45)	35 (21.9)	17 (10.6)	3.67 \pm 0.51
I encouraged a patient to pray.	10 (6.4)	53 (33.8)	53 (33.8)	41 (26.1)	2.8 \pm 0.9
I prayed privately with a patient.	50 (33.3)	57 (38)	34 (22.7)	9 (6)	2.01 \pm 0.89
I read religious/spiritual writings to a patient.	82 (52.2)	58 (36.9)	14 (8.9)	3 (1.9)	1.61 \pm 0.73
I brought religious or spiritual reading to my patient's attention.	31 (19.6)	86 (54.4)	28 (17.7)	13 (8.2)	1.61 \pm 0.73
I referred my patient to his/her clergy or religious leader.	104 (65.8)	35 (22.2)	13 (8.2)	6 (3.8)	1.5 \pm 0.8
I referred my patient to a hospital chaplain.	114 (72.6)	24 (15.3)	14 (8.9)	5 (3.2)	1.43 \pm 0.78
I talked with my patient about a spiritual and/or religious topic.	48 (30.8)	76 (48.7)	21 (13.5)	11 (7.1)	1.97 \pm 0.85
I facilitate religious rituals of my patient.	57 (35.6)	62 (38.8)	33 (20.6)	8 (5)	1.95 \pm 0.87
I created a SOAP note for meeting my patient's spiritual needs.*	77 (48.7)	53 (33.5)	22 (13.9)	6 (3.8)	1.73 \pm 0.84
I gave a report to fellow practitioners about my patient's spiritual need.	63 (39.4)	62 (38.8)	29 (18.1)	6 (3.8)	1.86 \pm 0.84

*Subjective, Objective, Assessment and Plan suggestions record in medical progress note

Client-Centered Nursing Care

were considered favourable responses toward providing spiritual care. A number of studies obtained the same results. According to these studies, nurses believe that spiritual care is an important part of nursing practice (Hubbell et al. 2006; Farahaninia et al. 2006; Mazaheri et al. 2008; Deal 2010; Vlasblom et al. 2011). The total mean score of nurse's intervention was 1.93 with standard deviation of 0.48. Stranhan concluded that more than half of the nurses did spiritual care rarely or never and nearly half of them were unable to offer spiritual care (Chan 2009). In Vance's study, nurses perceived themselves as highly spiritual, but a quarter of the subjects provided adequate spiritual care for their patients. In this study, time restrictions and lack of education were reported as the most common barriers for nurses to provide spiritual care (Chan 2009). In Hubbell et al. study, although most of the participants' had a positive attitude toward spiritual care, few reported spiritual care practices (Hubbell et al. 2006). Similar results were also obtained in Chen et al. study (Chan et al. 2006).

With respect to part one of NSCP tool, the most common reported interventions (3 of 12 items) were "I offered to pray with a patient", "I encouraged a patient to pray", "I prayed privately with a patient", that showed nurses need to strengthen their abilities to provide spiritual care for their patients. The least common intervention reported by nurses was "I referred my patient to a hospital chaplain". In Hubbell et al. study, the most common reported item of spiritual care practice items were "referring the patient to their religious leader", "encouraging patients to pray", and "talking with patients about spiritual topics", in the descending order (Hubbell et al. 2006). Meanwhile according to Stranhan's study, the most frequent interventions were "Praying privately for a patient" and "Referring a patient to clergy or religious leaders" (Chan et al. 2006). Praying with patients or encouraging them to pray is a common intervention in all studies in different religions and cultures. It is indicated that pray is emphasized in all religions but the type and form of pray is different according to the specific religion or culture.

Referring to clergy or chaplain was reported in other studies, the results which was not consistent with the present study results. The discrepancy in results could be that in Iran hospitals, multidisciplinary team working in spirituality care is a new approach that includes clergy or religion experts as a member and most of health care team are not familiar with this team and its related tasks. Although this study did not examine the reasons for not doing spiritual care, probably one of the common reasons could be lack of its training throughout the educational course (Farahaninia et al. 2006; Hubbell et al. 2006; Van Leeuwen et al. 2008; Lind, Sendelbach & Steen 2011).

Studies suggest that role preparation in nursing for spiritual care is poor (Hubbell et al. 2006; Van Leeuwen et al. 2008). Evidence implies that the nurse's lack of knowledge regarding spiritual care results in failing to provide holistic care (Wong & Yau 2010; Wu, Tseng & Liao 2016). Increasing self-awareness in nurses is effective and nurses must initially perceive their own inner spirituality in order to offer spiritual care more efficiently (Chan 2009). Based on studies, internal spirituality and desire for spiritual care are interrelated, but there is less emphasis on spiritual nursing care (Cockell & Mcsherry 2012).

Spiritual care education increases nurses' awareness with respect to the importance of this aspect of care (Melhem et al. 2016). It is necessary to include the concept of spirituality, spiritual care, and its practice in the educational curriculum to draw more attention to spirituality and spiritual care (Cockell & Mcsherry 2012). Qualitative and quantitative approaches must be implemented in defining spirituality in nursing field and the best teaching strategies must be used for training spiritual merits and increasing students' capability in facing with spiritual needs and offering spiritual care. Spiritual eligibility is achieved through individual and professional growth in nursing students (Mitchell, Bennett & Manfrin Ledet 2006). One potential limitation of this study was sample size (n=166), which is relatively low for descriptive studies.

Nurses' attitude toward spiritual care is positive, but their spiritual care interventions were insufficient. Lack of training in spiritual care may be a barrier for the competence on spiritual care giving. In this regard, establishment of inter-professional training, workshop, and in-service education are suggested. In addition, appropriate approach for teaching spiritual merits and increasing nurses' abilities for providing spiritual care seems to be necessary.

Ethical Considerations

Compliance with ethical guidelines

The research Ethics Committee of Iran University of Medical Sciences granted the permission to conduct the study. Before the study, the research objectives were described to the participants, and they were assured that the collected data would be kept confidential. Next, all participants gave their written informed consent before completion of the questionnaires.

Funding

This manuscript was a part of the research project of first & corresponding author (Grant No: 671) that was approved by Iran University of Medical Sciences Research Deputy.

Authors contributions

The authors contributions is as follows: Conceptualization: Marhamat Farahaninia and Mojgan Abasi; Methodology: Marhamat Farahaninia, Mojgan Abasi and Hamid Haghani; Investigation: Marhamat Farahaninia and Ezzat Jafar Jalal; Writing-original draft: Marhamat Farahaninia and Mojgan Abasi; Writing-review & editing: Marhamat Farahaninia and

Naimeh Seyedfatemi; and Supervision: Marhamat Farahaninia.

Conflict of interest

The authors declare no conflict of interest.

Acknowledgements

The authors thank Fahimeh Rahimiha who helped to modify project, Dr Martha Highfield who allowed us to use her instrument and Special thanks to the nurses who participated in this study.

References

- Abu-El-Noor, M., 2012. Spiritual care for cardiac patients admitted to coronary care units in Gaza Strip: Cardiac patient's perception. *IUG Journal of Natural Studies*, 20(2), pp. 73-98.
- Aziz Dhamani, K., Paul, P. & Kaye Olson, J., 2011. Tanzanian nurses understanding and practice of spiritual care. *International Scholarly Research Notices: Nursing*, pp. 1-7. [DOI:10.5402/2011/534803] [PMID] [PMCID]
- Baldacchino, D. R., 2008. Teaching on the spiritual dimension in care to undergraduate nursing students: The content and teaching methods. *Nurse Education Today*, 28(5), pp. 550-62. [DOI:10.1016/j.nedt.2007.09.003]
- Cetinkaya, B., Azak, A. & Altundag Dundar, S., 2013. Nurses perceptions of spirituality and spiritual care. *Australian Journal of Advanced Nursing*, 31(1), pp. 5-10.
- Chan, M. F., et al., 2006. Investigating spiritual care perceptions and practice patterns in Hong Kong nurses: Results of a cluster analysis. *Nurse Education Today*, 26(2), pp. 139-50. [DOI:10.1016/j.nedt.2005.08.006] [PMID]
- Chan, M. F., 2009. Factors affecting nursing staff in practising spiritual care. *Journal of Clinical Nursing Banner*, 19(15), pp. 2128-36. [DOI:10.1111/j.1365-2702.2008.02690.x]
- Chiang, Y. C., et al., 2016. The impact of nurses' spiritual health on their attitudes toward spiritual care, professional commitment, and caring. *Nursing Outlook*, 64(3), pp. 215-24. [DOI:10.1016/j.outlook.2015.11.012] [PMID]
- Chung, L. Y. F., Wong, F. K. Y. & Chan, M. F., 2007. Relationship of nurses' spirituality to their understanding and practice of spiritual care. *Journal of Advanced Nursing*, 58(2), pp. 158-70. [DOI:10.1111/j.1365-2648.2007.04225.x]
- Cockell, N. & Mcsherry, W., 2012. Spiritual care in nursing: an overview of published international Research. *Journal of Nursing Management*, 20(8), pp. 958-69.
- Cooper, K. L., et al., (2013). The impact of spiritual care education upon preparing undergraduate nursing students to provide spiritual care. *Nurse Education Today*, 33(9), pp. 1057-61. [DOI:10.1016/j.nedt.2012.04.005] [PMID]
- Deal, B., 2010. A pilot study of nurses' experience of giving spiritual care. *The Qualitative Report*, 15(4), pp. 852-63.
- Kaur, D., Sambasivan, M. & Kumar, N., 2015. Impact of emotional intelligence and spiritual intelligence on the caring behaviour of nurses; A dimension-level exploratory study among public Hospitals in Malaysia. *Applied Nursing Research*, 28(4), pp. 293-8.
- Farahaninia, M., et al., 2006. Nursing students' spiritual well-being and their perspectives towards spirituality and spiritual care perspectives. *Iran Journal of Nursing*, 18(44), pp. 7-14.
- Hubbell, S. L., et al., 2006. Spiritual care practices of nurse practitioners in federally designated nonmetropolitan areas of north Carolina. *Journal of the American Academy of Nurse Practitioners*, 18(8), pp. 379-85. [DOI:10.1111/j.1745-7599.2006.00151.x] [PMID]
- Lind, B., Sendelbach, S. & Steen, S., 2011. Effects of a spirituality training program for nurses on patients in a progressive care unit. *Critical Care Nurse*, 31(3), pp. 87-90.
- Mazaheri, M., et al., 2008. [Nurses' attitude to spirituality and spiritual care (Persian)]. *Payesh Journal*, 8(1), pp. 31-7.
- Melhem, G. A. B., et al., 2016. Nurses' perceptions of spirituality and spiritual care giving: A comparison study among all health care sectors in Jordan. *Indian Journal of Palliative Care*, 22(1), pp. 42-9.
- Mitchell, D. L., Bennett, M. J. & Manfrin Ledet, L., 2006. Spiritual development of nursing students: Developing competence to provide spiritual care to patients at the end of life. *Journal of Nursing Education*, 45(9), pp. 365-70.
- Potter, P. A., & Perry, A. G., 2007. *Basic Nursing: Essentials for Practice*. Maryland Heights, Missouri: Mosby.
- Ronaldson, S., et al., 2012. Spirituality and spiritual caring: Nurses' perspectives and practice in palliative and acute care environments. *Journal of Clinical Nursing*, 21(15), 2126-35. [DOI:10.1111/j.1365-2702.2012.04180.x]
- Ruder, S., 2013. Spirituality in nursing: Nurses' perceptions about providing spiritual care. *Home Healthcare Now*, 31(7), pp. 356-67.
- Taylor, E. J., Highfield, M. & Amenta, M., 1994. Attitudes and beliefs regarding spiritual care: A survey of cancer nurses. *Cancer Nursing*, 17(6), pp. 479-87. [DOI:10.1097/00002820-199412000-00005] [PMID]

- Van Leeuwen, R., et al., 2008. The effectiveness of an educational programme for nursing students on developing competence in the provision of spiritual care. *Journal of Clinical Nursing*, 17(20), pp. 2768-81. [DOI:10.1111/j.1365-2702.2008.02366.x] [PMID]
- Vlasblom, J. P., et al., 2011. Effects of a spiritual care training for nurses. *Nurse Education Today*, 31(8), pp. 790-6. [DOI:10.1016/j.nedt.2010.11.010] [PMID]
- Wong, K. F. & Yau, S. Y., 2010. Nurses' experiences in spirituality and spiritual care in Hong Kong. *Applied Nursing Research*, 23(4), pp. 242-4. [DOI:10.1016/j.apnr.2008.10.002] [PMID]
- Wu, L. F. & Lin, L. Y., 2011. Exploration of clinical nurses' perceptions of spirituality and spiritual care. *Journal of Nursing Research*, 19(4), pp. 250-6.
- Wu, L. F., Tseng, H. C. & Liao, Y. C., 2016. Nurse education and willingness to provide spiritual care. *Nurse Education Today*, 38, pp. 36-41. [DOI:10.1016/j.nedt.2016.01.001] [PMID]
- Wynne, L., 2013. Spiritual care at the end of life. *Nursing Standard*, 28(2), pp. 41-5. [DOI:10.7748/ns2013.09.28.241.e7977] [PMID]

Archive of SID