Research Paper: Design of an Ergonomics Assessment Tool for Playroom of Preschool Children



Parisa Azizabadi Farahani¹, Hamidreza Mokhtarinia^{1*}, Reza Osqueizadeh¹

1. Department of Ergonomics, University of Social Welfare and Rehabilitation Sciences, Tehran, Iran.



Citation: Azizabadi Farahani P, Mokhtarinia H, Osqueizadeh R. Design of an Ergonomics Assessment Tool for Playroom of Preschool Children. Physical Treatments. 2017; 6(4):217-223. https://doi.org/10.18869/NRIP.PTJ.6.4.217

doj: https://doi.org/10.18869/NRIP.PTJ.6.4.217

Article info: Received: 12 Aug. 2016 Accepted: 23 Nov. 2016

Keywords:

Ergonomics, Preschool center, User-friendly, Validity, Reliability

ABSTRACT

Purpose: Children's interaction with the environment considerably influences their growth. To create an environment that guarantees growth and development of children's skills, children's characteristics should be considered in selecting facilities, design, and setting of child-related environments. Proper tools should be used to study the compliance of the current design of playrooms in preschool centers with the criteria of user-centered design. The research objective was to design a tool for ergonomic assessment of preschool playrooms with a cooperative approach.

Methods: In this descriptive-analytical research, after reviewing the resources and visiting the place, the preliminary items of the assessment tool were extracted. Afterwards, a 43-item assessment tool was developed through group sessions attended by experts and personnel of preschool centers. The validity of the tool was assessed through content and face validity assessment tests. Reliability of the test was measured by test-retest. The data were analyzed by Excel 2010 and SPSS15.

Results: Research results indicated that 7 of the 43 items had low content validity and needed to be rejected. The calculated content validity index of the final version was 72.9, which was acceptable. During the content validity assessment, minor changes were made to two items. Results of the reliability also showed that this tool is repeatable with ICC=0.99

Conclusion: Considering the research results, the proposed assessment tool is properly efficient in assessing the environment of preschool centers.

1. Introduction

hildren are the valuable social capital and build the society future. Education in childhood, the time of the formation of personality and creation of different habits, establishes the future of the individual

and the society. Changes in societies and ever-increasing

employment of women increase the need for child daycare centers and the children spend a lot of day time in these centers. The first months and years of the child's life play a great role in the formation and growth of his or her mental, physical, and intellectual dimensions. Hence, proper physical and emotional nutrition, enough sleep and sensory stimulation in the childhood are more important than ever. Studies have shown that the sur-

* Corresponding Author: Hamidreza Mokhtarinia, PhD Address: Department of Ergonomics, University of Social Welfare and Rehabilitation Sciences, Tehran, Iran. Phone: +98 (910) 2305631 E-mail: hrmokhtarinia@yahoo.com rounding environment has a dramatic effect on our feelings, thinking, behaviors, and quality of life. The environmental impact can serve our needs or act against it [1]. These findings confirm the importance of designing space and facilities of childcare centers appropriate to the children's characteristics and needs. Studies indicate that children recall their surroundings much better than people and things, therefore, paying attention to design details in their caring space is of special necessity [2].

Physiologists and educators believe that children learn mainly through play. Therefore, designing children's educational environments should be suitable for their games [3]. Ergonomics is the knowledge which focuses on the study of human adaptation to the surrounding environment and tries to reduce the mismatch between the user and the environment during the designing process. In this process, the role of the ergonomist is understanding the needs and features of user and turning this knowledge into principles and rules for devising so that designers can follow these rules as design criteria [4]. In order to achieve the environmental design tailored to the needs and characteristics of children and also to verify compliance of the current design of the playrooms of preschool centers with user-centered design principles, a proper tool should be used. One of the challenges ahead in achieving an environment appropriate to the characteristics of children is the lack of a suitable tool that can be used to determine the defects in the present design. Therefore, the purpose of conducting the study is to determine the basic parameters of designing an environment for children based on ergonomic evaluation with collaborative approach. Finally this study leads to compilation and establishment of a set of considerations which help designers and supervisors of preschool centers improve spaces for children.

2. Materials and Methods

This study is an analytical descriptive study. After developing the evaluation tool, to verify its validity, the content validity and face validity were used in this study . Its reliability was investigated using test-retest method.

Development of assessment tool

In the first stage, the initial parameters of the tool were determined by two ways; A: Study of resources were the core part of this research. First, a general search in the literature was done to get acquainted with resources, conducted studies, and the pioneering theories concerning children's environments which included searching the websites such as PubMed, Elsevier, Google Scholar, Scopus, Google, Springer, SAGE, Wiley with the keywords of "children environment", "child care center environment", "preschool environment" (as well as other synonyms concerning children's environment such as interior design, environmental quality, play area safety, child care center setting, noise, children injuries, childfriendly, play type) and search for resources in libraries, including student theses and existing books, which were relatively related to the children's environment.

The resources obtained from the search were categorized and the most relevant sources were selected. Through a brief overview of these resources, general dimensions of the search were identified. Then, new texts were found by searching in the specified fields using relevant keywords. The search method for resources at this stage was in a way that in addition to the resources found in every field, we accessed other resources by searching for keywords and references mentioned in each text. The search by this method continued in every field until we found no new information. Since during collecting related resources, we were faced with high volume of information, we needed a note-taking system. For this purpose, two files were allocated for documents: resource information file and content file. In the resource information file, such information as author's name, year of publication, magazine or websites where the source was taken from, and its general theme; and in the content file, an important summary and the source's findings were recorded. Then by carefully studying the content file, the parameters related to design, the arrangement and playground environment of the playroom in the kindergarten were extracted. At this stage we tried not to miss any relevant data.

B: "Visiting the place" also carried out to compare the parameters extracted from the sources with the current conditions in the playroom of preschool centers in Iran. Since nearly all the sources studied were related to other countries, it was necessary to visit preschool centers to adapt and localize these parameters and further the study with a better insight.

The second stage is the collaborative phase of the project. In this level, the extracted items were first investigated and challenged through a focused group method in two sessions with professionals and staff of preschool centers [5-7]. At the first meeting, 12 teachers and supervisors were present in preschool centers in Tehran (Table 1). A meeting was also attended by 9 specialists in the fields of child development, psychology, environmental ergonomics, and designing (Table 2). Because of the nature of this tool, in selecting subjects, we tried to invite experts from different disciplines related to the topic for the meetings to ensure the comprehensiveness of judgments. At these meetings, items were first written on the board and the attendees were asked to write down their opinions about the importance of each proposed item. Then each item was read and the attendees mentioned their opinions on the item raised. With the permission of the participants, the meeting's discussions were recorded to be used for checking items and compilation of tool.

After the meetings, audio files were transcribed and examined with facilitator notes during the meeting. Then at a meeting and in the presence of members of the research team, information from these meetings were concluded and final items of the evaluation tool were identified. Also, items were divided into 5 categories. Eventually, the output of these meetings was a tool whose validity and reliability was evaluated in the next steps.

Validity assessment

Content validity specifies that if the content of the questionnaire fit and relevant to the purpose of the study. In other words, this feature is investigated by experts in order to ensure that the content of the questions reflects a complete range of studied features [8-10]. In order to determine the content validity of the tool in this research, qualitative and quantitative content validity methods were used. Holcny describes content validity as a technique used for deduction and proceeds purposefully and systematically to identify the specific characteristics of a message [11]. To determine the content validity, the proposed methods of Chadwick et al. and Lawshe were used [12, 13]. Chadwick et al. suggest that content validity method is applicable when an information exchange tool (which contains relatively clear and inferential messages) is going to be introduced and applied in a practical way. Lawshe also believed that when high levels of the abstract and insight is needed for judgment and in the case when the scope of inference in the content and around a message is extensive, researchers should use content validity approach.

Lawshe devised a model for determining content validity in a way that the questionnaire is provided to the panel group, the role of which is to guide panel members, making it possible for members to judge accurately based on the necessity of the tool components. In addition, they will be asked to comment on each item on the judgment criteria given. Member responses are coded as follows; E: Essential, U: Useful but not essential, and N: Not necessary. In this study, Lawshe model was adopted. Since different perceptions are possible out of the judgment criteria, we decided to rate the judgment criteria in this tool as "completely relevant", "relevant", "relatively relevant", and "unrelated".

The response sequence in this scale, which is modeled on the Likert-type scale, is more evident. At this stage the panel members should be identified. Usually, members of a panel of validity evaluators should be formed of professionals in the field of the tool to provide correct and accurate judgments. Although the proposed method of Lawshe states the minimum number of members as 4, but it was decided to use as many members as possible in this study. Due to problems such as a small number of specialists in the field of child ergonomics and also multi-disciplinary content of the study, it was decided that at least 8 and up to 16 subjects participated in the process of validity assessment. At least 8 subjects were chosen because it is twice as the recommended number of Lawshe in order to reach the needed agreement and a validity coefficient of more than 60% with a higher level of confidence.

This is the amount accepted as the minimum coefficient of validity factor analysis by Chadwick et al. A maximum number of 16 subjects were selected because it is twice the minimum value and was considered to overcome problems such as failure to return the questionnaire. A total of 20 specialists were identified in the fields of ergonomics, psychology, educational sciences, and interior design. Then, 16 subjects agreed to participate in this study. Next, the proposed tool was sent by e-mail to them. Finally, 8 completed questionnaires were returned (Table 3) and delivered to researchers so the return rate was 50%. After carefully studying the tool, to evaluate the quality of the content, they were asked to provide their corrective views in detailed and written form. After collecting expert assessments and consulting with members of the research team, required changes were made to the tool.

In quantitative review of the content, we used the content validity ratio index to be ensured of selecting the most important and accurate content, and content validity index to be ensured that the tool items be well designed for content assessment. Panel member responses were quantified based on CVR equation.

CVR = (ne-n/2)/(n/2)

, where *ne* is the number of panel members who have identified that dimension or question as "necessary" (In this study, the sum of subjects which gave each item "completely relevant" and "relevant" scores), *n* is the total number of panel members, and CVR is the linear and direct conversion of panel members who have chosen the phrase

www.SID.ir

"necessary". The values assigned to CVR are as follows: 1) When less than half of the subjects choose "necessary" option, CVR is negative. 2) When half of the subjects choose "necessary" options and the other half choose other options, CVR is 0. 3) When all subjects choose the "necessary" option, CVR is 1. 4) When the number of subjects who choose the "necessary" option, include more than half but not all subjects, CVR is between 0% and 99%.

The impact score of items was also calculated. For this purpose, the defined 4-point criteria scales to evaluate content validity are weighted as follows:Unrelated: 0, relatively relevant: 1, relevant and completely relevant: 2 Then the impact scores are calculated using the formula:

Importance×*Frequency* (*Percentage*)=*Impact* score

An item is accepted if the CVR value is between 0% and 75% and the mean number of judgments is 1.5 or higher (Table 4). This value of CVR shows that more than half of the panel members selected "completely relevant" or "relevant" o ptions (necessary in Lawshe scale). The mean value equal or higher than 1.5 indicates that the average judgments are closer to "completely relevant" and "relevant" options. On the other hand, the mean value equal or higher than 1.5 shows that the average judgments are equal to 75% of the maximum average of 2, which is higher than the minimum accepted value of 60% determined for reliability of validity.

After calculating CVR, to determine the comprehensiveness of judgments about validity of the tool, CVI index was calculated. CVI is the average CVR values of remaining items in the validated tool. The higher the content validity of the tool, the more CVI index closer to 0.99 and vice versa. The CVI is calculated using the following formula:

$CVI=(\sum CVR)/(retained numbers)$

After measuring the content validity of the tool and omitting the inappropriate items, its face validity was examined. A tool has a formal validity when its articles or questions are apparently similar to the topic, which are prepared to measure it [8-10]. Here we used the opinions of 15 inspectors from the Northwest Health Center in Tehran to qualitatively evaluate face validity. Face validity was evaluated under three criteria of "clear and transparent", "simplicity", and "layout and style" for each of which 4-point Likert-type scale (including: totally agree, agree, disagree, and totally disagree) was determined. The inspectors were also asked to note their comments about items that they have chosen "disagree" or "totally disagree". Then, items were modified in terms of wording and use of words through collecting comments.

Reliability test

Reliability is one of the properties of measuring instruments and determines how much the measurement tool yields the same results under the same conditions [8-10]. To calculate the reliability of measurement tool in this research, we used the method of test-retest and the Intra-class Correlation Coefficient (ICC). The playrooms of 30 kindergartens in the 2nd, 5th, and 6th district of Tehran were investigated by one of the researchers (P. F.). After a week, once again, the playrooms of these centers were evaluated and the correlation coefficient between the results of two evaluations by the compiled tool was calculated.

3. Results

After reviewing the sources, a list of extracted items was prepared (Table 5). This list was evaluated during the focus group meetings and the meeting with the research team and then, the initial version of the evaluation tool was prepared with 43 items. Its content validity was evaluated, the results of which are presented in Table 6. In the recent study, after assessing validity, 7 questions were omitted. The value of its content validity index was obtained using the following equation:

Table 1. The composition and features of the participants participating in the meeting

Position	Degree of Education		
	2 with MSc.		
Teacher	5 with BSc.		
	1 with Associate degree		
Supervisor	1 with PhD; 2 with MSc.		
Supervisor	1 with BSc.		
	PHYSICAL TREA T MENTS		

PHYSICAL TREATMENTS

Table 2. The composition and characteristics of the participants in the meeting

Specialty	Degree of Education		
Ergonomics	2 with PhD		
Occupational health	1 with PhD		
Physician	1 General physician		
Designer	1 with MSc.		
Child psychologist	3 with PhD		
Biomechanics	1 with PhD		
	PHYSICAL TREATMENTS		

Table 3. The composition and features of members of the content validation panel

Specialty	Degree of Education
Cognitive ergonomics	2 with PhD
Environmental ergonomics	2 with PhD
Occupational health	1 General physician
Interior designer	2 with MS
Child psychologist	1 with PhD
	PHYSICAL TREA T MENTS

Therefore, an ergonomic evaluation tool for kindergarten playroom was designed; CVI value of which was obtained as 72.9%, which is acceptable.

Also, after evaluating the face validity of the tool, two minor modifications were made on the items as follows: 1) The maximum number of children at a playroom at the same time was less than 20; and 2) There are natural elements (e.g., pot, soil, wood, aquarium, etc.) in the playroom. In order to estimate reliability, the test-retest method and the ICC index were used. The value of this index was 0.99.

4. Discussion

Preschool centers play an important role in the lives of children. Design of preschool center classrooms should be influenced by the children's characteristics. To create an environment that entails growth and development of children's skills, considering physiological characteristics, psychological and anthropometric aspects of children in the selection of features, design, and layout of their respective environments is of special significance.

Children are interested in experiencing a wide range of activities; by dividing classroom space we can perform

Number of Professionals	CVR	Number of Professionals	CVR	Number of Professionals	CVR
5	0.99	11	0.59	25	0.37
6	0.99	12	0.56	30	0.33
7	0.99	13	0.54	35	0.31
8	0.75	14	0.51	40	0.29
9	0.78	15	0.49		
10	0.62	20	0.42		
PHYSICAL TREAT MENTS					

Table 4. The minimum acceptable CVR based on the number of scoring specialists

Table 5. Preliminary items extracted in the first phase of the research

Items			
Space dedicated to each child	Room temperature		
The height of the playroom ceiling	Relative humidity		
The height of the lights and hanging fans	Dimensions of tables, chairs, chests, and shelves		
The corridor width leading to the room	The height of the knob, the tap, the switches and the sockets		
Entrance door width	How to arrange game tables		
Wall covering material	Safety of furniture and equipment		
Color of wall coverings	How to divide available space		
Flooring material	Absence of mess and accumulation in the environment		
Floor covering color	No slippery ground		
Decorating on the walls	No part of the room be out of sight		
The height of the installation of decorations and boards on the wall	Fixed and sturdy shelves, cabinets, and heavy appliances		
The amount of room light	Arrangement of toys and gadgets		
Having natural and artificial light	A space for personal belongings		
Lack of shadow and brightness	Private space for single-player games		
Height of windows	Existence of non-level platforms in the playroom		
Installing curtains for windows	Possibility of playing different games		
The view of windows	The presence of natural elements in the room		
Sound pressure level	Age-appropriate toys		
The amount of pollutant gases	Play music during the game		
Distance of the teachers from the children			

PHYSICAL TREATMENTS

Table 6. The result of the validity of the study primary checklist items

Areas	Items	CVR	Mean Value of Judgments	Acceptance or Rejection
	Space is considered suitable for every child	1	2	Accepted
	The number of children present at the same time in the playroom is less than 20.	0.5	1.5	Accepted
	The height of the playroom ceiling is appropriate.	0.25	1.25	Rejected
	The height of the windows is suitable.	0.5	1.5	Accepted
	Corridor width leading to the playroom is appropriate.	0.75	1.75	Accepted
Dimensions and interior space	The playroom does not have an entrance door.	0	1	Rejected
	The entrance door width of the playroom is appropriate.	0.75	1.75	Accepted
	The height of the installation of the decorations and paintings on the wall is appropriate.	0.5	1.5	Accepted
	Dimensions of tables, chairs, chests, and shelves are matched with children's anthropometric dimensions.	1	2	Accepted
	Wash basin and tap height is suitable.	1	2	Accepted

Areas	Items	CVR	Mean Value of Judgments	Acceptance or Rejection
Interior design and arrangements	Flooring material is suitable.	0.75	1.75	Accepted
	Floorings have bright and cheerful colors.	1	2	Accepted
	The material of the wall covering is suitable.	0.75	1.75	Accepted
	Wall coverings have bright and cheerful colors.	1	2	Accepted
	Children's artwork and their family photos have been used in the decoration on the walls.	0.5	1.5	Accepted
	The windows have views.	0.75	1.75	Accepted
	Curtains have a good thickness.	0.25	1.25	Rejected
	The playroom space is divided for performing several different programs.	0.5	1.5	Accepted
	The arrangement of the game tables is appropriate.	0.25	1.25	Rejected
	There is a space to hold every child's personal belongings.	0.5	1.5	Accepted
	Shelves and chests are open and the objects inside them are visible.	0.5	1.5	Accepted
	The amount of room light is appropriate.	1	2	Accepted
	The playroom combines artificial and natural light.	1	2	Accepted
	Luminance levels are not high and the scattered shadows are not present in the room.	0.5	1.5	Accepted
Environmental	Sound pressure level is appropriate.	1	2	Accepted
factors	Playing music is appropriate and timely.	0.5	1.5	Accepted
	The room temperature is appropriate.	1	2	Accepted
	The relative humidity of the environment is appropriate.	1	2	Accepted
	Air conditioning in the playroom is appropriate.	0.75	1.75	Accepted
	The walls of the room are insulated.	0	1	Rejected
	The shield is installed for windows.	0.75	1.75	Accepted
	The height of the lights and hanging fans is appropriate.	0	1	Rejected
	There is no sharp surfaces and corners in the furniture.	0.5	1.5	Accepted
	No mess and clutter can be seen in the playroom environment.	0.5	1.5	Accepted
Safety	There are no disturbing structures in the playroom.	0.75	1.75	Accepted
	The floor of the children's playground is not slippery.	0.75	1.75	Accepted
	The whole play space of children is visible for teachers.	0.5	1.5	Accepted
	Shelves, chests, and heavy appliances are well fixed on the ground.	0.75	1.75	Accepted
	Height of switches and sockets is out of the reach of children.	1	2	Accepted
	Toys are appropriate for children's age.	0.75	1.75	Accepted
Toys and small	Toys and gadgets are arranged in logical groups.	0.75	1.75	Accepted
gadgets	There are game tools with non-level surfaces (such as small steps to climb, tun- nels, shallow pits and small houses) in the playroom.	0	1	Rejected
	There are natural elements in the playroom.	0.5	1.5	Accepted
			PHYSICAL	TREATMENTS

several different activities simultaneously in the class. This helps the child participate in activities according to the level of their abilities and interests and also monitor all their current activities in the class. As a result, the main advantages of this scheme would be promotion of the child independence, strengthening his/her power of choice, learning new skills, increasing self-esteem, and so on. [14].

Selection of appropriate color, material, and texture to cover the walls, floor, ceiling, and appliances in the classroom can help create a fun environment for children's learning and assist the center as much as possible towards achieving educational goals. With proper application of color in the visual design, we can create visual attraction for children, which would increase interest and motivate the child to attend in these activities [15]. In regards that children in the early years of life gain experience through tactile stimulation, using a variety of materials with different textures helps the child in learning [15]. Various research studies show the impact of noise on the incidence of cognitive impairment as well as the decline in learning in children, therefore, taking measures to reduce class-room noise is mandatory when designing [16].

Also because of the importance of the quality of light and fresh air inside the class in the physical and psychological growth of children, when designing the center, we should pay special attention to the sunlight of the class and the center should be equipped with ventilation system in accordance with the standards [17].

In evaluating the reliability of this tool, due to the ease of visiting preschool centers in districts 2, 5, and 6 of Tehran Municipality, 30 centers of these areas were selected for measuring instrument reliability. One week after the first visit, these centers were visited for re-evaluation. When comparing first and second visit results, it was found that in all centers, the results of two visits are pretty much the same. Since the subject being evaluated has been the space of these centers and the possibility of changing the elements of space (without intervention) within a week's time, this result was expected.

The interaction of the child with the environment has a significant effect on his or her growth. As a result, the importance of research on the details of the environment, the effect of each one on the child, and finally collecting a set of considerations which assist designers and teachers in preschool centers and kindergartens to help improve children's spaces, are clear. To evaluate the features of preschool centers, the appropriate tool should be used. According to the study results, the obtained assessment tool has a good efficiency to evaluate these environments.

Acknowledgements

This paper was extracted from the first author, Parisa Azizabadi Farahani, MSc. thesis, in the Department of Ergonomics, University of Social Welfare and Rehabilitation Sciences, Tehran.

Conflict of Interest

The authors declared no conflicts of interest.

References

- Shaw J. The building blocks of designing early childhood educational environments. Undergraduate Research Journal For The Human Sciences. 2010; 9(1).
- [2] Olds AR. Child care design guide. New York: McGraw-Hill; 2000.
- [3] Bainbridge WS. Berkshire encyclopedia of human-computer interaction. Massachusetts: Berkshire Publishing; 2004.
- [4] Sanders EBN. From user-centered to participatory design approaches. Contemporary Trends Institute Series. 2002; 1-8. doi: 10.1201/9780203301302.ch1
- [5] Goss JD, Leinbach TR. Focus groups as alternative research practice: Experience with transmigrants in Indonesia. Area. 1996; 28(2):115-23.
- [6] Powell RA, Single HM. Focus groups. International Journal for Quality in Health Care. 1996; 8(5):499-504. doi: 10.1093/ intqhc/8.5.499
- [7] Hoppe MJ, Wells EA, Morrison DM, Gillmore MR, Wilsdon A. Using focus groups to discuss sensitive topics with children. Evaluation Review. 1995; 19(1):102-14. doi: 10.1177/0193841x9501900105
- [8] Parsian N, AM TD. Developing and validating a questionnaire to measure spirituality: A psychometric process. Canadian Center of Science and Education. 2009; 1(1):2-11. doi: 10.5539/gjhs.v1n1p2
- [9] Brancato G, Macchia S, Murgia M, Signore M, Simeoni G, Blanke K, et al. Handbook of recommended practices for questionnaire development and testing in the European statistical system. Luxembourg: Eurostat; 2006.
- [10] Del Greco L, Walop W, McCarthy RH. Questionnaire development: 2. Validity and reliability. Canadian Medical Association Journal. 1987; 136(7):699-700. PMCID: PMC1491926
- [11] Cavanagh S. Content analysis: Concepts, methods and applications. Nurse researcher. 1997; 4(3):5-13. doi: 10.7748/ nr1997.04.4.3.5.c5869
- [12] Chadwick BA, Bahr H, Albrecht S. Social science research methods. Englewood Cliffs: Prentice-Hall; 1984.
- [13] Lawshe CH. A quantitative approach to content validity1. Personnel psychology. 1975; 28(4):563-75. doi: 10.1111/ j.1744-6570.1975.tb01393.x

PHYSICAL TREAT MENTS

- [14] GSA G. Child care center design guide. New York: Public Buildings Service Office of Child Care; 2003.
- [15] Ata S, Deniz A, Akman B. The physical environment factors in preschools in terms of environmental psychology: A review. Procedia-Social and Behavioral Sciences. 2012; 46:2034-9. doi: 10.1016/j.sbspro.2012.05.424
- [16] Linting M, Groeneveld MG, Vermeer HJ, van IJzendoorn MH. Threshold for noise in daycare: Noise level and noise variability are associated with child wellbeing in homebased childcare. Early Childhood Research Quarterly. 2013; 28(4):960-71. doi: 10.1016/j.ecresq.2013.03.005
- [17] Zuraimi M, Tham K. Indoor air quality and its determinants in tropical child care centers. Atmospheric Environment. 2008; 42(9):2225-39. doi: 10.1016/j.atmosenv.2007.11.041

January 2017. Volume 6 . Number 4