

ORIGINAL RESEARCH ARTICLE

Green synthesis of zinc oxide nanoparticles using *parsley* extract

Shirin Hajiashrafi¹, Negar Motakef-Kazemi^{2*}

¹ Department of Pharmaceutical Chemistry, Faculty of Pharmaceutical Chemistry, Pharmaceutical Sciences Branch, Islamic Azad University (IAUPS), Tehran, Iran

² Department of Medical Nanotechnology, Faculty of Advanced Sciences and Technology, Pharmaceutical Sciences Branch, Islamic Azad University (IAUPS), Tehran, Iran

ARTICLE INFO

Article History:

Received 12 November 2017

Accepted 18 January 2018

Published 15 February 2018

Keywords:

Green Synthesis

Parsley Extract

Temperature

Zinc Oxide Nanoparticles

ABSTRACT

Objective(s): In recent years, green synthesis of nanoparticles is under exploration due to wide medicine and biological applications and research interest in nanotechnology. Green synthesis of zinc oxide nanoparticles (ZnO NPs) is becoming increasingly importance as eco-friendly. The objectives of this study were the production of zinc oxide nanoparticles using *parsley* extract.

Methods: In the present study, ZnO NPs were synthesized from an extract of *parsley* at different temperatures (at room temperature and 90°C) and obtained the optimum time for preparation of ZnO NPs. The samples were characterized by X-ray diffraction (XRD), scanning electron microscopy (SEM), Dynamic light scattering (DLS), and Diffuse Reflection Spectroscopy (DRS). The antibacterial activities of the samples were determined against *Escherichia coli* (*E. coli*).

Results: XRD results of ZnO NPs were correctly synthesized and crystalline structure was similar to the previously reported pattern. The nanoparticle morphology was observed for ZnO nanostructured based on the SEM images. DLS analysis showed samples in the nanometer scale. The DRS absorption spectra of nanoparticles showed the Ultraviolet (UV) protective properties. The antibacterial activities against *E.coli* were observed because of the presence of ZnO NPs.

Conclusions: This result showed that the *parsley* extract is good candidate for the synthesis of ZnO nanoparticles with antibacterial activities against *Escherichia coli*. The result indicated that ZnO NPs can have a good potential for different applications.

How to cite this article

Hajiashrafi S, Motakef-Kazemi N, Green synthesis of zinc oxide nanoparticles using *parsley* extract. *Nanomed Res J*, 2018; 3(1): 44-50. DOI: 10.22034/nmrj.2018.01.007

INTRODUCTION

Today, nanotechnology has considerably enhanced and resulted to expand several technologies [1]. The nanoparticles have dimension between 1 and 100 nm and great importance due to small size and high surface area that resulted to unique properties [2]. Zinc oxide is biocompatible and safe that can be used in medical applications easily without overlays. The zinc oxide can create a variety of research fields in the future because of special properties [3-5].

Prolonged exposure to ultraviolet radiation can cause at increased risk for skin cancer and ocular damage [6,7]. The UV radiation divided to three regions UV-A in the range of 320–400 nm, UV-B from 280 to 320 nm, and UV-C from 180 to 280 nm with the potency as UV-C > UV-B > UV-A [8]. The UV-blocking property of ZnO has been interest because of the hazardous effects of UV-A, UV-B and UV-C exposure to the skin. Exposure to UV-A has been shown to decrease the immunological

* Corresponding Author Email: motakef@iaups.ac.ir

response of skin cells and produce signs of aging. Recently, the effect of morphology was reported on UV-blocking for ZnO nanoparticles [9].

The ZnO nanostructures have can be fabricated by different methods and resulted samples have good potential applications. The preparation methods can be effect on size and shape of products such as chemical precipitation [10], thermal decomposition [11], and green chemistry [12-19]. The chemical methods have several disadvantages including insolubility, dissolution of particle size, nanoparticle impurity, low efficiency, and the need for advanced equipment for production [20-23]. The researchers have come up the biological systems as simple and biocompatible methods for the production of nanoparticles with minimal environmental hazards [24]. Many living organisms have been used to synthesize nanoparticles such as bacteria [25,26], fungi [27], microalgae and macroalgae [28,29], herbs, herbal extracts and their metabolites and others [30]. But biosynthesis of nanoparticles have greatly attracted for the identification of plant systems as agent production of nanoparticles. The preparation of nanoparticle by green synthesis is done using the present of natural and biological agent in plant extracts. The synthesis of nanoparticles by natural resources leads to reduction of synthesis stages, energy use, chemical solvent, and environment damage [31,32].

Recently, the ZnO nanoparticles have been reported as antibacterial activities using chemical method and aloe vera leaves as green synthesis on the culture medium of *Staphylococcus aureus* and *Escherichia coli* as bacterial [33]. Antibacterial activities of ZnO nanoscale were quantitatively evaluated using aloe vera leaves and chemical synthesis in culture media against *Staphylococcus aureus* as Gram-positive bacteria and *Escherichia coli* as Gram-negative bacteria [34]. In this research, in order to achieve the goals of green chemistry, the synthesis of zinc oxide nanoparticles was carried out using *parsley* extract as a source of biosynthesis without using chemical agents for reducing and stabilizing to develop the multipurpose application.

MATERIALS AND METHODS

Materials

All chemicals used were analytical grade. Ultra-pure water was used for the preparation of all reagents solutions. The materials used for the synthesis of the ZnO NPs were: zinc acetate dehydrate ($Zn(O_2CCH_3)_2$) as zinc precursor

purchased from Merck (Germany), and *parsley* aqueous extract as reducing agent bought from (Adonis Gol Daro,Iran).

Synthesis of ZnO nanoparticles

For the biosynthesis ZnO nanoparticles, the amount of 5 g zinc acetate dehydrate was mixed with 50 ml of *parsley* aqueous extract at room temperature and at 90°C under constant stirring and studied the optimum time. ZnO NPs were prepared after 72 h at room temperature and after 24 h at 90°C.

Characterization

The crystalline structure of nanoparticles was investigated by X-ray diffraction utilizing Cu K α X-ray radiation with a voltage of 40 kV and a current of 30 mA by X'pert pro diffractometer (ASENWARE, AW-XBN300, China). Scanning electron microscope was employed to observe the morphology and size (KYKY, EM3200, China). Dynamic light scattering was reported the size and size distribution of nanoparticles (ZEN314, England). Diffuse Reflection Spectroscopy was investigated the UV protective properties of nanoparticles (UV2550, Shimadzu). The antibacterial activities were evaluated by disk diffusion method against *Escherichia coli* bacteria, ATCC 1399, that procured from Islamic Azad University.

RESULTS AND DISCUSSION

XRD

The XRD pattern of samples was measured in 2θ range 10-100° that used to identify the crystalline structure of ZnO NPs. Based on the results, the crystalline structure of ZnO nanoparticle was maintained at room temperature and at 90°C (Fig. 1). The peaks at 31.78, 34.44, 36.28, 47.55, 56.62, 62.83 and 67.96° attributed to (100), (002), (101), (102), (110), (103) and (112) crystal planes respectively, which correspond to wurtzite crystalline with hexagonal structure (JCPDS card No. 36-1451). There was no extra peak in the XRD pattern for ZnO NPs that confirmed the synthesized pure ZnO NPs and the absence of impurities in it. Also, due to the presence of sharp and narrow peaks in the XRD spectrum, it can be concluded that zinc oxide has a good degree of crystalline structure. The XRD pattern is according to studies of Çolak, Luque, and coworkers in 2017 [14,16].




Fig. 1. XRD Pattern of ZnO NPs at room temperature and at 90°C.

SEM

The SEM images were shown for prepared ZnO nanoparticles with *parsley* extract at room temperature and 90 °C (Fig. 2). According to the results, zinc oxide nanoparticles had the spherical morphology and the particle size was estimated to be 50 (at room temperature) and 40 nm (at 90 °C). Therefore, it can be concluded that higher temperatures resulted to the decrease of size and uniform distribution of zinc oxide nanoparticles. Also smaller nanoparticles were synthesized at higher temperature because of necessity of shorter time. The shape is according to studies of Singha and coworkers in 2016 [13].

DLS

The dynamic light scattering was used to find out the size and distribution diagram of nanoparticles (Fig. 3). DLS results showed a single-peak with size of about 50 nm and a narrow distribution at room temperature and confirmed the SEM result.

The DLS results showed a single-peak with size of about 55 nm and a narrow distribution diagram at 90 °C and confirmed the SEM result (Fig. 4). The particle size distribution is according to studies of Singha and coworkers in 2016 [13].




Fig. 2. SEM images of ZnO NPs at two temperatures: (a) at room temperature, (b) at 90 °C.




Fig. 3. DLS of ZnO NPs at room temperature.

DRS

The DRS absorption spectra of ZnO NPs were followed to spectrophotometer device in Fig. 5 at room temperature and 90 °C in three Ultraviolet: UV-A, UV-B, and UV-C. Absorption peak was observed in the range of 200-400 nm, which showed the protective properties of nanoparticles at this point.

The percentages of UV-A, UV-B and UV-C radiation for nanoparticles prepared in various

ways are presented in Table 1. Based on the results, UV-blocking property is same for prepared ZnO NPs at two temperatures.

Antibacterial activity

Antibacterial activity of synthesized zinc oxide nanoparticles were investigated against *Escherichia Coli* as Gram-negative bacteria by agar diffusion method. The used concentration for determination of the antibacterial activity is 0.02 molar for




Fig. 4 . DLS of ZnO NPs at 90 °C.

samples. The zone inhibition was examined 4.8 mm at 90°C and 4.3 mm at room temperature for ZnO nanoparticles that observed higher antibacterial activity at higher temperature due to smaller size of nanoparticles. The antibacterial activity is according to studies of Das and coworkers in 2015 [17].

CONCLUSIONS

ZnO nanoparticles prepared by green method using *parsley* extract as reducing agent. The XRD

spectrum confirmed the pure ZnO crystalline structure. The DLS and SEM results showed the size in nanometer scale. Also, the SEM results showed spherical morphology and formed smaller nanoparticles at high temperatures. In this study, the reaction can be controlled to achieve the desired size with homogeneous nanoparticles by using parameters of temperature and time. The antibacterial activity observed for ZnO NPs that it was at 90°C more than at room temperature due to smaller size of nanoparticles. Future prospect




Fig. 5. DRS chart the absorption rate of ZnO NPs at room temperature and 90°C.

Table 1. The percentage of UV-A, UV-B and UV-C radiation of ZnO NPs

Samples	UV-A(%)	UV-B(%)	UV-C(%)
Green method at room temperature	20.00	51.42	18.75
Green method at 90 ° C	20.00	51.42	18.75

of green synthesis can have huge application for nanomaterial in the field of food, pharmaceutical, and cosmetic industries and thus become a major area of research.

CONFLICT OF INTEREST

The authors declare that there are no conflicts of interest regarding the publication of this manuscript.

REFERENCES

- Singh A, Singh NB, Hussain I, Singh H, Singh SC. Plant-nanoparticle interaction: an approach to improve agricultural practices and plant productivity. *Int. J. Pharm. Sci. Invent.* 2015;4:25-40.
- Mehmandoust MR, Motakef-Kazemi N, Ashouri F. Nitrate Adsorption from Aqueous Solution by Metal-Organic Framework MOF-5. *Iranian Journal of Science and Technology, Transactions A: Science.* 2018.
- Özgür Ü, Alivov YI, Liu C, Teke A, Reshchikov MA, Doğan S, et al. A comprehensive review of ZnO materials and devices. *Journal of Applied Physics.* 2005;98(4):041301.
- Salavati-Niasari M, Mir N, Davar F. ZnO nanotriangles: Synthesis, characterization and optical properties. *Journal of Alloys and Compounds.* 2009;476(1-2):908-12.
- Pál E, Hornok V, Oszkó A, Dékány I. Hydrothermal synthesis of prism-like and flower-like ZnO and indium-doped ZnO structures. *Colloids and Surfaces A: Physicochemical and Engineering Aspects.* 2009;340(1-3):1-9.
- Kütting B, Drexler H. UV-induced skin cancer at workplace and evidence-based prevention. *International Archives of Occupational and Environmental Health.* 2010;83(8):843-54.
- Diepgen TL, Fartasch M, Drexler H, Schmitt J. Occupational skin cancer induced by ultraviolet radiation and its prevention. *British Journal of Dermatology.* 2012;167:76-84.
- Saravanan D. UV protection textiles materials. *AUTEX Research Journal.* 2007;7(1):53-62.
- Im YM, Oh TH, Nathanael JA, Jang SS. Effect of ZnO nanoparticles morphology on UV blocking of poly(vinyl alcohol)/ZnO composite nanofibers. *Materials Letters.* 2015;147:20-4.
- Sima M, Vasile E, Sima M. Preparation of nanostructured ZnO nanorods in a hydrothermal-electrochemical process. *Thin Solid Films.* 2012;520(14):4632-6.
- Kumar SS, Venkateswarlu P, Rao VR, Rao GN. Synthesis, characterization and optical properties of zinc oxide

- nanoparticles. *International Nano Letters*. 2013;3(1).
12. Ambika S, Sundrarajan M. Green biosynthesis of ZnO nanoparticles using *Vitex negundo* L. extract: Spectroscopic investigation of interaction between ZnO nanoparticles and human serum albumin. *Journal of Photochemistry and Photobiology B: Biology*. 2015;149:143-8.
 13. Singh A, Singh NB, Hussain I, Singh H, Yadav V, Singh SC. Green synthesis of nano zinc oxide and evaluation of its impact on germination and metabolic activity of *Solanum lycopersicum*. *Journal of Biotechnology*. 2016;233:84-94.
 14. Çolak H, Karaköse E. Green synthesis and characterization of nanostructured ZnO thin films using *Citrus aurantifolia* (lemon) peel extract by spin-coating method. *Journal of Alloys and Compounds*. 2017;690:658-62.
 15. Fazlzadeh M, Khosravi R, Zarei A. Green synthesis of zinc oxide nanoparticles using *Peganum harmala* seed extract, and loaded on *Peganum harmala* seed powdered activated carbon as new adsorbent for removal of Cr(VI) from aqueous solution. *Ecological Engineering*. 2017;103:180-90.
 16. Nava OJ, Luque PA, Gómez-Gutiérrez CM, Vilchis-Nestor AR, Castro-Beltrán A, Mota-González ML, et al. Influence of *Camellia sinensis* extract on Zinc Oxide nanoparticle green synthesis. *Journal of Molecular Structure*. 2017;1134:121-5.
 17. Bala N, Saha S, Chakraborty M, Maiti M, Das S, Basu R, et al. Green synthesis of zinc oxide nanoparticles using *Hibiscus subdariffa* leaf extract: effect of temperature on synthesis, anti-bacterial activity and anti-diabetic activity. *RSC Advances*. 2015;5(7):4993-5003.
 18. Datta A, Patra C, Bharadwaj H, Kaur S, Dimri N, Khajuria R. Green Synthesis of Zinc Oxide Nanoparticles Using *Parthenium hysterophorus* Leaf Extract and Evaluation of their Antibacterial Properties. *Journal of Biotechnology & Biomaterials*. 2017;07(03).
 19. babu Nagati V, Koyyati, R, Donda MR, Alwala J, Kundle KR, Padigya PRM. Green synthesis and characterization of silver nanoparticles from *Cajanus cajan* leaf extract and its antibacterial activity. *International Journal of Nanomaterials and Biostructures*. 2012;2(3): 39-43.
 20. Shankar SS, Ahmad A, Pasricha R, Sastry M. Bioreduction of chloroaurate ions by geranium leaves and its endophytic fungus yields gold nanoparticles of different shapes. *Journal of Materials Chemistry*. 2003;13(7):1822.
 21. Atta A, Al-Lohedan H, Ezzat A. Synthesis of Silver Nanoparticles by Green Method Stabilized to Synthetic Human Stomach Fluid. *Molecules*. 2014;19(5):6737-53.
 22. Polshettiwar V, Varma RS. Green chemistry by nanocatalysis. *Green Chemistry*. 2010;12(5):743.
 23. Nagarajan S, Arumugam Kuppusamy K. Extracellular synthesis of zinc oxide nanoparticle using seaweeds of gulf of Mannar, India. *Journal of Nanobiotechnology*. 2013;11(1):39.
 24. Raliya R, Tarafdar JC. ZnO Nanoparticle Biosynthesis and Its Effect on Phosphorous-Mobilizing Enzyme Secretion and Gum Contents in Clusterbean (*Cyamopsis tetragonoloba* L.). *Agricultural Research*. 2013;2(1):48-57.
 25. Otari SV, Patil RM, Nadaf NH, Ghosh SJ, Pawar SH. Green biosynthesis of silver nanoparticles from an actinobacteria *Rhodococcus* sp. *Materials Letters*. 2012;72:92-4.
 26. Thema FT, Manikandan E, Dhlamini MS, Maaza M. Green synthesis of ZnO nanoparticles via *Agathosma betulina* natural extract. *Materials Letters*. 2015;161:124-7.
 27. Bird SM, El-Zubir O, Rawlings AE, Leggett GJ, Staniland SS. A novel design strategy for nanoparticles on nanopatterns: interferometric lithographic patterning of Mms6 biotemplated magnetic nanoparticles. *Journal of Materials Chemistry C*. 2016;4(18):3948-55.
 28. Pavani KV, Kumar NS, Sangameswaran BB. Synthesis of lead nanoparticles by *Aspergillus* species. *Pol J Microbiol*. 2012;61(1):61-63.
 29. Agarwal H, Venkat Kumar S, Rajeshkumar S. A review on green synthesis of zinc oxide nanoparticles – An eco-friendly approach. *Resource-Efficient Technologies*. 2017;3(4):406-13.
 30. Heinlaan M, Ivask A, Blinova I, Dubourguier H-C, Kahru A. Toxicity of nanosized and bulk ZnO, CuO and TiO₂ to bacteria *Vibrio fischeri* and crustaceans *Daphnia magna* and *Thamnocephalus platyurus*. *Chemosphere*. 2008;71(7):1308-16.
 31. Qu J, Yuan X, Wang X, Shao P. Zinc accumulation and synthesis of ZnO nanoparticles using *Physalis alkekengi* L. *Environmental Pollution*. 2011;159(7):1783-8.
 32. Wagner S, Gondikas A, Neubauer E, Hofmann T, von der Kammer F. Spot the Difference: Engineered and Natural Nanoparticles in the Environment-Release, Behavior, and Fate. *Angewandte Chemie International Edition*. 2014:n/a-n/a.
 33. Gunalan S, Sivaraj R, Rajendran V. Green synthesized ZnO nanoparticles against bacterial and fungal pathogens. *Progress in Natural Science: Materials International*. 2012;22(6):693-700.
 34. Sawai J. Quantitative evaluation of antibacterial activities of metallic oxide powders (ZnO, MgO and CaO) by conductimetric assay. *Journal of Microbiological Methods*. 2003;54(2):177-82.