

Characterization of Ethanol Inducible Gene Expression System in Transgenic Sugar Beet Calli Derived From Stomatal Guard Cells

Mirzaie Asl¹, A., Moieni^{2*}, A., Salmanian³, A. H., Jalali Javaran. M². and Khodaei⁴, L.

Abstract

Controlled gene expression of transgenic plants is one of the main aim of genetic manipulations. This control can be done in transcriptional level. Ethanol inducible promoter system is suitable for external regulation of gene expression. In this study, *GUS* gene expression under the control of ethanol inducible promoter was evaluated in calli derived from sugar beet stomatal guard cell protoplasts. Protoplasts of stomatal guard cells from sugar beet leaves were isolated and calli derived from these protoplasts, were infected with *Agrobacterium* harboring *GUS* gene under the control of ethanol inducible promoter. Transformed calli were treated with ethanol and histochemical GUS assay carried out before and after treatment of calli with ethanol. Some transformed calli showed high level expression of *GUS* gene after treatment with ethanol. These calli didn't show any *GUS* gene expression before applying ethanol. The level of GUS expression after ethanol induction was comparable to constitutive *GUS* gene expression mediated by CaMV 35S promoter. Furthermore high level GUS expression in these calli demonstrated the activity of this system in sugar beet.

Keywords: Sugar beet, Gene transformation, Ethanol- inducible promoter, Protoplast, Stomatal guard cells, *GUS* reporter gene

References

- Caddick, M. X., Greenland, A. J., Jepson I., Krause, K. P., Qu N., Riddell, K. V., Salter, M.G., Schunch, W., Sonnewald U. and Tomsett, A. B. 1998. An ethanol inducible gene switch for plants used to manipulate carbon metabolism. *Nature Biotechnology*. 16: 177–180.
- Chung, H. W. and Ferl, R. J. 1999. Arabidopsis alcohol dehydrogenase expression in both shoots and roots is conditioned by root growth environment. *Plant Physiology*. 121:429-436.
- De Greef, W. and Jacobs, M. 1979. *In vitro* culture of the sugar beet: description of a cell line with high regeneration capacity. *Plant Science. Lett.* 17:55–61.
- Deveaux, Y., Peaucelle, A., Robberts G.R., Coen E., Simon R., Mizukami Y., Traas J., Murray J.A.H., Doonan J.H. and Laufs P. 2003. The ethanol switch: a tool for tissue-specific gene induction during plant development. *Plant Journal*. 36 : 918–930.
- Dolferus, R., Jacobs M., Peacock W.J. and Dennis E.S. 1994. Differential interactions of promoter elements in stress responses of Arabidopsis Adh gene. *Plant. Physiol.* 105: 1075-1087.
- Felenbok, B., Sequeval Mathieu D.M., Sibley S., Gwynne D.I. and Davies R.W. 1988. The ethanol regulon of *Aspergillus nidulans*: characterization of sequence of the positive regulatory gene alcR. *Gene*. 73: 386–396.
- Hall, R. D., Pedersen, C. and Krens, F. A. 1993. Improvement of protoplast culture protocols for *Beta vulgaris* L. (sugar beet). *Plant Cell Reports*. 12: 339–342.
- Hall, R. D., Riksen-Bruinsma T., Weyens, C., Lefebvre, M., Dunwel, J. M. and Krens, F. A. 1996. Stomatal guard cells are totipotent. *Plant Physiology*. 11(2): 889-892.
- Hall, R. D., Riksen-Bruinsma T., Weyens, G., Lefebvre, M., Dunwell, J. M., Tunen, A. V. and Krens, F. A. 1997. Sugar beet guard cell protoplasts demonstrate a remarkable capacity for cell division enabling applications in stomatal physiology and molecular breeding. *JOURNAL OF EXPERIMENTAL BOTANY*. 48(307): 255-263.
- Hall, R. D., Verhoeven H.A. Krens F.A. 1995. Computer-assisted identification of protoplasts responsible for rare division events reveals guard cell totipotency. *Plant Physiology*. 107: 1379-1386.
- Li, R., Jia X. and Mao X. 2005. Ethanol-inducible gene expression system and its applications in plant functional genomics. *Plant Science*. 169: 463–469.
- Padidam, M. 2003. Chemically regulated gene expression in plant. *Curr.Opin. Plant Bio.* 6: 169–177.
13. Ren Z.Q., Liu H.M. and Li R.Z. 2003. Integration of genomic information and research strategy for plant functional genomics. *Letteres The Biotechnology*. 339–342.
- Roslan, H. A., Salter, M. G., Wood, C. D., White, M. R. H., Croft, K. P., Robson, F., Coupland, G., Doona, J., Laufs, P., Tomsett, A. B. and Caddick, M. X. 2001. Characterization of the ethanol-inducible alc gene-expression system in Arabidopsis thaliana. *Plant Journal*. 28: 225–235.

1. Ph.D student, Plant Breeding Department, Tarbiat Modares University, Tehran

2 . Assistant Professor, Plant Breeding Department, Tarbiat Modares University, Tehran

3 . Assistant Professor, National Institute for Genetic Engineering and Biotechnology, Tehran

4. PhD student, College of Agriculture and Natural Resources, Department of Agronomy and Plant Breeding, Tehran University

*: Corresponding author

- Sack, F. D. 1987. Development and structure of stomata. In Zeiger E., Farquhar G.D., Cowan I.R. eds. Stomatal Function. Stanford University Press Stanford. CA. pp. 59-89.
- Salter, M. G., Paine, J. A., Riddell, K. V., Jepson, I., Greenland, A. J., Caddick, M. X. and Tomsett, A. B. 1998. Characterization of the ethanol-inducible alc gene expression system for transgenic plants. *Plant Journal*. 16: 127-132.
- Sevenier, R., Hall, R. D., Van der Meer, I. M., Hakkert, H. J. C., Van Tunen, A. J. and Koops, A. J. 1998. High level fructan accumulation in a transgenic sugar beet. *Nat. Biotechnol.* 16: 843 – 846.
- Sweetman, J. P., Chu, C., Qu, N., Greenland, A. J., Sonnewald, U. and Jepson, I. 2002. Ethanol vapor is an efficient inducer of the alc gene expression system in model and crop plant species. *Plant Physiology*. 129: 943-948.
- Willmer C.M. 1993. The evolution, structure and functioning of stomata. *Botanical Journal of the Scotland*. 46: 433-45.

To look at the figures and tables, please refer to the Persian text (pages: 43-50= ۴۳-۵۰).

Archive of SID