



## Children Mortality in Iran: Moving Ahead with the Sustainable Development Goals

Erfan Ayubi<sup>1</sup>, Kamyar Mansori<sup>2</sup>, Mahin Ahmadi Pishkoochi<sup>3</sup>, \*Salman Khazaei<sup>4</sup>

<sup>1</sup>PhD Candidate in Epidemiology, Department of Epidemiology, School of Public Health, Shahid Beheshti University of Medical Sciences, Tehran, Iran.

<sup>2</sup>PhD Candidate in Epidemiology, Department of Epidemiology, School of Medicine, Kurdistan University of Medical Sciences, Sanandaj, Iran.

<sup>3</sup>PhD Candidate in Epidemiology, School of Public Health, Alborz University of Medical Sciences, Karaj, Iran.

<sup>4</sup>PhD Candidate in Epidemiology, Department of Epidemiology, School of Public Health, Hamedan University of Medical Sciences, Hamedan, Iran.

### Dear editor-in-chief,

A secular milestone is approached by the world in line of reaching Millennium Development Goals (MDGs). After December 2015, a new of flexible and global Sustainable Development Goals (SDGs) were set, replace MDGs by SDGs. Infant mortality rate (IMR) is a pivotal indicator of development in a given country that embedded in Millennium Development Goal (MDG). After that in manner of strong clinical reasons, IMR has been replaced by the neonatal mortality rate (NMR); here, we were interested to write a concise chronological fantastic story about what had happened on IMR's life span in Iran.

**First** in other regions, although inequality between countries is considerable for mortality rate in children, so that six countries account for 50% of worldwide deaths in children under 5 years (1), but totally child mortality is decreasing worldwide (2). The fourth Millennium Development Goal (MDG) was the reduction of child mortality by two-thirds between 1990 and 2015 (3). In fact, IMR is one of the most important indices that for determine the level of economic status, culture, society, as well as the public health of countries (4). Also child's mortality is the symbol of development and have important role in population growth (5). From 1970 to 2010 worldwide neonatal and post-neonatal mortality rates have decreases by 2.1% and 2.2% per year respectively (6). The annually rates of change from 1990 to 2013 ranged from -6.8% to 0.1%. For 99 of 188 countries, including 43 of 48 countries in sub-Saharan Africa, had faster decreases in child mortality during 2000–2013 than during 1990–2000 (2). Nearly half of all under-five deaths are associated with under nutrition (7). Neonatal mortality (NM) is more associated with biological factors such as congenital anomalies and sensitive to proximal determinants (maternal factors, nutrient deficiency, infections and injuries) while Post-neonatal mortality (PNM) is more influenced by distal determinants (education, employment, national income and income distribution) (8).

\*Please cite this article as: Ayubi E, Mansori K, Ahmadi Pishkoochi M, Khazaei S. Children Mortality in Iran: Moving Ahead with the Sustainable Development Goals. Int J Pediatr 2016; 4(6): 1829-31.

### \*Corresponding Author:

Salman Khazaei (MSc, PhDc), Department of Epidemiology, School of Public Health, Hamadan University of Medical Sciences, Hamadan, Iran.

Email: Salman.khazaei61@gmail.com

Received date Feb23, 2016; Accepted date: Mar 22, 2016


Results of a study showed that Total fertility rate (TFR), GDP per capita (current US\$), public health expenditure as % of total health expenditure were identified as the main factors affecting on infant mortality in Petroleum Exporting Countries (OPEC) over the ten years (2004-2013) (9). Because of heterogeneity in determinants the 1 to 50 months mortality should be analyzed in two age groups including post neonatal deaths (1-11 months) and childhood deaths (1-4 years) (3). Second in Iran, trend of child mortality and IMR statistics are presented in (Table.1) and illustrated in (Figure.1). Iran has made notable progress towards reaching the MDGs by child mortality rate from 57.5 to 15.5. The Average Annual Percent Change (AAPC) for IMR and child mortality showed that they have a decreasing trend so that are reached to -5 and -5.4 in 2015 respectively (Table.1).


**Conclusion:** Looking ahead, the good experience in child mortality and IMR reflects concerns that Iran will have to confront in the post-2015 period to achieve a Better, more inclusive and sustainable rates in neonatal mortality rate and even other SDGs.

**Key Words:** Child Mortality, Iran, Sustainable Development Goals, Trend.

**Table 1:** Number and local of change points, Annual Percent Change (APC) and Average Annual Percent Change (AAPC) for Infant mortality rate in Iran from 1971-2015

Index	Number of change points (Year)	Years	APC	AAPC	P-Value
Infant mortality rate	2 (1989,1997)	1971-1989	-5.6 <sup>^</sup> (-5.7,-5.5)	-5.1	<0.05
		1989-1997	-4.1 <sup>^</sup> (-4.7,-3.5)	-5.3	
		1997-2015	-5.1 <sup>^</sup> (-5.2,-5.0)	-5	
Child mortality rate	2 (1976,1985)	1971-1976	-4.8 <sup>^</sup> (-5.8,-5.3)	-5.6	<0.05
		1976-1985	-6.9 <sup>^</sup> (-7.4,-6.4)	-5.7	
		1985-2015	-5.3 <sup>^</sup> (-5.4,-5.2)	-5.4	





**Fig.1:** Trend and Annual Percent change (APC) for Infant mortality rate in Iran from 1971-2015

## REFERENCES

- Vakili R, Emami Moghadam Z, Khademi G, Vakili S, Saeidi M. Child Mortality at Different World Regions: A Comparison Review. *Int J Pediatr* 2015;3(4.2):809-16.
- Wang H, Liddell CA, Coates MM, Mooney MD, Levitz CE, Schumacher AE, et al. Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. *The Lancet* 2014;384(9947):957-79.
- United Nations Development Programme. The Millennium Development Goals Report 2015. [cited 06 Jul 2015 ]; Available at: <http://www.europe.undp.org/content/undp/en/home/librarypage/mdg/the-millennium-development-goals-report-2015.html>.
- Reidpath DD, Allotey P. Infant mortality rate as an indicator of population health. *Journal of epidemiology and community health* 2003;57(5):344-46.
- Moezzi M, Amiri Ebrahimmohamadi A, Rashidi L, Shirani Faradonbeh R. How Socioeconomic Dispartie Affects Child Mortality in EMRO Countries. *International Journal of Pediatrics* 2015;3(6.2):1111-16.
- Rajaratnam JK, Marcus JR, Flaxman AD, Wang H, Levin-Rector A, Dwyer L, et al. Neonatal, postneonatal, childhood, and under-5 mortality for 187 countries, 1970–2010: a systematic analysis of progress towards Millennium Development Goal 4. *The Lancet* 2010;375(9730):1988-2008.
- Khodaei GH, Khademi G, Saeidi M. Under-five Mortality in the World (1900-2015). *Int J Pediatr* 2015;3(6.1):1093-95.
- Kurinczuk J, Hollowell J, Brocklehurst P, Gray R. Inequalities in infant mortality project briefing paper 1. Infant mortality: overview and context. National Perinatal Epidemiology Unit, University of Oxford: Oxford; 2009.
- Rezaei S, Jamshidi K, Moradi K. Impact of Socioeconomic and Health System Factors on Infant Mortality Rate in Organization of the Petroleum Exporting Countries (OPEC): Evidence from 2004 to 2013. *Int J Pediatr* 2015;3(2.2):493-99.