



## Project Scheduling with Simultaneous Optimization, Time, Net Present Value, and Project Flexibility for Multimode Activities with Constrained Renewable Resources

H. Farughi\*, A. Amiri, F. Abdi

Faculty of Engineering, University of Kurdistan, Sanandaj, Iran

### PAPER INFO

#### Paper history:

Received 20 August 2017

Received in revised form 28 January 2018

Accepted 09 March 2018

#### Keywords:

Resource Constrained Project Scheduling

Time-cost trade-off

Simulated Annealing Algorithm

Project Flexibility

Multi-mode Activities

### ABSTRACT

Project success is assessed based on various criteria, every one of which enjoys a different level of importance from the beneficiaries and decision makers. Time and cost are the most important objectives and criteria for assessing project success. On the other hand, reducing the risk of finishing activities by the predetermined deadlines should be taken into account. Having formulated the problem as a multi-objective planning one, the present study aims to minimize the project completion time as well as maximizing the net present value and project flexibility by taking into accounts the resource constraints and precedence relations. Here, the flexibility of the project is calculated by considering a free float for each activity and maximizing the sum of these flotation times. Moreover, the performance of each activity may be possible in various states of using resources (mode) which can change the project completion time and cost. Owing to the complexity of the problem, the Multi Objective Simulated Annealing Meta-Heuristic Algorithm is used to solve the proposed model. For accrediting the algorithm, four benchmark problems were considered. Since the algorithm performed well in finding the optimal answers to the benchmark problems, it was used to find the optimal answer of large scale problems.

doi: 10.5829/ije.2018.31.05b.13

## 1. INTRODUCTION

Project scheduling means determining a sequence or a scheduling plan for some related activities comprising a project. The relations among activities are decided upon based on their chronology; this means that starting an activity might depend on the starting and finishing times of other activities. Precedence constraints are observed in any given project, but there may be another group of constraints that are called resource constraints. To perform any project, we often require specified resources, which are often limited. The project scheduling problems (PSP) in which resource constraints are considered are known as Resource Constraint Project Scheduling Problems or RCPSPs [1].

The PSP is a research field in the scope of the operations research and project management. So far, quite a few studies have been done in this field, hence we can categorize the most important ones based on

three factors: activities, resources, and optimality criterion. In terms of activity, the problem can be classified based on the precedence relation type, execution of activities as single-mode or multi-mode, preemptive or non-preemptive activities, deterministic or non-deterministic activity, execution times, and so on. In terms of resource, we can classify the problem based on the presence or absence of restrictions on access to resources, resource type (renewable or non-renewable), and the available amount of resources. In terms of optimality criteria, a project scheduling problem can be categorized based on the objective function. Some objectives can be considered including minimizing the execution time of the project, maximizing the net present value (NPV) of the project, maximizing the efficiency of resources used in the project, minimizing the flexibility of the project, minimizing the total cost, and so on.

Different combinations of these factors constitute various project scheduling problems. Having a glimpse

\*Corresponding Author Email: [h.farughi@uok.ac.ir](mailto:h.farughi@uok.ac.ir) (H. Farughi)

at these combinations, one can realize the wide range of project scheduling problems.

Some of these combinations, like minimizing the total project time objective function under precedence relations constraints, have been examined fairly often. On the contrary, there is a scarcity of studies on the objective function of maximizing flexibility with multi-mode activities. Therefore, financial aspects of the project are often disregarded or considered as a lower-priority criteria, while in real-world problems there are costs and revenues during project implementation.

On the other hand, minimizing the completion time and maximizing the net present value of the project will not necessarily lead to similar optimal schedules. Another very important subject for any project is the robustness of the project. The robustness of the project is the project's flexibility against unpredictable events during project implementation.

Most of the studies conducted so far have tried to optimize the mentioned goals separately, while all of these goals may be important for project decision-makers. Also, it might be necessary to review the interaction and mutual impact of these goals on each other. So in this study, it is aimed to optimize a multi-objective resource constraint project scheduling problem to optimize (simultaneously) functions like time, net present value, and flexibility objectives, which have not been considered yet. Thus, we developed the appropriate model to minimize the project completion time and maximize the net present value and the flexibility of the project, considering renewable resource constraints and precedence relations. In the present study, the robustness of the project is considered by taking into account a floatation time for activities and maximizing the total of these floatation times. This goal is in conflict with the goal of reducing the completion time of the project. Owing to the complexity of the problem, the Multi-Objective Simulated Annealing meta-heuristic algorithm was employed to solve the proposed model.

The rest of the paper is organized as follows. In section 2, we overview the related literature; in section 3, we provide a formulation for modelling the problem; in section 4, solving method for evaluating the solutions is explained; in section 5, the computational experiences are provided. Finally, the conclusions are drawn in section 6.

## 2. LITERATURE

Minimizing the total project completion time is the most common objective function in the resource constraint project scheduling problem [2]. The issue of multi-mode resource constrained project scheduling problem (MRCPS) is a generalized mode of RCPSP, in which

activities can be performed in several modes. Over the past few decades several exact and heuristic solution approaches have been developed for this subject.

Exact approaches have been explored in many articles, including Talbot [3], Patterson et al. [4], Zhu et al. [5], etc. Most of these approaches were based on branches and bound algorithms. A comparison with the details of these methods is provided by Hartmann and Drexl [6]. Hartman [7] used a genetic algorithm to solve the problem. Before executing this algorithm and reducing the search space, it used a pre-processing method using the project's data.

There are many other Meta-heuristic algorithms applied in project scheduling problems, It is not possible to mention all of them here [8-12].

Taking the financial aspects of the project in the RCPSP into account has been less explored. The net present value (NPV) objective was introduced by Russell for the first time [13]. The MRCPS (MRCPSDCF) is a generalized problem of the MRCPS in which financial flows (positive/negative) occur during the implementation of the project. The MRCPSDCF objective function maximizes the NPV of all project cash flows. Sung and Lim [14] studied the issue of positive and negative financial flows with constraints of fund availability and renewable resources. Mika et al. [15] considered the MRCPSDCF in which the project was represented by an activity-on-node (AoN) network and a positive cash flow was associated with each activity. They used simulated annealing and tabu search algorithms to solve the problem. Optimizing net present value is taken into consideration in further studies including [16-19].

Assuming that the direct cost of an activity changes with changes in its execution time, mathematical programming models have been developed to minimize direct costs. This problem is known as the continuous time-cost trade-off problem in the literature. This problem was studied for the first time by Kelly and Walker [20]. They considered a linear relationship between the time and cost of an activity, and also proposed a mathematical model and a heuristic algorithm to solve it. Other forms of activity time-cost functions were also studied by Moder et al. [21].

In many practical cases, resources are available in discrete units. In the literature, this problem is known as a multi-mode problem or discrete time-cost trade-off problem (DTCTP). DTCTP was first introduced by Hindelang and Muth [22] and has been considered for several years. This problem is NP-hard in terms of complexity [23].

Erenguc et al. [24] were the first to consider DTCTP with discounted cash flows through the lifetime of the project. The objective function of this problem was to determine the duration of activities and the starting

times of activities so that the NPV of cash flows can be maximized. To solve this problem, generalized Benders decomposition technique was used. Icmeli and Erenguc [25] presented a new DTCTP model considering resources constraint and discounted cash flows. The aim is to determine the timing and duration of activities such that the NPV of all cash flows is maximized in the presence of precedence and resource constraints. They proposed a heuristic approach involving three priority rules and finally compared the results with the upper bounds obtained from Lagrangian Relaxation.

In addition to time, cost, and NPV, other criteria such as quality, reliability, and risk are also investigated in project scheduling problems [26]. One of the criteria that has received very little attention in the literature is the project robustness, since one of the common problems in project management is the fact that the planned scheduling may be delayed by several unpredictable factors. Therefore, it is crucial to consider these delays and its negative consequences in the design phase. Al-Fawzan and Haouari [27] introduced the concept of schedule robustness and developed a bi-objective resource-constrained project scheduling model to maximize robustness and minimize make span. Hua et al. [28] presented a model to maximize schedule robustness, in which the duration of the activities was uncertain. To solve the problem, an intelligent algorithm based on simulated annealing was designed.

### 3. PROBLEM FORMULATION

The presented model is related to RCPSPs in which activities can be executed in several modes. There is a variety of resources in the RCPSP, including renewable, non-renewable, and doubly-constrained resources. In this paper, we utilized renewable resources that are assumed to be available in discrete units. Here, the project is displayed by an activity on a node network (AON) where the nodes indicate the project activities and their arcs represent the precedence relations. The precedence activities for  $j$  are displayed by the set of direct precedence activities of  $P_j$ ; this indicates that activity  $j$  can only start when all activities in  $P_j$  set have been completed. For each of the Non-Dummy Activities of  $A_j$ , a set of  $M_j$  modes have been defined. Each mode determines execution time, resources used, and the cost of an activity in that mode. Suppose that  $A_j$  is conducted in  $\in M_j$  mode with the longest processing time. Time-cost and time-resource trade-offs indicate that there is another mode in the  $M_j$  set that has a shorter processing time and more resources.

The present model aims at minimizing the project completion time ( $C_{max}$ ), maximizing the net present value of the project as well as the flexibility of the

project. In what follows, we will define the required assumptions and parameters to explain the model. The considered assumptions are as follow:

- Each activity can be executed in a number of modes, and eventually one of these modes is selected for the respective activities.
- Project Resources are in discrete units.
- The resources are limited and predetermined.
- Preemption is not allowed for the activities.
- The resources which are used are renewable.

Sets:

- $A$  set of nodes (activities),  $A = \{1, 2, \dots, n\}$
- $A_t$  set of activities that are ongoing at  $t$  time
- $P_j$  set of direct precedence activities of activity  $j$
- $M_j$  set of execution modes for activity  $j, j \in A$

Parameters:

- $C_j$  completion time of activity  $j$
- $R_k$  The number of available resources of type  $k$
- $d_{jm}$  Execution time of activity  $j$  in mode  $m$
- $R_{jmk}$  The number of required of resource  $k$ , if activity  $j$  executed in mode  $m$
- $E_{fj}$  Earliest completion time of activity  $j$
- $L_{fj}$  Latest completion time of activity  $j$
- $CF_j$  Net cash flow of activity  $j$
- $\alpha$  Interest rate

variable:

$$x_{jm} \quad \text{if activity } j \text{ is done in mode } m, x_{jm} = 1, \text{ otherwise } x_{jm} = 0$$

$$\text{Min } C_{n+1} \tag{1}$$

$$\text{max } \sum_j \frac{CF_j}{(1+\alpha)^{C_j}} \tag{2}$$

$$\text{max } \sum_j (C_j - E_{fj}) \tag{3}$$

ST:

$$\sum_{m \in M_j} x_{jm} = 1 \quad \forall j \tag{4}$$

$$C_j - C_i - \sum_{m \in M_j} d_{jm} x_{jm} \geq 0 \quad j = 2, \dots, n, \quad \forall i \in P_j \tag{5}$$

$$\sum_{j \in A, m \in M_j} R_{jmk} x_{jm} \leq R_k \quad \forall k, \forall t = 1, \dots, C_{n+1}, \quad A_j = \{j | C_j - d_j < t \leq C_j\} \tag{6}$$

$$E_{fj} \leq C_j \leq L_{fj} \quad \forall j \tag{7}$$

$$x_{jm} \in \{0, 1\} \tag{8}$$

Equation (1) represents the completion time of activity  $n+1$  which is equivalent to the total project time. Meanwhile, it is worth mentioning that this activity has zero execution time and all other activities are the

precedence of this activity. Equation (2) considers the optimality of project with respect to financial flows, where  $CF_j = CF_j^+ - CF_j^-$ . Equation (3) maximizes the flexibility of the project. To calculate this objective, we calculated the earliest completion time of the project activities by executing the activities in the fastest mode. Then, we execute the project in normal state and obtain the completion time of the activities. Additionally, a normal state means that it is not necessary to execute the activities in the fastest mode. Hereupon, we are aiming at calculating the difference between the completion time in the normal and fast modes for each activity and try to maximize their sum. It is obvious that the first objective function is in conflict with the second and third objective functions. Therefore, we achieved a number of optimal pareto solutions.

Constraint (4) ensures that only one execution mode is determined for each activity. Constraint (5) represents the precedence relations between activities. Constraint (6) ensures that the amount of used resources does not exceed the maximum available renewable resources during each time interval. Constraint (7) implies that each activity must be completed in an interval of time between the earliest (considering the fastest mode) and latest (considering the slowest mode) completion time of that activity, and constraint (8) is a binary variable, which is 1 when mode  $k$  is assigned to activity  $j$ , and 0 otherwise.

**4. SOLUTION PROCEDURE**

At first, we take an example and express the general process of problem-solving and the way to reach the solution using this example. Consider the network of Figure 1 below, where nodes and arcs show the activities and precedence relations, respectively. Activities number 0 and 10 are dummy activities with zero processing time. In this network, the precedence relations between activities are finish to start (FS) with zero lag time. As mentioned previously, each activity can be performed in several modes, and at least one of these modes must be selected.

To determine the starting time of activities, we need a list of activities based on which one can schedule the activities and thus their starting time is assigned. By list we mean the various permutations that are formed by these activities. It is necessary to note that since it is possible to begin some activities simultaneously,




Figure 1. Project network of the example

different permutations may result in the same scheme for activities starting time. Moreover, many of the generated permutations are infeasible, because they do not satisfy the precedence relation constraints. For instance, the following permutation is an infeasible solution. Therefore, we should convert this solution to a feasible one using a correction mechanism which is explained algorithmically in the next sections.

[2 6 9 8 1 3 7 5 4]

**4. 1. Correction Mechanism for a Scheduling Plan**

To correct an infeasible schedule scheme, we need to define a new permutation by modifying the infeasible one. The correction mechanism is explained in the following steps algorithmically.

Step 1: Remove the first remaining activity from the infeasible permutation.

Step 2: If the chosen activity could be performed (which means it is possible to satisfy the precedence relation constraints), we add the very remaining activity to the new permutation and remove it from the former one. Then go to step 1.

Step 3: If the chosen activity cannot be performed, we choose the next activity from the permutation. Then go to step 2.

Hereby, we reached the following feasible schedule scheme using the above algorithm to correct the mentioned infeasible permutation in section 4.

[2 1 3 5 7 4 6 9 8]

Now, we can consider these permutations as a feasible solution for calculating the starting times as a primary feasible solution for subsequent analyses.

**4. 2. The Problem Solving Approach**

Having explained how to correct an initial solution, we will describe the problem solving process in the general state. Figure 2 illustrates the general scheme of the problem solving process.

Creating and modifying the initial permutation was described in the previous section. In this study, we use a random selection approach to choose the activities modes. In this way, having created possible permutations of activities, we randomly selected a mode from the set of modes related to each activity and then assigned it to that activity.




Figure 2. General scheme of problem solving process

By project implementation, it is intended to calculate the objective functions by considering the resource constraints. So far, we have managed to produce an initial solution that enables us to extract the starting times of activities and related modes. This initial solution has three components which show the objective functions' values. Presently, using multi objective simulated annealing algorithm and its operators, we search the neighbourhood space of the initial solution in order to improve it and find a better solution.

**4. 3. The Multi-Objective Simulated Annealing Algorithm** Simulated annealing was independently put forward by Kirkpatrick et al. [29] and Cerny [30]. This method was inspired by what goes on in the process of melting and solidification of metals at the molecular dimension. To solve combinatorial optimization problems using simulated annealing algorithm, at each iteration the SA heuristic considers some neighbouring state  $s'$  of the current state  $s$  and probabilistically decides between moving the system to

state  $s'$  or staying in state  $s$ . These probabilities ultimately lead the system to move to states of lower energy. Typically, this step is repeated until the system reaches a state that is good enough for the application. The concept of storing and archiving the Pareto-optimal solutions for solving multi-objective problems with SA has been used by Suppapitnarm et al. [31]. The method enables the search to restart from an archived solution in a solution region, where each of the pair of non-dominated solutions is superior with respect to at least one objective. The flowchart of developed multi-objective simulated annealing algorithm is shown in Figure 3.

**5. COMPUTATIONAL RESULTS**

In this section, the discussion mentioned in the previous section has been implemented on some instances, and then computational results are reported.




Figure 3. Flowchart of developed multi-objective simulated annealing algorithm

Furthermore, examples of this section are divided into two categories. The first includes four instances known as benchmark instances that evaluate the performance of Multi-objective simulated annealing algorithm. The second category consists of large-scale instances, all of which have been taken from the PSPLIB website. Since some aspects of the study were novel and unique, we had to produce some of the data randomly. For example, financial flows (including receipts and payments) have been produced in each of these instances. All of these examples have been implemented in MATLAB 2012b software and the output was obtained from a PC with a Core i5 2.67 GHz processor.

**5. 1. Validation of the Algorithm** As it was mentioned in the previous sections, MRCPSPDFC problems are strongly NP-hard, and finding exact solutions for large-scale problems is practically impossible. Considering the fact that real-world problems are usually large-size problems and finding an exact solution for them is either impossible or requires a lot of time, using meta-heuristic methods is inevitable in these cases. Therefore, in this research, a multi-objective Simulated Annealing meta-heuristic algorithm (MOSA) has been developed in order to find credible solutions at a reasonable time.

In order to validate the provided algorithm, we consider a set of instances as benchmark examples. This set of benchmark instances includes four different examples whose networks are shown in Figures 4 to 7. The optimal solutions have been obtained by complete enumeration of the solution space. Moreover, the number of optimal solutions and also their execution time for each benchmark instance is mentioned in Table 1. At this moment, we want to solve the benchmark instances using MOSA algorithms so that it can be evaluated in its ability to find optimal solutions.




Figure 4. Network of the 1<sup>th</sup> benchmark instance




Figure 5. Network of the 2<sup>th</sup> benchmark instance




Figure 6. Network of the 3<sup>th</sup> benchmark instance




Figure 7. Network of the 4<sup>th</sup> benchmark instance

TABLE 1. Results of solving the benchmark instances by the enumeration method

Benchmark problem	Number of activities	Number of obtained pareto solutions by enumeration method	Runtime (Second)
1	6	8	136.33
2	6	4	79.8
3	7	22	618.23
4	5	6	133

As Table 2 indicates, the algorithm has managed to obtain all of the optimal solutions in a short time. Since the algorithm has a good performance in solving small-scale instances, we expect to reach optimal or at least near-optimal solutions in large-scale instances by increasing the number of iterations of algorithm.

**5. 2. Algorithm Performance in Large-Scale Projects**

The following is two relatively large-scale instances extracted from the PSPLIB website, as mentioned earlier. The first is an example of 20 three-mode activities, and the second is 30 three-mode activities. Other information related to the examples is shown in Tables 3 and 4, respectively. Also, the solving results of the first example for 10000 iteration and 10 runs is presented in Table 5.

In Figure 8, the process of finding the number of pareto solutions in different iterations (NFE) can be pursued. As can be seen, until iteration 5000, the majority of pareto solutions have been discovered by the applied algorithm (about 80 solution), and in the last 5000 iterations only about 15 pareto solutions are obtained indicating that the applied algorithm is able to detect most of the pareto solutions in the primary iterations in a short time.

**TABLE 2.** Results of solving the benchmark instances by MOSA algorithm

Benchmark problem	Run Number	Number of total pareto solutions (obtained by enumeration)	Number of obtained pareto solutions by MOSA algorithm	Number of newly discovered solutions	Runtime (Second)	Number of required runs to explore all pareto solutions	runtimes to explore all pareto solutions (Second)
1	1	8	8	8	0.3	1	0.31
	2		8	0	0.3		
	3		8	0	0.31		
	4		7	0	0.31		
	5		7	0	0.31		
2	1	4	4	10	0.31	1	0.31
	2		4	0	0.31		
	3		4	0	0.31		
	4		4	0	0.31		
	5		4	0	0.31		
3	1	22	20	20	3.53	2	7.14
	2		20	2	3.61		
	3		19	0	3.62		
	4		18	0	3.23		
	5		20	0	2.97		
4	1	6	6	6	0.17	1	0.17
	2		6	0	0.17		
	3		5	0	0.17		
	4		5	0	0.17		
	5		5	0	0.17		

**TABLE 3.** Data related to the first large-scale example (the project with 20 activities)

Activity	Number of modes	successors			Time			Required Resource		
					Mode 1	Mode 2	Mode 3	Mode 1	Mode 2	Mode 3
1	1	2	3	4	0			[0 0 0 0]		
2	3	6	9		4	5	10	[3 0 7 0]	[0 8 0 3]	[0 8 0 2]
3	3	5	9	17	1	5	7	[0 3 0 9]	[6 0 8 0]	[5 0 7 0]
4	3	9	11	14	2	9	10	[0 10 0 9]	[10 0 0 9]	[0 4 0 6]
5	3	13	18		4	7	9	[0 9 0 7]	[0 9 0 5]	[0 8 8 0]
6	3	7	8	10	5	5	7	[4 0 7 0]	[0 4 6 0]	[0 4 0 5]
7	3	12	20		1	6	10	[8 0 5 0]	[8 0 0 8]	[7 0 3 0]
8	3	12	14	17	2	2	7	[7 0 9 0]	[0 9 0 7]	[0 8 10 0]
9	3	21			2	3	4	[0 7 0 10]	[3 0 0 7]	[2 0 5 0]
10	3	11			4	9	9	[0 9 0 6]	[0 5 0 3]	[4 0 0 6]
11	3	15	17	21	3	9	10	[0 8 8 0]	[0 5 0 3]	[1 0 3 0]
12	3	18			7	7	8	[6 0 0 2]	[0 6 0 2]	[0 7 0 1]
13	3	14	15	16	7	8	8	[0 4 1 0]	[7 0 0 8]	[6 0 0 8]
14	3	19			3	8	8	[4 0 0 3]	[0 8 8 0]	[0 8 0 2]
15	3	19	20		3	6	8	[0 4 0 8]	[9 0 0 7]	[0 3 0 6]
16	3	20	21		3	4	8	[0 9 9 0]	[0 8 0 8]	[0 7 8 0]
17	3	18			1	1	8	[0 3 3 0]	[3 0 0 6]	[0 2 3 0]
18	3	19			7	10	10	[0 8 2 0]	[4 0 0 9]	[0 8 1 0]
19	3	22			1	5	8	[9 0 8 0]	[9 0 0 8]	[7 0 0 3]
20	3	22			4	6	6	[0 9 0 3]	[0 9 7 0]	[3 0 0 3]
21	3	22			2	3	5	[4 0 0 8]	[3 0 0 6]	[3 0 0 5]
22	1	-			0			[0 0 0 0]		

**TABLE 4.** Data related to the second large-scale example (the project with 30 activities)


Activity	Number of modes	successors			Time			Required Resource		
					Mode 1	Mode 2	Mode 3	Mode 1	Mode 2	Mode 3
1	1	2	3	4	0			[0 0 0 0]		
2	3	5	6	16	6	6	7	[1 0 10 0]	[0 5 10 0]	[0 4 0 2]
3	3	6	8	9	1	4	8	[0 8 7 0]	[0 6 6 0]	[9 0 0 9]
4	3	10	15		4	6	7	[0 6 0 9]	[1 0 0 8]	[0 5 5 0]
5	3	13	31		2	3	8	[0 7 0 6]	[0 6 0 4]	[8 0 0 1]
6	3	19			3	8	8	[8 0 0 7]	[7 0 0 7]	[5 0 9 0]
7	3	11	13	23	2	3	4	[9 0 0 4]	[0 6 3 0]	[4 0 0 3]
8	3	12	15		3	7	7	[0 9 0 8]	[6 0 10 0]	[0 9 1 0]
9	3	10	11	25	7	10	10	[0 5 5 0]	[5 0 0 2]	[0 5 0 4]
10	3	27			3	6	10	[8 0 7 0]	[0 8 7 0]	[0 7 0 3]
11	3	12	17	26	7	7	8	[1 0 9 0]	[0 8 7 0]	[0 7 0 10]
12	3	18	22		3	3	10	[9 0 0 4]	[0 10 2 0]	[0 9 2 0]
13	3	14	17	18	1	4	8	[0 7 6 0]	[8 0 6 0]	[0 4 0 5]
14	3	19			2	3	8	[7 0 0 6]	[3 0 0 6]	[0 8 7 0]
15	3	17	18	23	4	6	9	[9 0 9 0]	[0 9 0 6]	[0 5 7 0]
16	3	29			5	8	8	[6 0 7 0]	[5 0 0 7]	[0 8 0 8]
17	3	21			3	5	6	[10 0 0 4]	[0 4 0 4]	[7 0 0 2]
18	3	20	28		2	6	7	[0 8 0 8]	[0 7 8 0]	[0 7 0 6]
19	3	22			2	3	4	[0 4 0 5]	[7 0 1 0]	[6 0 0 5]
20	3	24			3	10	10	[5 0 3 0]	[0 6 0 4]	[3 0 3 0]
21	3	22	24		2	8	8	[9 0 0 6]	[0 9 4 0]	[0 9 0 4]
22	3	28	29		1	3	5	[0 10 0 10]	[0 6 0 9]	[0 3 3 0]
23	3	25	26	27	7	7	7	[0 10 0 7]	[0 9 4 0]	[7 0 4 0]
24	3	27			2	3	7	[8 0 0 3]	[2 0 5 0]	[0 1 3 0]
25	3	29	30	31	1	1	3	[0 7 5 0]	[5 0 0 7]	[4 0 0 7]
26	3	28			1	10	10	[0 7 5 0]	[5 0 3 0]	[0 7 4 0]
27	3	30			2	3	9	[2 0 5 0]	[0 9 0 5]	[0 4 3 0]
28	3	30			1	4	8	[0 7 0 6]	[0 3 0 6]	[4 0 0 3]
29	3	32			2	10	10	[0 3 0 7]	[2 0 0 7]	[0 3 0 6]
30	3	32			1	6	10	[0 9 0 7]	[6 0 5 0]	[4 0 0 5]
31	3	32			1	1	10	[4 0 0 6]	[3 0 7 0]	[0 5 5 0]
32	1	-			0			[0 0 0 0]		

**TABLE 5.** Results of solving the first large-scale example (the project with 20 activities)


Run Number	Number of iteration	Runtime (Second)	Number of pareto solution
1	10000	138	125
2	10000	136	111
3	10000	150	125

4	10000	134	96
5	10000	141	147
6	10000	140	106
7	10000	142	115
8	10000	140	125
9	10000	136	125
10	10000	138	114





**Figure 8.** The process of finding the pareto solutions in the project with 20 activities



**Figure 9.** The process of finding the pareto solutions in the project with 30 activities

The solving results of the second example for 10000 iterations and 10 runs is presented in Table 6. The process of finding the number of pareto solutions in different iterations can be seen in Figure 9. As can be seen, the process of discovering new pareto solutions is reducing gradually. The fluctuations described in Figure 8 holds true here. The reason might be that a new discovered solution dominates some of the solutions in pareto set, and, as a result, the number of pareto solutions are removed, and the chart has a decreasing trend in some points.

The reason for fluctuations in the chart presented in Figure 8 (that in some parts of the chart the number of pareto solutions is decreased) is that the pareto set is updated continuously, and when a new solution is added to the pareto set, it is compared with all other pareto solutions.

**TABLE 6.** Results of solving the second large-scale example (the project with 30 activities)

Run Number	Number of iteration	Runtime (Second)	Number of pareto solution
1	10000	223	103
2	10000	250	103
3	10000	242	114
4	10000	257	83
5	10000	240	89
6	10000	245	89
7	10000	230	91
8	10000	225	88
9	10000	238	89
10	10000	230	103

Obviously, in this comparison it is likely that a new solution dominates some of these solutions. Say answer *A* dominates answer *B*, if answer *A* in any objectives is not worse than answer *B*, and also the answer *A* is at least in one of the objectives that is better than answer *B*. Moreover, if there is not such a situation between *A* and *B*, say answer *A* and *B* are non-dominated or pareto solutions. That is the reason these dominated solutions have been removed and the number of pareto solutions in these states is lower compared to the previous state (the points that have a decreasing trend in Figure 8).

In what follows, we will try to represent the relationship between the objectives functions using the pareto solution points in the solution space for the first example (the project with 20 activities). Additionally, in Figures 11 to 13, mutual influence for objective functions have been presented in the form of two-dimensional graphs.

As shown in Figure 11, NPV decreases with increases in Cmax. Although the variance of variations is relatively high, this descending relationship is clear. One of the reasons that can be mentioned for this relationship is that with the increase of Cmax, the NPV will be reduced. Another reason is that the indirect costs of the project increase by increases in the Cmax. In Figure 12, it can be clearly seen that as project flexibility increases, the project completion time increases as well. The reason is that increasing the flexibility of the project has increased the completion time of the activities, and this will delay the completion date of the project. In Figure 13, the NPV increases with decreases in flexibility because by reducing flexibility, the Cmax will be reduced, and reducing the completion time will increase the NPV of the project. In Figure 14, the Mutual influence of all three objective functions can be observed.




Figure 11. Mutual influence of NPV-Cmax objective functions




Figure 12. Mutual influence of flexibility-Cmax objective functions




Figure 13. Mutual influence of flexibility-NPV objective functions




Figure 14. The pareto solutions of the project with 20 activities

## 6. CONCLUSION

Resources constraint project scheduling problem is a practical topic in project management. In this study, in addition to the time-cost trade-off, available incomes in project and flexibility of project against unforeseen events in the form of three objective problems were considered, and their results have been analysed. Since the subject of the research was strongly NP-hard and multi-objective, we developed the multi-objective simulated annealing meta-heuristic algorithm after modelling the problem as a three-objective model to solve the intended model. Also, to validate the algorithm, we applied a complete enumeration to four benchmark instances. The results showed that the algorithm has managed to discover all pareto solutions in a short time. In applying the algorithm in large-scale problems, we attained the results that represent the desirable performance of the algorithm.

As a development for future studies, the presented model in this research can be implemented in a real case study. On the other hand, each of the factors of time and resources may be associated with uncertainty. In this case, the use of fuzzy logic, as a powerful tool, in the study of uncertainty can be considered. In some cases, the decision-maker faces so many pareto solutions that he may get confused in choosing the desired solution. Consequently, considering one of the multi-criteria decision making methods can help the decision maker to do the best choice.

## 7. REFERENCES

1. Węglarz, J., Józefowska, J., Mika, M. and Waligóra, G., "Project scheduling with finite or infinite number of activity processing modes—a survey", *European Journal of Operational Research*, Vol. 208, No. 3, (2011), 177-205.
2. Pritsker, A.A.B., Waiters, L.J. and Wolfe, P.M., "Multiproject scheduling with limited resources: A zero-one programming approach", *Management Science*, Vol. 16, No. 1, (1969), 93-108.
3. Talbot, F.B., "Resource-constrained project scheduling with time-resource tradeoffs: The nonpreemptive case", *Management Science*, Vol. 28, No. 10, (1982), 1197-1210.
4. Patterson, J., Słowiński, R., Talbot, F. and Węglarz, J., An algorithm for a general class of precedence and resource constrained scheduling problems, in *Advances in project scheduling*. 1989, Elsevier.3-28.
5. Zhu, G., Bard, J.F. and Yu, G., "A branch-and-cut procedure for the multimode resource-constrained project-scheduling problem", *INFORMS Journal on Computing*, Vol. 18, No. 3, (2006), 377-390.
6. Hartmann, S. and Drexl, A., "Project scheduling with multiple modes: A comparison of exact algorithms", *Networks: An International Journal*, Vol. 32, No. 4, (1998), 283-297.
7. Hartmann, S., "Project scheduling with multiple modes: A genetic algorithm", *Annals of Operations Research*, Vol. 102, No. 1-4, (2001), 111-135.

8. Tseng, L.-Y. and Chen, S.-C., "Two-phase genetic local search algorithm for the multimode resource-constrained project scheduling problem", *IEEE Transactions on Evolutionary Computation*, Vol. 13, No. 4, (2009), 857-848
9. Fahmy, A., Hassan, T.M. and Bassioni, H., "Improving rcpsp solutions quality with stacking justification-application with particle swarm optimization", *Expert Systems with Applications*, Vol. 41, No. 13, (2014), 5870-5881.
10. Xiao, J., Wu, Z., Hong, X.-X., Tang, J.-C. and Tang, Y., "Integration of electromagnetism with multi-objective evolutionary algorithms for rcpsp", *European Journal of Operational Research*, Vol. 251, No. 1, (2016), 22-35.
11. Zoraghia, N., Najafib, A. and Niaki, S., "Resource constrained project scheduling with material ordering: Two hybridized meta-heuristic approaches", *International Journal of Engineering Transactions C: Aspects*, Vol. 28, No. 6 (2015), 896-902..
12. Ning, M., He, Z., Jia, T. and Wang, N., "Metaheuristics for multi-mode cash flow balanced project scheduling with stochastic duration of activities", *Automation in Construction*, Vol. 81, (2017), 224-233.
13. Russell, A., "Cash flows in networks", *Management Science*, Vol. 16, No. 5, (1970), 357-373.
14. Sung, C. and Lim, S., "A project activity scheduling problem with net present value measure", *International Journal of Production Economics*, Vol. 37, No. 2-3, (1994), 177-187.
15. Mika, M., Waligóra, G. and Węglarz, J., "Simulated annealing and tabu search for multi-mode resource-constrained project scheduling with positive discounted cash flows and different payment models", *European Journal of Operational Research*, Vol. 164, No. 3, (2005), 639-668.
16. Najafi, A.A. and Niaki, S.T.A., "Resource investment problem with discounted cash flows", *International Journal of Engineering*, Vol. 18, No. 1 (2005), 53-64.
17. Seyfi, M. and Tavakoli, M.R., "A new bi-objective model for a multi-mode resource-constrained project scheduling problem with discounted cash flows and four payment models", *International Journal of Engineering Transactions A: Basics*, Vol. 21, No. 4 (2008), 347-360.
18. Leyman, P. and Vanhoucke, M., "Payment models and net present value optimization for resource-constrained project scheduling", *Computers & Industrial Engineering*, Vol. 91, (2016), 139-153.
19. Huang, X. and Zhao, T., "Project selection and scheduling with uncertain net income and investment cost", *Applied Mathematics and Computation*, Vol. 247, (2014), 61-71.
20. Kelley Jr, J.E., "Critical-path planning and scheduling: Mathematical basis", *Operations research*, Vol. 9, No. 3, (1961), 296-320.
21. Moder, J.J. and Phillips, C.R., "Project management with CPM, PERT and precedence diagramming", (1983).
22. Hindelang, T.J. and Muth, J.F., "A dynamic programming algorithm for decision cpm networks", *Operations research*, Vol. 27, No. 2, (1979), 225-241.
23. De, P., Dunne, E.J., Ghosh, J.B. and Wells, C.E., "Complexity of the discrete time-cost tradeoff problem for project networks", *Operations Research*, Vol. 45, No. 2, (1997), 302-306.
24. Erenguc, S.S., Tufekci, S. and Zappe, C.J., "Solving time/cost trade-off problems with discounted cash flows using generalized benders decomposition", *Naval Research Logistics (NRL)*, Vol. 40, No. 1, (1993), 25-50.
25. Icmeli, O. and Erenguc, S.S., "The resource constrained time/cost tradeoff project scheduling problem with discounted cash flows", *Journal of Operations Management*, Vol. 14, No. 3, (1996), 255-275.
26. Amiria, M.T., Haghighi, F., Eshtehardianc, E. and Abessib, O., "Optimization of time, cost and quality in critical chain method using simulated annealing", *International Journal of Engineering Transactions B: Applications*, Vol. 30, No. 5 (2017), 627-635.
27. Al-Fawzan, M.A. and Haouari, M., "A bi-objective model for robust resource-constrained project scheduling", *International Journal of Production Economics*, Vol. 96, No. 2, (2005), 175-187.
28. Ke, H., Wang, L. and Huang, H., "An uncertain model for rcpsp with solution robustness focusing on logistics project schedule", *International Journal of e-Navigation and Maritime Economy*, Vol. 3, (2015), 71-83.
29. Kirkpatrick, S., Gelatt, C.D. and Vecchi, M.P., "Optimization by simulated annealing", *Science*, Vol. 220, No. ,(1983) ,4598-680-671
30. Černý, V., "Thermodynamical approach to the traveling salesman problem: An efficient simulation algorithm", *Journal of Optimization Theory and Applications*, Vol. 45, No. 1, (1985), 41-51.
31. Suppavitnarm, A. and Parks, G., "Simulated annealing: An alternative approach to true multiobjective optimization", in Proceedings of the Genetic and Evolutionary Computation Conference (GECCO 1999), Morgan Kaufmann Publishers., (1999), 406-407.

## Project Scheduling with Simultaneous Optimization, Time, Net Present Value, and Project Flexibility for Multimode Activities with Constrained Renewable Resources

H. Farughi, A. Amiri, F. Abdi

Faculty of Engineering, University of Kurdistan, Sanandaj, Iran

---

### PAPER INFO

چکیده

---

#### Paper history:

Received 20 August 2017

Received in revised form 28 January 2018

Accepted 09 March 2018

---

#### Keywords:

Resource Constrained Project Scheduling

Time-cost trade-off

Simulated Annealing Algorithm

Project Flexibility

Multi-mode Activities

موفقیت پروژه بر اساس معیارهای مختلفی سنجیده می‌شود که هرکدام از این معیارها از نظر ذینفعان پروژه از اهمیت متفاوتی برخوردار است. زمان و هزینه از مهمترین اهداف و معیارهای موفقیت هر پروژه‌ای هستند. از طرف دیگر کاهش ریسک مربوط به عدم اتمام فعالیت‌های اجرایی تا زمان‌های از پیش تعیین شده به دلیل عوامل غیرقابل پیش‌بینی بایستی مورد توجه قرار گیرد. در تحقیق حاضر، پس از فرموله کردن مسأله در قالب یک مسأله برنامه‌ریزی چند هدفه سعی در کمینه کردن زمان اتمام پروژه، بیشینه کردن ارزش فعلی خالص پروژه و انعطاف‌پذیری پروژه با در نظر گرفتن محدودیت‌های منابع و روابط پیش‌نیازی، خواهیم داشت. انعطاف‌پذیری پروژه با در نظر گرفتن یک زمان شناوری برای فعالیتها و بیشینه کردن مجموع این زمانهای شناوری، در نظر گرفته شده است. علاوه بر این، برای انجام هر فعالیت در یک پروژه حالت‌های مختلفی از مصرف منابع در نظر گرفته شده است، که می‌تواند باعث تغییر در زمان و هزینه اجرای آن فعالیت گردد. با توجه به پیچیدگی مسأله از الگوریتم فراابتکاری شبیه‌سازی تبرید چند هدفه برای حل مدل استفاده شده است. با توجه به عملکرد خوب الگوریتم در یافتن جواب بهینه این مسائل محک، از این الگوریتم برای یافتن جواب بهینه در مسائل بزرگ استفاده شده است.

doi: 10.5829/ije.2018.31.05b.13

---