

Health Promoting Hospitals Model in Iran

Maryam YAGHOUBI¹, * Marzieh JAVADI², Mohammadkarim BAHADORI¹, Ramin RAVANGARD³

- 1. Health Management Research Center, Bagiyatallah University of Medical Sciences, Tehran, Iran
- 2. Health Management and Economic Research Center, Isfahan University of Medical Sciences, Isfahan, Iran
- 3. Dept. of Health Services Management, School of Management and Medical Information Sciences, Shiraz University of Medical Sciences, Shiraz, Iran

*Corresponding Author: Email: m_javadi@mng.mui.ac.ir

(Received 21 Aug 2015; accepted 11 Nov 2015)

Abstract

Background: Hospitals are the central entity of each health care system and Health Promoting Hospitals (HPH) was launched by WHO in 1988. However, there has not been any accurate and detailed model for establishing a HPH in Iran up to now. Therefore, this study aimed to determine factors affecting the establishment of a health promoting hospital in Iran using factor analysis method.

Methods: This applied, cross-sectional and descriptive-analytical study was conducted in Iran in four steps. Confirmatory Factor Analysis (CFA) was used for determining factors affecting the establishment of a HPH.

Results: Society (0.97) and Policy (0.74) had the highest regression weights (effects) and management had the lowest one.

Conclusion: Community assessment was the most important dimension of proposed conceptual model for establishing a HPH.

Keywords: Health Promoting Hospitals, Model, Iran

Introduction

The hospitals' duty is beyond providing clinical and specialized services, and making plans for delivering health care services and promoting health is one of their important duties (1). In each country, from 40% to 70% of health budget is absorbed by and spent in the hospitals and usually one to three percent of working population is employed in them (2). On the other hand, the employees in hospitals suffer from high levels of job stress (3). Therefore, the plan of "Health Promoting Hospitals" (HPH) was launched more than a decade ago (4-5). This plan refers to the fact that the hospital activities should be aimed not only at therapeutic and diagnostic activities (6) but also at disease prevention and health promotion, and the hospital services should be targeted

to the needs of the people (7). Hence, developing a new strategy for hospital services and paying attention to the health promotion programs in the hospitals are essential in the present century, today, the hospitals are required which consider health promotion programs as a key service (8-9). The issue of HPH is paid more attention due to the increasing prevalence of lifestyle-related diseases and also chronic diseases, the changes in public expectations, the increasing number of chronic patients who need continuous support, and the number of hospital staff who daily exposure to psychological pressures and health risks (10).

On the other hand, health promotion is a concept that should be considered as a behavioral

challenge (11). In this context, and given the current problems in hospitals, 20 hospitals were selected officially by WHO from 11 European countries for a pilot project of EPHP (European Pilot Hospital Project of HPH) in Warsaw in April 1993 (12) and the International Network of Health Promotion Hospital was established (13). These hospitals not only provide comprehensive and high quality medical and nursing services but also develop an organizational structure and culture assuming an active role for patients and staff in health promotion programs and actively cooperate with the community in health activities (2). Hospitals with the health promotion plan should take several measures to implement health promotion programs such as using organizational development processes, forming a joint committee of health promotion projects, providing regular reports by subgroups of the health promotion project, providing feedback, using public relations techniques, reporting and documentation systems (14).

In the model of HPH, provided by the Research and Development center of HPH in Taiwan (11), at first, the preliminary measures, including formation of a project implementation team and a health promoting hospital committee were taken and, then, the project planning and implementation were made. In many health promotion programs implemented in hospitals, the community needs assessment is one of the preparatory measures (16). Other health promotion projects for implementing health promotion programs in the hospitals focus on managerial methods, sharing and using resources (17), and collaboration with society organizations (18). Finally, many hospitals in the world have implemented the WHO HPH program and have achieved costeffectiveness and quality assurance of health services (19-20).

However, only the peripheral levels of the health network system in Iran play the role of prevention and hospitals are responsible for performing the traditional role of diagnosis and treatment and there is no clear plan to deliver health promotion services in the hospitals. Although some of these services such as nutritional counseling

Available at: http://ijph.tums.ac.ir

are provided sporadically in some hospitals in Iran, there has not been any defined structure for becoming a HPH and very few studies (18, 21) have been conducted in this field. Therefore, this study aimed to determine factors affecting the establishment of a health promoting hospital in Iran using factor analysis method.

Materials and Methods

This study was done in 2013, as an applied, cross-sectional and descriptive-analytical study in four steps, as follows:

Step1: Developing a conceptual model

To develop a conceptual model of HPH, the models of establishing and implementing health promotion programs, the executable models and the experiences of WHO-European Pilot Hospital Project were reviewed and finally, the main dimensions of the model as a conceptual model were extracted.

Step 2: Designing a questionnaire

After determining the main dimensions of implementing health promotion project in hospitals, a questionnaire was designed. The validity and reliability of this questionnaire were approved using Expert Judgment and Cronbach's alpha (22).

Step 3: Sampling

First, four Medical Universities of Medical Sciences in four provinces of Iran (Tehran, Guilan, Isfahan, Shiraz) were randomly selected using cluster sampling method. Then, in the selected medical universities, a sample of 268 people was determined using the findings of pilot study and the following formula, assuming α =0.1, d= 0.1 and p=q= 0.5, and was randomly selected among faculty members, managers and experts who had scientific and academic, administrative and managerial experiences in health promotion.

$$n = \frac{(z2)(pq)}{d2}$$

www.SID.ir

$$n = \frac{(1/64)^2 (pq)}{0/01s^2} = 268$$

Step 4: Data Analysis and Model Evaluation

The measurement model was tested using Confirmatory Factor Analysis (CFA) via AMOS Graphics (18). CFA is a structural equation modeling technique which is used to determine the model's goodness of fit. In order to handle any missing data, an expectation- maximization algorithm was employed. The estimation of parameters was based on the maximum likelihood method.

Evaluation of each model in CFA is based on considering a variety of fit indices. There are three categories of fit indices for model evaluation, including: 1) Absolute Fit Indices, including GFA (Goodness of Fit), AGFI (Adjusted Goodness of Fit) and RMSEA (Root Mean Square Error of Approximation); 2) Comparative (Incremental) Fit Indices, including NFI (Normed Fit Index) and NNFI (Non-Normed Fit Index); and 3. Parsimonious Fit Indices. It has been suggested that researchers should report at least two indices from each category. If CFI, GFI, NFI, NNFI, IFI, RFI, and AGFI are higher than 0. 90 and RMSEA and RMSRI are less than 0.050, the studied model will have desirable and appropriate fitness.

Results

Most of the studied sample were managers (0.42), male (62%), in the 41-50 yr age group (46%), in the 21-30 yr job experience group (48.2%), and had a master's degrees (70%) (Table 1).

Six dimensions were determined as the dimensions of HPH establishment which were as follows (Table 2):

- 1. Society and Community Assessment consisting of community needs assessment and epidemiological assessment (i.e. the assessment of population health issues and disease patterns) as its sub-dimensions.
- 2. Policy consisting of setting policies, implementing health promotion projects, attracting ad-

equate funds and determining the related investors and sponsors for the implementation of health promotion projects, and mentioning the concept of health promotion in the hospital mission and goals as its sub-dimensions.

Table 1: Demographic variable

Variables		Frequency (%)
Sex	Male	164 (0.62)
	Female	101 (0.38)
Age (yr)	<30	49 (0.18)
	30-40	87 (0/34)
	41-50	122 (0.48)
	>50	31 (0.12)
Education	Bachelor's	25 (0.09)
	Degreed	
	Master's Degrees	210 (0.70)
	Philosophy of	35 (0.13)
	doctor (PhD)	
Job	Managers	111 (0.42)
	Medical and nurs-	100 (0.40)
	es	
	Faculty member	51 (0.17)
Job Experi-	<10	30 (11.9)
ence (yr)		•
	11-20	69 (0.27)
	21-30	122 (0.80)
	>30	22 (0.80)

- 3. Management consisting of designing the projects and interventions required for a HPH, creating and providing strategic leadership (providing technical support for implementing projects), and developing strategies for implementing health promotion projects using data collected from Society and Policy dimensions.
- 4. Dissemination which means publishing health promotion programs and interventions and their results at international conferences and NEWS media and arranging business meetings on health promotion in the hospital.
- 5. Technique. In order to implement a HPH program, hospitals should have appropriate structures and techniques which the simplest one of them is the formation of a project team. Another appropriate structure for implementing health

Available at: http://ijph.tums.ac.ir

promotion programs is a combination of project committees, project management, and project coordinator.

6. Evaluation. Evaluation is a continuous and targeted process. The purpose of this step is monitoring and evaluation of progress of each activity

related to the implementation of health promotion programs.

Among the dimensions of HPH model, Technique (2.8 ± 0.92) and Evaluation (4.2 ± 0.53) had the highest and lowest means, respectively (Table2).

Table 2: The means and standard deviations (SDs) of HPH model dimensions

Society	Policy	Management	Dissemination	Technique	Evaluation
2.9±.89	3.3±.54	3.1±1.04	3.3±.58	2.8±.92	4.2±.53

Moreover, Society (0.97) and Policy (0.74) had the highest regression coefficient (effects) and Management had the lowest one (Fig. 1).

According to the results of model's goodness of fit indices, all indices were within the acceptable range showing that a significant amount of variance had been assigned by the model. Therefore, the conceptual model used in the present study was a valid and acceptable model (Table 3).




Fig. 1: HPH Model in Iran

Table 3: The HPH Model Fit Summary

Model Fit Summary									
Absolute fit indices Comparative findices			Parsimonious fit indices						
CMIN ¹	DF ²	P	IFI ³	CFI ⁴	CMIN/DF 5	PNFI 6	PCFI 7	RMSEA 8	
15.06	6	0.0002	0.98	0.97	2.5	0.562	0.554	0.061	

1. Chi-square / 2. Degree of freedom / 3. Incremental index of fit / 4. Comparative fit index / 5. Chi-square /degree of freedom / 6. Parsimony normed of fit index / 7. Parsimony comparative fit index / 8. Root Mean Square Error of Approximation

Discussion

The results of the present study showed that the HPH model had dimensions, including Society, Policy, Management, Dissemination, Technique, and Evaluation. In the current study, Society with the highest regression weight (0.97) had the greatest impact on the health promotion in hospitals indicating the importance of this dimension (23). Community-based health care requires the society members' involvement in improving their health. The reason for recognizing and understanding

the community is that by collecting data from the assessment of community covered by the hospital, administrators and policy-makers can determine the health problems and preferences in the society.

In an intervention program implemented in a hospital in South Africa to move it towards a health promoting hospital, the needs assessment of staff, patients and their relatives was carried out at first, which is similar to the health and epidemiological needs assessment of the society groups in the present study (16).

Available at: http://ijph.tums.ac.ir www.SID.ir

The PRECEDE-PROCEED model is used to assess the perceptions of society members and to recognize the society's health issues (24), which is similar to the results of present study.

The planned approach to community health focuses on the society's facilities and possibilities assessment. In the present study, also, the assessment of society's status has been one of the dimensions (24).

In some diseases such as cancer (a specific disease), according to patients' survival rate and the importance of increasing their longevity, it is necessary to determine the information needs of the patients' health promotion (25). In the current study, Policy was another dimension affecting health promotion in the hospitals. Its loading factor was 0.63 indicating a high impact on health promotion. The Toronto health promotion model (26) has studied the legal and political environment, stakeholders, population health needs, previous assessments, and the overall outlook for each project. In the present study, also, the political environment and its assessment has been paid attention.

Bangkok Declaration (27) considers the existence of policy-making and participation as a central principle of national development in order to improve health and health equity. This can also be seen in the current study as the dimension of Policy. For implementing HPH programs, access to adequate budget (28-31) and the health promotion policy (28, 31) are important.

Using data obtained from the society and making the required policies, hospitals can develop and implement programs and interventions for health promotion (the dimension of Management).

Miseviciene and colleagues (32) have focused on the development of a strategic plan for implementing health promotion programs, which is similar to the dimension of Management in the present study. In order to implement this dimension, providing strategic leadership (providing technical support for implementing projects) has been emphasized in the present study, which is similar to the results of Lee and colleagues' study (33). In addition, Johnson and Baum (29) in their study concluded that top management support was important and necessary for implementing HPH programs.

To establish a HPH, a range of organizational capacities are required (34). In fact, an efficient and effective HPH is dependent on organizational and managerial prerequisites such as project management, etc. (35), which is similar to the findings of the present study. In Preston Green Hospital, the project management principles and appropriate organizational structure and processes have been used in order to achieve the objectives of health promotion (14).

In the present study, the effect of project implementation techniques on health promotion in the hospital with 0.53 loading factor was significant. The administrators of Rudolf Stiftung hospital have taken several measures to implement health promotion programs in their hospital such as employing the techniques of project implementation (23), consistent with the results of present study. The results of other studies have supported the organizational structures as a prerequisite for establishing a comprehensive HPH (36), which confirm the results of current study.

In the 2-year evaluation of the implementation and effects of a HPH program in Scotland, the existence of a framework and structure for implementing the health promotion in hospitals has been emphasized (37).

The HPH coordinator is the minimum structure required for the membership of hospitals in the HPH network (4-5). The existence of a structure and framework for implementing health promotion programs in the present study has been referred to as Technique. The health promotion program in hospitals in Taiwan (15) has had four phases, including the formation of a project implementation team, formation of a health promotion committee, project planning and implementation, and evaluation of the effects of health promotion programs. Similarly, these phases have also been referred to in the present study. The administrators of BE Jing hospital (28) have considered the dimensions of Policy, Reorientation of health care services, Society, and Health Skills as the health promotion activities (28) which are similar to the dimensions of the current study conceptual model, as well as the design and implementation phases of health promotion in the proposed model of Kouranie hospital (14).

In the present study, Dissemination (publishing health promotion programs and activities and their results at international conferences and NEWS media and arranging business meetings on HPH programs) with a good loading factor (0.64) had a high impact on the implementation of health promotion programs in the hospital. The results of a study in Taiwan have shown the similar results and have indicated that dissemination in the HPH local and international conferences plays an important role in the establishment of a HPH (38).

Therefore, it can be said that if a hospital implement the health promotion programs well but is weak in the dissemination, it has not been able to introduce itself as a health promoting hospital. In a seven-dimension model developed by Burke et al. (39), which shows the needs for changing the organizational capacities to become a health promoting hospital, the development of mission and strategies, leadership and managerial activities have also been mentioned, which are similar to the results of the present study in which mentioning the concept of health promotion in the hospital mission and goals and developing strategies have been stated in the dimension of Policy, and leadership and managerial activities in the dimension of Management.

Like other studies, in the current study, the existence of planning and a specific technique and framework such as project management technique have been concluded as a dimension. Some of obstacles to the implementation of health promotion programs include inefficient project management, the lack of communication, coordination and integration, and the lack of planning, guidelines, standards and frameworks for implementing health promotion programs (18, 29, 37, 40).

All factors mentioned above have been stated in the present study as the dimensions of implementing health promotion programs in hospitals. The final dimension in the present study, the evaluation of health promotion programs and

Available at: http://ijph.tums.ac.ir

interventions, has been confirmed by the model of evaluating health promotion projects presented in the Preston hospital (14).

Conclusion

Although remarkable advances have been made in medical technologies, because of the increasing number of chronic patients who need permanent support and employees who are daily subjected to the psychological pressures, hospital managers and administrators should make plans to develop and implement health promotion programs and ensure healthy workplace in hospitals. The results of the present study showed that paying attention to six dimensions for establishing a HPH is essential among which the most and least important ones were Society and Community Assessment and Management, respectively. It should be noted that considering all of these dimensions without making systematic planning (40) and organizational changes, providing health education for patients and determining factors affecting the establishment of a HPH will not be effective

Ethical considerations

After the researchers explained the purpose and procedures of the study to the participants, they consented to participate in the study. Ethical issues (Including plagiarism, Informed Consent, double, etc.) have been completely observed by the authors.

Acknowledgements

The authors thank all research samples participating in this study and gratefully acknowledge to the hospital managers. The authors declare that there is no conflict of interests.

References

1. Groene, O (2006). Implementing health promotion in hospitals: Manual and self-

www.SID.ir

- assessment forms. World Health Organization.
- Groene O, Garcia-Barbero M (2005). Health promotion in hospitals: evidence and quality management. WHO Regional Office for Europe Copenhagen.
- 3. Tsai YC, Liu CH (2012). Factors and symptoms associated with work stress and health-promoting lifestyles among hospital staff: a pilot study in Taiwan. *BMC Health Serv Res*, 12 (1): 199.
- Whitehead D (2004). The European Health Promoting Hospitals (HPH) project: how far on? Health Promot Int, 19 (2): 259-267.
- Khowaja A, Karmaliani R, Mistry R, Agha A (2011). Transition towards health promoting hospitals: adapting a global framework to Pakistan. *Eeast Mediterr Health J*, 17 (10): 738-743.
- Groene O, Jorgensen S, Garcia-Barbero M (2004). Standards for health promotion in hospitals: self-assessment tool for pilot implementation. WHO Regional Office for Europe, Copenhagen.
- Groene O, Jorgensen SJ, Fugleholm AM, et al. (2005). Standards for health promotion in hospitals: development and pilot test in nine European countries. *Int J Health Care Qual Assur Inc Leadersh Health Serv.* 2005;18(4-5):300-7.
- 8. Asef Zadeh S (2010). Management & Planning in Health care System. Hadis emroz Pub, Ghazvin University of Medical Science.
- 9. Garcia-Barbero M (1998). Evolution of health care systems. Feasibility, effectiveness, quality and sustainability of health promoting hospital projects. Gamburg, G. Conrad *Health Promotion Publications*, pp.27-30.
- Pisljar T ,van der Lippe T, Dulk L den (2011).
 Health among hospital employees in Europe:
 A cross-national study of the impact of work stress and work control. Soc Sci Med, 72 (6): 899-906.
- 11. Panagopoulou E, Montgomery A, Benos A (2011). Health promotion as a behavioural challenge: are we missing attitudes? *Glob Health Promot*, 18 (2): 54-57.
- 12. Doherty D (1998). Challenges for hospital policy in Europe: what role can health promotion play. Feasibility, effectiveness, quality and

- sustainability of Health Promoting Hospital Projects. Gamburg: G. Conrad, 36-41.
- 13. Groene O (2006). Implementing health promotion in hospitals: Manual and self-assessment forms. P:8.
- 14. Pelikan J (1998). Pathways to a Health Promoting Hospital Experiences from the European Pilot Hospital Project, Ludwig Boltzmann-Institute for the Sociology of Health and Medicine WHO Collaborating Centre for Hospitals and Health Promotion 1993-1997, Health Promotion Publications, Gamburg.
- 15. Tung S, Huang HL, LinYW et al. (2007). The Implementation of the Health Promoting Hospital in Taiwan, in The 15th International Conference on HPH.
- 16. Delobelle P, Onya H, Langa C, Mashamba J, et al. (2010). Advances in health promotion in Africa: promoting health through hospitals. *Glob Health Promot*, 17 (2 suppl): 33-36.
- 17. Olden PC, Hoffman KE (2011). Hospitals' health promotion services in their communities: Findings from a literature review. *Health Care Manage Rev*, 36 (2): 104-113.
- 18. Yaghoubi M Javadi M (2013). Health promoting Hospitals in Iran: How it is. *J Educ Health Promot*, Jul 31;2:41.
- 19. Slade GD, Spencer AJ (1994). Development and evaluation of the oral health impact profile. *Community Dent Health*, 11 (1): 3-11.
- 20. Mchugh C, Robinson A, Chesters J (2010). Health promoting health services: a review of the evidence. *Health Promot Int*, 25 (2):230-237.
- 21. Maleki MR, Delgoshaie B, Nasiripour AA, Yaghoubi M (2012). Exploratory and Confirmatory Factor Analysis of Health promotion in Iranian Hospitals , *Health MED* , 6 (7): 2261-67.
- 22. Najarkolaei FR, Niknami S, Shokravi FA, et al. (2014). Sexual behavioral abstine HIV/AIDS questionnaire: Validation study of an Iranian questionnaire. *J Educ Health Promot*, 3:10.
- 23. Springgate BF, Brook RH (2011). Accountable care organizations and community empowerment. *JAMA*, 305 (17): 1800-1801.
- 24. Shojae Zadeh D, Heidarnia A, Gafrani pour F et al. (2006). Theory, Models and Methods of Health education and promotion, Tehran: Sobhan.

Available at: http://ijph.tums.ac.ir

- Choi KH, Park JH, Park SM (2011). Cancer patients' informational needs on health promotion and related factors: a multi-institutional, cross-sectional study in Korea. Support Care Cancer, 19 (10):1495-504.
- 26. Hyndman B, Hershfiel L, Thesenvitz J (2001). Logic Models Workbook. 6.1 edition. Toronto: The Health Communication Unit at the Centre for Health Promotion University of Toronto
- 27. World Health Organization (2005). The Bangkok Charter for health promotion in a globalized world. *Health Promot J. Austr.*, 16(3):168-71.
- 28. Guo XH, Tian XY, Pan YS et al. (2007). Managerial attitudes on the development of health promoting hospitals in Beijing. *Health Promot Int*, 22 (3): 182-190.
- 29. Johnson A, Baum F (2001). Health promoting hospitals: a typology of different organizational approaches to health promotion. *Health Promot Int*, 16 (3): 281-287.
- 30. Johnson A, Nolan J (2004). Health promoting hospitals: gaining an understanding about collaboration. *Aust J Primary Health*, 10 (2): 51-60.
- 31. Pelikan JM (2007). Health Promoting Hospitals— Assessing developments in the network. *Iran J Public Health*, 4 (4): 261-270.
- 32. Miseviciene I, Zalnieraitiene K (2013). Health promoting hospitals in Lithuania: health professional support for standards. *Health Promot Int*, 28 (4): 512-521.
- 33. Lee C, Chen M S, Powell M, Chu C (2012). Achieving organizational change: findings

- from a case study of health promoting hospitals in Taiwan. *Health Promotion Int*, 29 (2): 296-305.
- 34. Röthlin F (2013). Managerial Strategies to Reorient Hospitals towards Health Promotion. Lessons from Organisational Theory. J Health Organ Manag, 2013;27(6):747-
- 35. Pelikan JM (2007). Health promoting hospitals—assessing developments in the network. *Iran J Public Health*, 4: 261-270.
- 36. Yeatman HR, Nove T (2002). Reorienting health services with capacity building: a case study of the Core Skills in Health Promotion Project. *Health Promot Int*, 17: 341-350.
- 37. Whitelaw S, Martin C, Kerr A, Wimbush E (2006). An evaluation of the health promoting health service framework: the implementation of a settings based approach within the NHS in Scotland. *Health Promot Int*, 21: 136-144.
- 38. Röthlin F, Hermann Schmied , Christina Dietscher (2015). Organizational capacities for health promotion implementation: results from an international hospital study. *Health Promot Int*, 30(2):369-79.
- 39. Burke WW (2002). Organization Change: Theory and Practice. *Sage Publications*, Thousand Oaks, Calif.
- 40. Lee CB, Chen MS, Powell MJ et al. (2013). Organisational Change to Health Promoting Hospitals: A Review of the Literature. *Springer Sci Rev*, 1 (1-2): 13-23.

Available at: http://ijph.tums.ac.ir