



Assessing Medical Tourism Services Quality Using SERVQUAL Model: A Patient's Perspective

Mohammad QOLIPOUR¹, *Amin TORABIPOUR¹, Farzad FARAJI KHAIVI¹, Amal SAKI MALEHI²

1. Dept. of Health Services Management, School of Health, Ahvaz Jundishapur University of Medical Sciences, Ahvaz, Iran
2. Dept. of Biostatistics and Epidemiology, School of Health, Ahvaz Jundishapur University of Medical Sciences, Ahvaz, Iran

*Corresponding Author: Email: Torabi-a@ajums.ac.ir

(Received 05 Dec 2016; accepted 11 Apr 2017)

Abstract

Background: Continuous quality improvement of the hospital services is a basic requirement of medical tourism industry. The different dimensions of hospital services quality are assessed constantly to improve the service of medical tourism. The aim of this study was to determine the services quality of medical tourism in private and public hospitals.

Methods: In this cross-sectional study, the quality of hospital services were assessed in view of 250 Iraqi tourists referred to Ahvaz private and public hospitals in 2015. Data were collected using a valid medical tourism SERVQUAL questionnaire (MTSQ). This questionnaire includes 8 main dimensions with 31 items. Finally, Mann-Whitney, Kruskal-Wallis and Wilcoxon tests were used to analyze the data.

Results: The mean of age of patients was 39 ± 2.2 yr. The mean of hospital length of stay was 3.87 ± 1.36 days. The most patients were admitted to Orthopedics, Otorhinolaryngology, Obstetrics, and Gynecology departments, respectively. There was a negative gap in all of the dimensions of service quality in the studied hospitals ($P > 0.001$). The highest and lowest quality gap was seen in the “exchange and travel facilities” (-2.63) and the “tangibles” (-0.68) dimension, respectively.

Conclusion: There was a negative gap in all of the dimensions of service quality in the studied hospitals. Therefore, the hospital services quality is improved to attract the foreign patients.

Keywords: Medical tourism, Hospital, Service quality, Gap analysis

Introduction

Medical tourism is one expression of globalization (1). The term “medical tourism” is widely defined for the provision of medical care in collaboration with the tourism industry for patients who need medical services outside their country (1,2). For example, some of the Asian countries including India, Thailand, and Singapore are the major destinations for medical tourists (2, 3). The main reasons to choose these countries as a medical tourism destination are low cost medical services and experienced doctors (3, 4). In 2007, an

estimated 50 000–120 000 patients of the United States travelled abroad to obtain medical care to Asia, South America, and Eastern Europe (5). In these countries, even uninsured patients based on their treatment can save about 15% to 85% of the costs (6).

According to the fourth economic and social development plan, Iran's ministry of health must provide the necessary facilities for marketing of health services to earn more income (7). In Iran, opportunities such as high quality of medical ser-

vices, low cost of medical services, access to new medical technology, and experienced health professionals can help to develop medical tourism industry(8).

Quality of medical services has a significant impact on attracting medical tourists (1, 2). Today the assessing and improving quality of services is one of the basic managerial tasks in the service sector (8). One of the most useful and applied methods to measure services quality is global SERVQUAL questionnaire. This common questionnaire used to measure the gap of services quality based on the patient's expectation and perception (9). This tool was used to assess services quality. Most studies reported the service quality gap in private and public hospitals by SERVQUAL methods (10-13). In Iran, most studies reported a negative gap of hospital services quality based on the SERVQUAL method (8, 11, 12).

The aim of current study was to determine the services quality gap between medical tourism in Ahvaz public and private hospitals. Ahvaz is one of the metropolises of southern Iran bordered by Iraq. In This metropolis, thirteen public and private hospitals admit foreign patients as medical tourism hospitals (13).

Materials and Methods

In this cross-sectional study, the quality of hospital services was assessed in view of 250 Iraqi tourists referred to Ahvaz private and public hospitals in 2015. Census data were collected using a valid medical tourism SERVQUAL questionnaire (MTSQ). This questionnaire was designed based on basic SERVQUAL model (14). The medical tourism SERVQUAL questionnaire included 31 items and 8 dimensions (tangibles, reliability, responsiveness, assurance, empathy, exchange and travel facilities, technical and infrastructure facilities and safety and security). A questionnaire was translated into Arabic and English. This tool can measure the gap between patients' expectations and perceptions. The 5-point Likert scale was used to measure hospital services quality in view of patients. Likert points

of perceptions and expectations were rated from 1 = strongly disagree to 5 = strongly agree.

Content validity of the questionnaire was confirmed using the Delphi technique and expert's opinions (CVI=0.775). The construct validity of the questionnaire was confirmed using confirmatory factor analysis (RMSEA=0.032, CFI= 0.98, GFI=0.88). Reliability of the questionnaire using Cronbach's alpha was confirmed ($\alpha=0.837$ for expectation, $\alpha=0.919$ for perception). The patient completed the expectation questionnaires before admission and perceptions questionnaires after discharge, respectively. The gap of hospital service quality was measured using the following formula:

Gap=Perception-Expectation

If: $E > P \Rightarrow$ Negative gap

If: $E < P \Rightarrow$ Positive gap

Finally, the data were analyzed by SPSS (Ver.18 Chicago, IL, USA). Data were analyzed by non-parametric tests, including Mann-Whitney, Kruskal-Wallis and Wilcoxon tests. The significance level of study was 0.05.

This research was approved by Ethical Committee of Ahvaz Jundishapur University of Medical Sciences.

Results

The mean of patients' age was 39 ± 2.2 yr. The mean of length of stay was 3.87 ± 1.36 d. Orthopedics, Otorhinolaryngology, Obstetrics, and Gynecology departments had the most admitted patients respectively. About 82.8% of patients were uninsured. Out of 250 patients who participated in the study, 131 patients (52.4%) have not visited our hospitals before. There was no significant relationship between the gap in medical tourism service quality dimensions and patients' demographic characteristics (Table 1).

Assessing the gap between patients' perception and expectation in eight dimensions of medical tourism service quality showed that the expectation of Iraqi medical tourists was more than their perception in all the dimensions; therefore, the quality gap of studied hospital services was negative.

Table 1: Demographic characteristics of the patients (n=250)

<i>Variable</i>		<i>Number</i>	<i>Percent</i>	<i>P-value</i>		
Sex	Male	173	69.2	0.885		
	Female	77	30.8			
Age (yr)	20 - 30	36	14.4	0.293		
	30 - 40	41	16.4			
	40 - 50	85	34.0			
	50 - 60	88	35.2			
Language	Arabic	218	87.2	0.215		
	Turkish	10	4.0			
	Kurdish	6	2.4			
	Farsi	7	2.8			
	Assyrian	9	3.6			
Having medical insurance	Yes	43	17.2	0.759		
	No	207	82.8			
Education	University	102	40.8	0.712		
	High school	83	33.2			
	Middle school or less	65	26.0			
Marital status	Single	70	28.0	0.613		
	Married	180	72.0			
Admission based on hospital department	Orthopedics	43	17.2	0.993		
	Otorhinolaryngology	41	16.4			
	Obstetrics and Gynecology	35	14.0			
	Urology	40	16.0			
	Ophthalmology	32	12.8			
	Cardiology	21	8.4			
	Neurology	17	6.8			
	Gastroenterology	12	4.8			
	General surgery	9	3.6			
	There was a transportation problem	Yes	212		84.8	0.115
		No	38		15.2	
History of referring to the hospitals of Ahvaz	No	131	52.4	0.711		
	Once	61	24.4			
	Twice	35	14.0			
Length of stay (days)	Three times and more	23	9.2	0.793		
	2	40	16.0			
	3	76	30.4			
	4	57	22.8			
	5	40	16.0			
	6	28	11.2			
	7	9	3.6			

There was the highest and the lowest quality gap in the “exchange and travel facilities” dimension (-2.63) and the “tangibles” dimension (-0.68), respectively (Fig. 1).

All items had a negative gap. The highest quality gap was seen in “The website provides adequate

information about treating illness” ($G=-2.96$) and “Payment facilities are easy and flexible” ($G=-2.87$) items, respectively. The lowest gap was seen in “neat and well-dressed personnel” ($G=-0.66$) and “modern and up-to-date equipment” ($G=-0.68$) items, respectively (Table 2).




Fig. 1: The gap between perception and expectation in eight dimensions

Table 2: Mean and standard deviation of the scores of perception, expectation and quality gap for items of medical tourism service quality in Ahvaz hospitals

Dimension	Item	Mean±S.D		Gap
		Perception	Expectation	
Tangibility	Modern and up-to-date equipment	4.04±0.746	4.72±0.448	-0.68
	Visually appealing of physical facilities	3.80±0.759	4.52±0.501	-0.71
Reliability	Neat and well-dressed personnel	3.92±0.715	4.58±0.495	-0.66
	Providing services to patients with interesting	3.20±0.723	4.62±0.577	-1.42
	Accreditation of the hospital is globally accepted	2.73±0.780	4.86±0.384	-2.13
Responsiveness	Provide services at the time promised	2.96±0.851	4.78±0.418	-1.82
	Protecting patient records correctly by staff	3.10±0.886	4.65±0.562	-1.55
	Providing a detailed description of the provided services to patients by staff	2.85±0.790	4.77±0.501	-1.92
	Providing prompt service to patients by staff	3.12±0.834	4.91±0.290	-1.78
Assurance	Staffs' continual willing to help patients	3.06±0.912	4.87±0.433	-1.81
	Patients' transparent complaint process and responsiveness at the right time	2.73±0.753	4.80±0.404	-2.06
	Polite providers	3.24±0.689	4.76±0.425	-1.52
	The patient's feeling of security in treating with providers	3.29±0.960	4.71±0.454	-1.42
Empathy	Providers have sufficient knowledge to answer the patient	3.08±0.765	4.88±0.330	-1.80
	Patient be ensured to the confidentiality of his/her information	3.42±0.871	4.68±0.582	-1.26
	Individual attention to patients	3.73±1.059	4.76±0.425	-1.03
Exchange and travel facilities	Understanding the specific needs of patients	3.68±0.949	4.78±0.418	-1.09
	Hospital staffs' appropriate working hours for patients	3.97±0.937	4.92±0.272	-0.95
	Foreign exchange facilities are provided within the hospital	2.00±1.012	4.72±0.554	-2.72
	Payment facilities are easy and flexible	2.42±0.916	4.66±0.603	-2.24
Technical and infrastructure facilities	Adequate transportation facilities by the hospital	1.92±0.774	4.79±0.410	-2.87
	There are appropriate places near the hospital to stay	2.20±0.872	4.89±0.376	-2.69
	24h internet connectivity inside the hospital	2.53±0.953	4.49±0.782	-1.96
	The website provides adequate information on treating illness	1.87±0.852	4.82±0.382	-2.96
	Guaranteed reservation by the hospital	2.05±0.985	4.85±0.356	-2.80
Safety and security	There is an office with administrative and commercial facilities for patients and their relatives	2.12±0.906	4.76±0.495	-2.64
	There are translation services in hospitals to facilitate personal relations and translate patients' medical records	2.22±0.922	4.65±0.630	-2.43
	The doctors and nurses speak English / Arabic well	2.36±0.969	4.96±0.206	-2.59
	Providing safe medication services in a hospital	3.59±0.985	4.92±0.278	-1.32
	Observe patient safety principles in the provision of technical services in a hospital (injections, dressing up, nursing services and medical examinations, etc.)	3.40±1.186	4.78±0.415	-1.38
	There is enough safety in the prevention of hospital events includes falling out of bed, stumble, etc.	3.06±1.022	4.71±0.454	-1.65

According to Table 3, the gap was negative and statistically significant, in all dimensions ($P < 0.0001$). The highest gap was reported in “ex-

change and travel facilities” dimension ($G = -2.63$) and lowest gap was reported in “tangibility” dimension ($G = -0.68$) (Table 3).

Table 3: Mean and standard deviation of the scores of perception, expectation and quality gap for dimensions of medical tourism service quality in Ahvaz hospitals

<i>Dimension</i>	<i>Mean ± S.D</i>		<i>Gap</i>	<i>P-Value</i>
	<i>Perception</i>	<i>Expectation</i>		
Tangibility	3.92±0.696	4.61±0.412	-0.68	0.0001
Reliability	3.00±0.731	4.73±0.386	-1.73	0.0001
Responsiveness	2.94±0.737	4.84±0.346	-1.89	0.0001
Assurance	3.26±0.727	4.76±0.376	-1.50	0.0001
Empathy	3.80±0.917	4.82±0.327	-1.02	0.0001
Exchange and travel facilities	2.13±0.800	4.76±0.405	-2.63	0.0001
Technical and infrastructure facilities	2.19±0.800	4.76±0.401	-2.56	0.0001
Safety and security	3.35±0.978	4.80±0.334	-1.45	0.0001

Discussion

The aim of this study was to determine the services quality of medical tourism in hospitals. According to SERVQUAL model, service quality gap was determined by measuring the differences between patient's expectation and perception (10, 11). There was the negative gap for all dimensions of service quality in studied hospitals that providing medical tourism services. This means that medical tourists' expectations were more than their perceptions about quality of medical service and they were not satisfied with hospital services.

In this study, tangibles (including physical evidence) had the lowest negative gap of services quality between other dimensions. In this dimension, there was a significant difference between perception and expectation of patients. The patients' expectation was more than their perception in “tangibles” dimension about hospital services (12). In American medical centers, the gap between patients' perception and expectation of service quality was also negative, but this gap was not statistically significant (15). Hospitals can play a key role in attracting medical tourists using advanced and standardized medical equipment and devices (16).

In the dimension of reliability, the service quality gap was also negative. A negative and significant difference between patients' expectation and their perception in reliability of hospital services (10). Naqavi et al. reported a gap in service quality in Iranian hospitals (16). Reliability is one of the important dimensions of services quality. This dimension includes doing duties in accordance with the commitments, interesting employees in doing tasks and service provision, doing services correctly at the first visit of patients, providing the services on promised time, maintaining records of clients accurately, and increase trust between hospitals and medical tourists (17). Hospitals should improve the reliability of their services to increase patients' loyalty.

In the current study, responsiveness dimension had also negative gap in view of patients. The mean of perception was less than expectation in responsiveness dimension in Iranian private hospitals (11). In American rehabilitation centers, the gap between the quality of services in responsiveness dimension was positive (18). Providing prompt service to patients is an important element in the responsiveness and patients had more satisfaction from hospitals that determine the time of treatment and provide prompt services (19, 20).

In assurance dimension, the difference between patients' perception and expectations of hospital service was negative. The study in allergy clinics in Poland showed the negative gap in this dimension (21). In all developed countries, quality assurance committee of the hospitals assesses assurance of the services quality. Recently in Iran, hospitals establish quality improvement committees to control their clinical and services quality and initial steps have been taken to quality improvements (22).

In empathy dimension, the difference between patients' perception and expectations of hospital service was negative. This difference was statistically significant. In Iran, a significant difference was indicated in empathy dimension of the hospital service quality (23). The gap between patients' perception and expectation was positive in empathy dimension (24). Empathy is considered as the main domain of quality associated with non-clinical aspect of healthcare (25). To reduce the gap in empathy dimension, non-medical expectations should be developed by hospitals. These non-medical needs include dignity, confidentiality, autonomy, and communication (26).

There was a negative gap in "exchange and travel facilities" dimension in view of foreign patients. The quality gap of this dimension was negative in the Indian public and private hospitals (27). Existing payment facilities in hospitals have a massive impact on the patient satisfaction and most patients consider this item before traveling to the destination country; therefore, it is necessary to increase exchange and travel services in the hospital (28).

The study showed that there was gap between patients' perception and expectation in technical and infrastructure facilities dimension and this dimension was unsatisfactory for medical tourists. Hospital staff had no international experience and could not speak English and other foreign languages. To increase the foreign patients' confidence, only reputation and scientific knowledge of doctors and professional staff are not enough and all aspects of professional staff should be improved. In the safety and security dimension of medical tourism service quality,

there was a negative gap between perception and expectations of patients. Therefore, patients were not satisfied in term of hospital safety and security. Personnel behavior, social security and communication variables were respectively the most important factors to attract medical tourist (29).

Appropriate prescription is one of the patients' safety strategies in hospitals. Prescription and medication management were appropriate in Iranian private hospitals (27). Patient safety is the key indicators of hospital accreditation and quality improvement. Promoting patient's safety led to improving hospital performance (30, 31).

This study had several limitations: First, the generalization of study to other hospitals is a problem. Second, all studied patients were from Iraq.

Conclusion

There was a negative gap in all of the dimensions of services quality in the studied hospitals in Ahvaz. This means that studied hospitals could not met the patients' expectation. The highest gap in the medical tourism service quality was observed in "exchange and travel facilities" dimension and the lowest gap was observed in the "tangibles" dimension. Therefore, studied hospitals should improve their quality of services based on gap score of services quality and improve their weakness. Finally, hospitals should promote national and international standards of medical tourism.

Ethical considerations

Ethical issues (Including plagiarism, informed consent, misconduct, data fabrication and/or falsification, double publication and/or submission, redundancy, etc.) have been completely observed by the authors.

Acknowledgments

This study is part of M.Sc thesis prepared by Mohammad Qolipour. This work was financially supported by grant: U-94078 from Vice-

Chancellor for Research Affairs of Ahvaz Jundishapur University of Medical Sciences. The authors appreciate all people who helped them in this study, especially Dr. Mehran Haghparast (head of medical tourism office in Ahvaz Jundishapur University of Medical Sciences).

Conflict of interest

The authors declare that there is no conflict of interest.

References

1. Hopkins L, Labonté R, Runnels V, Packer C (2010). Medical tourism today: what is the state of existing knowledge? *J Public Health Policy*, 31(2):185-98.
2. Dang HS, Huang YF, Wang CN, Nguyen TM (2016). An application of the short-term forecasting with limited data in the healthcare traveling industry. *Sustainability*, 8:1037
3. Karuppan CM, Karuppan M (2010). Changing trends in health care tourism. *Health Care Manag (Frederick)*, 29(4):349-58.
4. Noree T, Hanefeld J, Smith R (2016). Medical tourism in Thailand: a cross-sectional study. *Bull World Health Organ*, 94(1):30-36.
5. Johnson TJ, Garman AN (2010). Impact of medical travel on imports and exports of medical services. *Health Policy*, 98(2-3):171-7.
6. Horowitz MD, Rosensweig JA, Jones CA (2007). Medical tourism: globalization of the healthcare marketplace. *MedGenMed*, 9(4):33.
7. Research Center for Islamic Consultancy Parliament. I.R. of Iran 4th 5-years economic, social and cultural development plan Act. Available from: <http://rc.majlis.ir/fa/law/show/790196>
8. Abolhasani N. Analyzing the performance of medical tourism in Iran [PhD thesis]. School of Public Health, Tehran University of Medical Sciences, Iran; 2012.
9. Beer M (2003). Why total quality management programs do not persist: the role of management quality and implications for leading a TQM transformation. *Dec Sci*, 34(4):623-642.
10. Guiry M, Vequist DG (2011). Traveling abroad for medical care: U.S. medical tourists' expectations and perceptions of service quality. *Health Mark Q*, 28(3):253-269.
11. Zarei A, Arab M, Froushani A, Rashidian A, Tabatabaei SMG (2012). Service quality of private hospitals: The Iranian patients' perspective. *BMC Health Serv Res*, 12(1):31.
12. Abuosi AA, Atinga RA (2013). Service quality in healthcare institutions: establishing the gaps for policy action. *Int J Health Care Qual Assur*, 26(5):481-492.
13. Annual report of Khuzestan province (2014). Available in: www.mp-kz.ir
14. Parasuraman A, Berry LL, Zeithaml VA (1991). Refinement and reassessment of the SERVQUAL scale. *J Retail*, 67(4):420-450.
15. Dean AM (1999). The applicability of SERVQUAL in different health care environments. *Health Mark Q*, 16(3):1-21.
16. Naqavi MR, Refaiee R, Baneshi MR, Nakhaee N (2014). Analysis of gap in service quality in drug addiction treatment centers of Kerman, Iran, using SERVQUAL model. *Addict Health*, 6(3-4):85-92.
17. Hébert PC, Hoffmaster B, Glass KC, Singer PA (1997). Bioethics for clinicians: 7. Truth telling. *CMAJ*, 156(2):225-228.
18. Arunasalam M, Paulson A, Wallace W (2004). Service quality assessment of workers' compensation health care delivery programs in New York State using SERVQUAL. *Health Mark Q*, 21(1-2):29-64.
19. Hildman TB, Fergusson GH (1990). Prompt service: a factor in patient satisfaction. *Nurs Manage*, 21(12):26-9.
20. Kaldenberg DO (2001). Patient satisfaction and health status. *Health Mark Q*, 18(3-4):81-101.
21. Manulik S, Rosińczuk J, Karniej P (2016). Evaluation of health care service quality in Poland with the use of SERVQUAL method at the specialist ambulatory health care center. *Patient Prefer Adherence*, 10:1435-42.
22. Naidu A (2009). Factors affecting patient satisfaction and healthcare quality. *Int J Health Care Qual Assur*, 22(4):366-381.
23. Rezaei S, Matin BK, Moradi K, Bijan B, Fallahi M, Shokati B, Saedi H (2016). Measurement of Quality of Educational Hospital Services by the SERVQUAL Model: The Iranian

- Patients' Perspective. *Electron Physician*, 8(3):2101-2106.
24. Butt MM, de Run EC (2010). Private healthcare quality: applying a SERVQUAL model. *Int J Health Care Qual Assur*, 23(7):658-673.
25. Gharibi F, Tabrizi J, Oskouei ME, Asgharijafarabadi M (2014). Effective interventions on service quality improvement in a physiotherapy clinic. *Health Promot Pers*, 4(1):61-7.
26. Rashidian A, Kavosi Z, Majdzadeh R, et al (2011). Assessing health system responsiveness: A household survey in 17th district of Tehran. *Iran Red Crescent Med J*, 13(5):302-308.
27. Brahmabhatt M, Baser N, Joshi N (2011). Adapting the SERVQUAL scale to hospital services: An empirical investigation of patients' perceptions of service quality. *Int J Multidiscip Res*, 1(8):27-42.
28. Sen Gupta A (2008). Medical tourism in India: winners and losers. *Indian J Med Ethics*, 5(1):4-5.
29. Noori F, Kargari M (2016). Iran's medical tourism development model in cardiac surgery. *Int J Travel Med Glob Health*, 4(2):57-64.
30. Khodayar Zarnagh R, Tourani S, Ghaderi A, Salehi M, Jafari H (2013). Readiness of teaching hospitals in attracting medical tourists based on joint commission international standards. *J Qazvin University Med Sci*, 9(3,4):51-56.
31. Nash DB, Goldfarb NI (2006). *The quality solution: the stakeholder's guide to improving health care*. 1st ed. Jones & Bartlett Learning, London, UK, pp.3-93.

Archive of SID