



Prevalence, Trends and Associated Risk Factors of Overweight/Obesity among Rural-to-Urban Migrant Children in China

*Jinkui LU, Yongsheng XU, *Jianming XIANG*

School of Sport, Shangrao Normal University, Jiangxi Shangrao, 334000, P.R. China

*Corresponding Author: Email: 3280143858@qq.com

(Received 11 Apr 2018; accepted 22 Apr 2018)

Dear Editor-in-Chief

Childhood overweight/obesity represent a new worldwide epidemic (1, 2). “The worldwide prevalence of childhood overweight and obesity rate was 4.2% in 1990 and increased to 6.7% in 2010” (2). In 2011, the prevalence of childhood obesity exceeded 20% (3). Similar prevalence was observed in China, underlining a serious public health issue (4). The prevalence of overweight/obesity was not only in urban children but also in rural-to-urban migrant children, while it mainly took place in economically developed areas such as eastern coastal areas (5). The prevalence of overweight/obesity in rural-to-urban migrant children approached that of Shanghai urban children, far exceeding that of rural children (6). Simultaneously, long duration of living in Shanghai, high socioeconomic factors were the key risk of overweight/obesity among rural-to-urban migrant 7-9-yr-old children (7). Although some studies have reported the prevalence of overweight/obesity and its association with risk factors in rural-to-urban migrant children, there is no study which shows variation trend of prevalence of overweight/obesity and its association with risk factors by longitudinal study.

The present longitudinal study aimed to examine prevalence of overweight/obesity and its association with risk factors among rural-to-urban migrant children in Shanghai, China.

This was a longitudinal study initiated in 2011. The children aged 7-12 yr old were selected from the Baoshan District, Minhang District, Fengxian District, and Songjiang District of Shanghai using a stratified random sampling method. Three primary schools were selected in each district. The children from grade 1 to 6 were enrolled. The data was collected in Sep every 2-year basis; 2011 (n=8889), 2013 (n=9326), and 2015 (n=7863) are reported in the present study. In order to balance the genders and each age group, 250 boys and 250 girls were randomly selected from each age group. Finally, 3000 children were selected in 2011, 2013, and 2015 (9000 children) for statistical analysis.

Physical measurement and questionnaire investigation was conducted. Height and weight were measured a weight-height meter (AZT-120; Wuxi Weighing Apparatus Co., Wuxi, China). Height was recorded at the nearest 0.1 cm. Weight was recorded at the nearest 0.1 kg. Body mass index (BMI) was calculated as kg/m^2 . The diagnosis of childhood obesity was made according to the Screening and Classification Standards for BMI Overweight and Obesity (Adjusted for age and sex) of School-age Children and Teenagers in China (8). EpiData 3.1 (Centers for Disease Control, Atlanta, GA, USA) was used to manage data. SPSS 22.0 (IBM, Armonk, NY, USA) was used for data

analysis. Two-sided P -values <0.05 were considered statistically significant. Logistic regression analysis was used for multi-factor regression analysis. Variables with $P<0.05$ in univariate analysis were included in the multivariate model, using the backward method.

This study was approved by the Ethics Committee of the School of Physical Education and Health, East China Normal University.

Comparison of the basic characteristics of migrant children in Shanghai over the three visits

showed that the differences between children with overweight and obesity and between genders were significant ($P<0.001$). The overweight and obesity rate of boys was higher than that of girls, and this rate increased gradually over years (boys vs. girls; 2011: overweight: 13.3% vs. 10.6%, obesity: 11.2% vs. 8.5%; 2013: overweight: 16.1% vs. 11.2%, obesity: 14.3% vs. 10.6%; 2015: overweight: 21.2% vs. 15.1%, obesity: 17.4% vs. 14.5%; all $P<0.001$) (Fig. 1).




Fig. 1: The prevalence of overweight and obesity in three years

Logistic regression analyses results confirmed that monthly family income, weekly frequency for sports, mother's education level, daily duration of TV/computer, skipping breakfast may affect the status of the weight status of the rural-to-urban migrant children (all $P<0.05$).

The prevalence of overweight/obesity in boys was higher than that of girls, and this prevalence increased gradually over years. The main risk factors changed in time, but mainly included monthly family income, weekly frequency for sports, mother's education level, daily duration of TV/computer, skipping breakfast.

Acknowledgements

The authors acknowledge the help of the cohort study investigators from the Graduate School of Physical Education and Health, East China Normal University (Shanghai, China), specifically LQ Jia, B Lu, RF Wu, CC Zhang, JH Wu, Q Guo, JJ Liu, and Yanlin Li, as well as the principals of the schools involved in this study.

This study was supported by Jiangxi Province Social Science University Humanity (TY18115).

Conflict of interest

The authors declare that there is no conflict of interests.

References

1. Zhou X, Zhang L (2014). The Influence of Dietary Energy Density on Childhood Obesity. *Iran J Public Health*, 43(11):1587-1588.
2. World Health Organization: Reports of the Commission on Ending Childhood Obesity. Geneva: *World Health Organization*, 2016.
3. Kesztyus D, Lauer R, Schreiber AC et al (2014). Parents' willingness to pay for the prevention of childhood overweight and obesity. *Health Econ Rev*, 4(1):20.
4. Xiang F, Shao W, Wu Y (2014). Research Progress of Influential Factors and Intervention Measures of Children Obesity. *Chin J School Health*, 35(2):306-308. (Chinese)
5. Xue H, Liu Y, Duan R (2014). Prevalent Trends and Relevant Influential Factors of Overweight and Obesity of Chinese Children and Teenagers. *Chin J School Health*, 35(8):1258-1262. (In Chinese)
6. Lu JK, Yin XJ, Xiong JP et al (2015). Comparison of the status of overweight/obesity among the youth of local Shanghai, young rural-to-urban migrants and immigrant origin areas. *Int J Clin Exp Med*, 8(2):2804-14.
7. Lu JK, Yin XJ, Deng YQ, Ji L (2017). High Socioeconomic Status and Key Risk Factors of Overweight and Obesity among Rural-to-Urban Migrant 7-10y-old Children in Shanghai, China. *Iran J Public Health*, 46(3):420-421.
8. Ji C (2004). BMI Screening Standards in Overweight and Obesity of Chinese Students. *Chin J School Health*, 25:125-128. (In Chinese).