

## IDENTIFICATION AND PATHOGENICITY STUDY OF *Alternaria* SPP. ON POTATO IN WEST AZERBAIJAN PROVINCE (1)\*

Z. HAJIPOUR JARCHELOU<sup>1\*\*</sup>, Y. GHOSTA<sup>2</sup> and S. REZAEI<sup>1</sup>

(Received : 16.8.2011; Accepted : 13.7.2013)

### Abstract

During the study on the *Alternaria* species from potato fields of West Azerbaijan province, foliage and stems that had suspected infections with *Alternaria* fungi were collected. Totally, 141 isolates belonging to the genus *Alternaria* were isolated and purified. Based on macro and micromorphological characters of the isolates, 9 species viz.: *A. alternata*, *A. brousseauiae*, *A. destruens*, *A. dumosa*, *A. interrupta*, *A. rhadina*, *A. solani*, *A. soliaegyptiaca* and *A. tenuissima* were identified. Among the identified species, 5 species: *A. alternata*, *A. dumosa*, *A. interrupta*, *A. solani* and *A. tenuissima* were reported previously from potato, but three species: *A. brousseauiae*, *A. rhadina* and *A. soliaegyptiaca* are new to mycoflora of Iran and are reported for the first time from potato plants (*matrix nova*). Also, potato is *matrix nova* for *A. destruens*. Pathogenicity studies on isolates of identified species were done on potato cultivar Agria and their pathogenicity were confirmed based on Koch's postulates. All the studied isolates were pathogenic, although the degree of pathogenicity based on diameter of necrotic area varied among different species. *A. tenuissima* had the highest frequency and *A. solani* and *A. tenuissima* had the highest degree of pathogenicity among the studied *Alternaria* isolates.

**Keywords:** *Alternaria* species, Pathogenicity, Potato, West Azerbaijan.

See Persian text for figures and tables (Pages ۳۲۵-۳۳۴).

---

\*: A Part of MSc. Thesis of the First Author, Submitted to College of Agriculture, Islamic Azad University, Science and Research Branch, Tehran, Iran.

\*\* : Corresponding Author, Email: [hajipour.zahra@yahoo.com](mailto:hajipour.zahra@yahoo.com)

1. Former MSc. Student and Assis. Prof. of Plant Pathol., Islamic Azad University, Science and Research Branch, Tehran, Iran.

2. Assis. Prof. of Plant Pathol., College of Agriculture, Urmia University, Urmia, Iran.

## References

- ABD-EL-KAREEM, F. 2007. Induced resistance in bean plants against root rot and *Alternaria* leaf spot diseases using biotic and abiotic inducers under field conditions. **Plant Physiol.** 3: 767-774.
- ALVAREZ, A.M. and NISHIJIMA, W.T. 1987. Post-harvest diseases of papaya. **Plant Dis.** 71: 681-686.
- ANDERSEN, B. and THRANE, U. 1996. Differentiation of *Alternaria infectoria* and *A. alternata* based on morphology, metabolic profiles and cultural characteristics. **Can. J. Microbiol.** 42: 685-689.
- ANONYMOUS, 2004. **Study on Potato Early Blight in Feradan.** Annual report of Plant Protection department of Agriculture and Natural Resources Research center of Isfahan. 256-276 pp.
- BASHAN, Y., LEVANONY, H. and OR, R. 1991. Association between *Alternaria macrospora* and *Alternaria alternata*, causal agents of cotton leaf blight. **Can. J. Bot.** 69: 2603-2607.
- BELISARIO, A., MACCARONI, M., CORAMUSI, A., CORAZZA, L., FIGULI, P. and PRYOR, B.M. 2004. First report of *Alternaria* species groups involved in disease complexes of hazelnut and walnut fruit. **Plant Dis.** 88: 404.
- BLODGETT, J.T., SWART, W.J. and CHEN, W. 1999. First report of *Alternaria tenuissima* as a leaf pathogen of *Amaranthus hybridus* in South Africa. **Plant Dis.** 83: 878.
- BLODGETT, J.T. and SWART, W.J. 2002. Infection, colonization and disease of *Amaranthus hybridus* leaves by the *Alternaria tenuissima* group. **Plant Dis.** 86: 1199-1205.
- CHOU, H.H. and WU, W.S. 2002. Phylogenetic analysis of internal transcribed spacer regions of the genus *Alternaria* and the significance of filament-beaked conidia. **Mycol. Res.** 106: 164-169.
- EL-KHOLI, M.M., RAGAB, M.M., HUSSEIN, M.Y. and RAGAB, M.M. 1994. *Alternaria* leaf spot of sugar beet in Egypt. **Egypt J. Phytopathol.** 2: 179-193.
- GANNIBA, P.B., KLEMSD, S.S. and LEVITIN, M.M. 2007. AFLP analysis of Russian *Alternaria tenuissima* populations from wheat kernels and other hosts. **Eur. J. Plant Pathol.** 119: 175-182.
- GASONSHI, K. and TAKANASHI, K. 1973. Resistance of pear black spot pathogen to polyoxin. **Ann. Phytopathol. Soc. Japan** 39: 173-174.
- GHOSTA, Y. 2004. **A taxonomic study on the genus *Alternaria* from Iran.** Ph.D. Thesis, Submitted to Tarbiat Modarres University, Tehran, Iran. 194 pp.
- GRUZDEVIENE, E., MANKEVICIENE, A., LUGAUSKAS, A. and REPECKIENE, J. 2006. The effect of environmental conditions on the variation of fungi and mycotoxin contents in oil flax seed. **Ecology** 3: 64-70.
- HOFFMAN, D.D., DIERS, B.W., HARTMAN, G.L., NICKELL, C.D., NELSON, R.L., PEDESON, W.L., COBER, E.R., GREAF, G.L., STEADMAN, J.R., GRAU, C.R., NELSON, B.D., RIO, L.E., HELMS, T., ANDRSON, T., POYSA, V., RAJCAN, L. and STIENSTRA, W.C. 2002. Selected soybean plant introductions with partial resistance to *Sclerotinia sclerotiorum*. **Plant Dis.** 86: 971-980.
- HUTTON, D.G. 1988. The appearance of dicarboximide resistance in *Alternaria alternata* in passionfruit in South-East Queensland Australia. **Aust. J. Plant Pathol.** 17: 34-36.
- KARIMI, A.R. 1971-75. **Annual Report.** Plant Pests and Disease Research Institute, Tehran, Iran.
- KHAN, S.A.J. and KHANZADA, A.K. 1987. A new leaf spot disease of pea (*Pisum sativum* L.) caused by *Alternaria tenuissima* (Kunze ex Pers.) Wiltshire. **Pakistan J. Sci. Ind. Res.** 30(1): 46.
- KISHORE, P., SINGH, V.S. and GANDHI, S.K. 2007. Variability among *Alternaria solani* isolates causing early blight of tomato. **Ind. Phytopathol.** 60: 180-187.
- KONSTANTINOVA, P., BONANTS, P.J.M., VAN GENT-PELZER, M.P.E., VAN DER ZOUWEN, P. and VAN DEN BULK, K. 2002. Development of specific primers for detection and identification of *Alternaria* spp. in carrot material by PCR and comparison with blotter and plating assay. **Mycol. Res.** 106: 23-33.
- LAGOPODI, A.L. and THANASSOULOPOULOS, C.C. 1998. Effect of a leaf spot disease caused by *Alternaria alternata* on yield of sunflower in Greece. **Plant Dis.** 82: 41-44.
- LARRAN, S., ROLLAN, C., ÁNGELRS, H.B., ALIPPI, H.E. and URRUTIA, M.I. 2002. Endophytic fungi in healthy soybean leaves. **Invest. Agric. Prod. Protec. Veg.** 17: 173-178.
- MA, Z., FELTS, D. and MICHAILIDES, T.J. 2003. Resistance to azoxystrobin in *Alternaria* isolates from pistachio in California. **Pest. Biochem. Physiol.** 77: 66-74.

- MILLER, P.R. and POLLARD, H.L. 1976. Multilingual compendium of plant disease. American Pytopathological Society, St. Paul, Minnesota. 457pp.
- MORTON, F.J. 1964. Species of *Alternaria* on *Brassica* host in New Zealand. **New Zealand J. Bot.** 2: 19-33.
- NEERGAARD, P. 1945. Danish species of *Alternaria* and *Stemphylium*. Munksgaard, Copenhagen. 560 pp.
- NEES VON ESENBECK, C.G. 1816-1817. Das system der pilze und schwame stahelschlen buchhandlung wurzburg. XXXVIII + 329 pp.. Pl. I-XXVII (1816); Pl. XXVIII-XLIV.
- NUTSUGAH, S.K., KOHOMOTO, K., OTANI, H., KODAMA, M. and SUNKESWERI, R.R. 1994. Production of a non-specific toxin by germinating spores of *Alternaria tenuissima* causing leaf spot of pea. **J. Phytopathol.** 140: 19-31.
- PASCHE, J.S., WHARAM, C.M. and GUDMESTAD, N.C. 2002. Shift in sensitivity of *Alternaria solani* (potato early blight) to strobilurin fungicides. **Proc. BCPC Conf. Pests & Dis.** PP. 841-846.
- PRYOR, B.M. and MICHAILIDES, T.J. 2002. Morphological, pathogenic and molecular characterization of *Alternaria* isolates associated with *Alternaria* late blight of pistachio. **J. Phytopathol.** 92: 406-416.
- RAHMAN, M.Z., MUROGUCHI, N., ARASE, S. and HONDA, Y. 2003. Red-light-induced resistance in Broad Bean (*Vicia faba* L.) to leaf spot disease caused by *Alternaria tenuissima*. **J. Phytopathol.** 151: 86 – 91.
- REIS, A. and BOITEUX, L.S. 2010. *Alternaria* species infecting brassicaceae in the brasilian neotropics: geographical distribution, host range and specificity. **J. Plant Pathol** 92: 661-668.
- SERDANI, M., KANG, J.C. ANDERSEN, B. and CROUS, P.W. 2002. Characterization of *Alternaria* species-groups associated with core rot of apples in South Africa. **Mycol. Res.** 106: 561-569.
- SIMMONS, E.G. 1967. Typification of *Alternaria*, *Stemphylium* and *Ulocladium*. **Mycologia** 59: 67-92.
- SIMMONS, E.G. 1981. *Alternaria* themes and variations. **Mycotaxon** 13: 16-34.
- SIMMONS, E.G. 1986a. *Alternaria* themes and variations (17-21). **Mycotaxon** 25: 203-216.
- SIMMONS, E.G. 1986b. *Alternaria* themes and variations (22-26). **Mycotaxon** 25: 287-308.
- SIMMONS, E.G. 1986. *Alternaria* themes and variations (14-16). **Mycotaxon** 25: 195-202.
- SIMMONS, E.G. 1992. *Alternaria* taxonomy: current status, viewpoint, challenge. Pp. 37-62, In: J. Chelkowski and A. Visconti (Eds.). **Alternaria Biology, Plant Diseases, and Metabolites**, Elsevier, the Netherlands.
- SIMMONS, E.G. 1993. *Alternaria* themes and variations (63-72). **Mycotaxon** 48: 91-107.
- SIMMONS, E.G. 1994a. *Alternaria* themes and variations (106-111). **Mycotaxon** 50: 409-427.
- SIMMONS, E.G. 1994b. *Alternaria* themes and variations (74-105). **Mycotaxon** 50: 219-270.
- SIMMONS, E.G. 1995. *Alternaria* themes and variations (112-144). **Mycotaxon** 55: 55-163.
- SIMMONS, E.G. 1996a. *Alternaria* themes and variations (145-149). **Mycotaxon** 57: 391-409.
- SIMMONS, E.G. 1996b. *Alternaria* themes and variations (150). **Mycotaxon** 59: 319-335.
- SIMMONS, E.G. 1997. *Alternaria* themes and variations (151-223). **Mycotaxon** 65: 1-91.
- SIMMONS, E.G. 1998. *Alternaria* themes and variations (226-235). **Mycotaxon** 70: 263-323.
- SIMMONS, E.G. 1999a. *Alternaria* themes and variations (226-235). Classification of citrus pathogens. **Mycotaxon** 70: 263-323.
- SIMMONS, E.G. 1999b. *Alternaria* themes and variations (236-243). Host specific toxin producers. **Mycotaxon** 70: 325-369.
- SIMMONS, E.G. 2000. *Alternaria* themes and variations (244-286). **Mycotaxon** 75: 1-115.
- SIMMONS, E.G. 2007. *Alternaria: An Identification Manual*. CBS Biodiversity Series 6. 775pp.
- SIMMONS, E.G. and ROBERTS, R.G. 1993. *Alternaria* themes and variations (73). Morphology and toxigenicity of *Alternaria* associated with black spot disease of Japanese pear. **Mycotaxon** 48: 109-140.
- SINGH, D.B. and RAI, B. 1982. Studies on the leaf surface mycoflora of mustard (*Brassica campestris* L. cv. YS-42). **Bull. Tor. Bot. Club** 107: 447-452.
- SOMMA, S., POSE, G., PARDO, A., MULE, G. and PINTO, V. F. 2011. AFLP variability, toxin production, and pathogenicity of *Alternaria* species from Argentinean tomato fruits and puree. **Intl. J. Food Microbiol.** 145: 414-419.

- STRANDBERG, J.O. 1992. *Alternaria* species that attack vegetable crops: biology and options for disease management. Pp. 175-208 *In*: J. Chelkowski and A. Visconti (Eds). ***Alternaria Biology, Plant Disease, and Metabolites***. Elsevier, the Netherlands.
- SWART, W.J. and KRIEL, W.M. 2002. Pathogens associated with necrosis of Cactus Pear cladodes in South Africa. ***S. Africa Plant Dis.*** 86: 693.
- TAHERI-ARDESTANI, S., SHARIFNABI, B., ZARE, R., and ABBASI MOGHADAM, A. 2008. Two new *Alternaria* species on potato from Iran. ***Proc. 18<sup>th</sup> Iran. Plant Protect. Cong., Hamedan, Iran***: 674.
- ZHANG, T.Y. 1999. Taxonomic studies of *Alternaria* from China VIII. New specie and new varieties on Gramineae, Iridaceae and Liliaceae. ***Mycotaxon*** 72: 443-453.

Archive of SID