Int. J. Environ. Sci. Tech., 5 (1), 43-52, Winter 2008 ISSN: 1735-1472 © IRSEN, CEERS, IAU

Environmental management of coastal regions in the Caspian Sea

¹J. Nouri; ²*A. R. Karbassi; ¹S. Mirkia

¹Department of Environmental Management, Graduate School of the Environment and Energy, Science and Research Campus, IAU, Tehran, Iran

² Graduate Faculty of the Environment, University of Tehran, P. O. Box 14155-6135, Tehran, Iran

"Tgegkxgf "46'Ugr vgo dgt"4229=""tgxkugf "5"P qxgo dgt"4229=""ceegr vgf "4: "P qxgo dgt"4229=""cxckrdng"qpnhpg"48'F gego dgt"4229

ABSTRACT: Considering rapid population growth and migration, higher accumulation of communities is noticed in coastal areas. This is especially true with the coastal areas of the Caspian Sea. In the present investigation coastal areas between Jouybar to Behshahr region is selected for their special geographical and ecological locations. Further, adverse impacts of human, agriculture and industrial activities was examined along side the above mentioned coasts. It should be pointed out that protected Miankaleh Wildlife zone which is an internationally recognized wetland, falls within area of study. In the present study strengths, weaknesses, opportunities and threats method is used for the evaluation of environmental management status. In this regard, internal and external factors gained 2.28 and 2.58 scores. This is indicative of the abundance of weaknesses over strengths and it also shows that opportunities are more than threats. Subsequently 27 strategies were developed and quantitative strategic planning matrix method was also used to score each strategies. The results of quantitative strategic planning matrix method analysis was programmed in strategic position and action evaluation matrix. The present situation falls within "competitive" classification. This is indicative of weakness in coordinating development and environmental strategic plans. The result of present investigation strongly emphasis on compilation of strategic environmental plans for the control of population, pollution emission and land use planning changes. The most important strategies include development of environmental regulations and better supervision on enforcement of laws.

Key words: Caspian sea, human activities, coastal region, SWOT method, SPACE matrix

INTRODUCTION

Strategic planning is currently an extended tool for regional development and territorial structuring. Cities, regions and provinces have carried out their strategic plans on the basis of participation processes, which have driven the later development of their territories (Terrados, et al., 2005). Environmental analysis is a critical part of the strategic management planning process. The strengths, weaknesses, opportunities, and threats (SWOT) framework is proposed by many as an analytical tool which should be used to categorize significant environmental factors both internal and external to the organization (Pickton and Wright, 1998). In simple words, a coastal region is a site where ocean and sea comes together. It encompasses the coastal line environment and neighboring coastal waters. The constructing parts of this scope can include the following cases: coasts, coastal plains, coastal hills, coral reefs, marshes, river deltas, mangrove forests and other coastal phenomena. According to the planning framework for integral management of coastal regions and rivers which was proposed by the UNEP in 1995, river coasts and basins include very significant natural environments. However, they are severely affected by human activities. Both of these systems support a huge gamut of socio-economical activities (Mohammadizadeh, 2000). In other words, coastal regions ready the environment for purification and refining of industrial activities and also furnish appropriate ground for tourism industry development. In effect and from this viewpoint, the advantages of coastal environments become economically important. These regions are different in types of functions, forms and dynamics and one may not easily recognize the boundaries between them. The systems of coastal resources are natural and precious which should be managed for the sake of the present and the future generations. The coastal waters are environmentally very versatile and support a high percentage of oceanic life. However,

Corresponding Author Email: arkarbassi738@yahoo.com Tel./Fax: +98 2161 113 412

J. Nouri, et al.

most of coastal regions are international and inhabited by human beings (Ricketts and Harrison, 2007). The necessity to innovate some methods for management and protection of environment and marine resources has been broadly subjected to various investigations all over the world during 1950s. In the first conference of the national parks in 1962, preserving marine coastal regions was introduced as crucial issue. (Mohammadizadeh, 2000). In 1958, four conventions were issued regarding the marine rights under the title "Geneva Conventions". These are as: 1) continental plateau convention, 2) high marine convention, 3) fishing conventions, and 4) live resources preservation in open seas in the oceans (Sharifipour, 2006). The integrated coastal zone management (ICZM) effectiveness study was undertaken between 1995 and 1997 to determine how well state coastal management programs in the United States were implementing five of the core objectives of the U.S. coastal zone management act (CZMA), (Hershman, et al., 2007; Khan, 1997). It seems that the first preserved coastalmarine region in probably the national Fort Jefferson in Florida in America with an area of 18850 ha. of seaboard and 35 ha. of coastal regions. Though this region was created in 1935, its existence as a preserved marine region was actually taken several years. The number of these regions in 69 countries reached 430 and also 298 regions were under consideration in 1985. Now, more than 120 countries have preserved coastal marine regions (IUCN, 1999), (Table 1). Coastal management aims at eliminating disputations and looks for adjusting the coastal activities with each other. However, coastal environment management looks after for coordination among at matching these activities with ground capabilities. It eliminates the disputations and via providing the actual layout and evaluating the feasibility. Coastal environment management aims at preserving and improving the coastal resources for an increasing world population which undergoes a growing continuous pressure (Salm and Clark, 1984). In environmental management planning, these procedures should be scrutinized and they should match different agents. The sociology scholars try to somehow consider a set of experiences of various societies in the regional planning, especially in natural resources prosperity and management. They also attempt to create a close relationship between the environmental managers and the regional planners The specialist and standard reports are the most precious management tools in the

Marine regions	Number of preserved			
Marine regions	coastal marine region			
South Pole	23			
North Pole	10			
Mediterranean	46			
North-West Atlantic	45			
North-East Atlantic	34			
North Atlantic	24			
Caribbean area	76			
West Africa	125			
South Atlantic	25			
Indian Ocean	25			
North Indian Ocean	24			
South-East Africa	9			
South-East Asia	83			
South and Central Pacific Ocean	49			
North-East Pacific Ocean	54			
North-West Pacific Ocean	201			
South-East Pacific Ocean	25			
Australia	304			
Total	1182			

Table 1: Distribution of the preserved coastal marine regions

development of local and regional groups and sectional approaches. This research attempts to conduct a system to offer optimum solutions for better management, knowing the present environment in the region. The goals of research include three priorities as follows: Identifying the destructive factors on the streamlet in Jouybar-Behshahr, a region where is located in the southern part of the Caspian Sea (Fig. 1). The study has been performed in the north of Iran, nearby the Caspian Sea in 2006-7, identifying strengths, opportunities, weaknesses and threats and finally providing the coastal environment management framework for the proposed region.

MATERIALS AND METHODS

The SWOT methodology leads to the obtainment of quantitative results useful in the first two phases of ICZM: in the first phase (initiation) an internal analysis is made through the calculation of environmental quality (strengths) and territory vulnerability (weaknesses) using environmental indicators. Then, an external analysis is made, through the analysis of threats and opportunities: Threats analysis is made by the use of qualitative and quantitative leopold matrixes that analyze the relation between human activities and natural environment; The opportunities evaluation and analysis is part of the planning phase of ICZM and it is represented by the numerical simulation of various projects on the territory to optimize numerically the results of strengths and threats: This type of numerical



Int. J. Environ. Sci. Tech., 5 (1), 43-52, Winter 2008

Fig. 1: Geographic location of the study area along the southern coast of the Caspian Sea, between Juybar and Behshahr regions

Table 2.	stages (of IC7M	and	SWOT	analycic
1 a D E 2.	stages (JI ICZNI	anu	3001	anaiysis

ICZM stage	SWOT stage	System analysis	Evaluation tools
	Strengths (S)	Internal	Ouality indicators
Initiation	Weaknesses (W)	Internal	Vulnerability indicators
	Threats (T)	External	Quantitative leopold matrixes
Planning	Opportunities (O)	External	Change on environmental quality, decrease of
Management	/	/	/

analysis leads to a feedback process from the planning phase to tethe initiation phase: it is possible to calculate the variations of environmental quality (strengths) and of human interactions intensity (weaknesses) due to the simulation of various projects on the territory (opportunities), (Sanò and Fierro, 2003). Table 2 indicates the stages of ICZM and SWOT analyses. To manage and implement executive plans, initially available resources should be identified. Recognizing the sources is the first step in assessing and planning a land. Without recognizing the parameters relating to the land and marine resources, assessment and planning would be impossible. The region under study includes a part of the Caspian coasts in the Mazandaran province in the distances between the coasts of Jouybar and Behshahr which falls within latitude 52° 80' to 54°. and the longitude 36°45' to 36°75'.

Internal factors evaluation (IFE) matrix

Internal factors consist of strengths and weaknesses. Many factors for strengths and weaknesses are determined. These factors are weighted in a way that the sum of these weighs is equal to one. Then, a score is allocated to each factor. These scores range between 1 and 4. Score 1 denotes severe weakness, score 2 shows common weakness, score 3 indicates for a common strength and finally score 4 brings out important strengths. Therefore, there are a weight and a score for each factor. Once weight is multiplied by score, attractiveness of the factors can be assessed. If sum of all effective factors is less than 2.5, one can concludes that weaknesses are more than strengths. However, sums more than 2.5 indicate that strengths dominate over weaknesses.

External factors evaluation (EFE) matrix

External factors consist of opportunities and threats. In this regard, all the steps are similar to IFE matrix.

Strategic position and action evaluation (SPACE) matrix

Considering the factors of IFE and EFE matrix for aquaculture, variables that introduce "financial strengths (FS), competitive advantage (CA), environmental stability (ES) and industry strength (IS) are determined. IS and FS are scored between +1 (the worst) to +6 (the best). Then the mean of IS factor and the mean of FS factors are distinct on IS and FS axes. ES and CA are scored from -6 (the worst) to -1(the best). The mean of ES factors and the mean of CA factors are averaged on ES and CA axes. Furthermore, algebraic sum of values on the X axes and algebraic sum of values on the Y axes are averaged. These two points determine the cartesian coordinate of position point. With zero point and position point, the diagram of position evaluation is drawn.

Quantitative strategic planning matrix (QSPM)

Witnessed judgment is used for quantitative strategic planning matrix. Determination of cumulative effects of each important internal and external factors can show the proportional attractiveness of each strategies. For presenting a quantitative strategic matrix, quadric factors (strength, weaknesses, opportunities and threats) from IFE and EFE matrixes are extracted. Allocated weight is written in the following column. Strategies are written in the first row. For score determination, internal and external factors that have a role in success are evaluated. A score from 1 to 4 is allocated to each factors. If a factor has not any important role in strategy selection process, it will not receive any score. This method considers collection of strategies simultaneously. With this matrix, infinite strategies can be evaluated. In the next step, sum of attractiveness of each strategy is computed. In this way, a collection of strategies can be considered simultaneously (Parsayan and Aarabi, 2004).

RESULTS AND DISCUSSION

SWOT analysis has been praised for its simplicity and practicality. As a framework, it has been widely adopted but, generally, its application has been accepted uncritically. It is timely to reappraise its value as a strategic management tool (Pickton and Wright, 1998). As Park and Farajzadeh, (2007) have mentioned, due to the different problems that exist in Iran's northern and southern coastal areas, different policies are considered for solving these problems. The policies for the Caspian Sea coastlines that are based on the strengths and weaknesses can be categorized as: 1. equalization of distribution of population and activities along the coast consistent with the existing ecological capacities, 2. strengthening potential tourism capabilities and promoting its management efficiency at the national and international levels and giving priority to the private sector, 3. preventing irregular expansion of coastal cities and considering the shoreline's limitations for establishing new human settlements, 4. preventing marine environment pollution, prevention of forest destruction, protection of soil-water resources and enhancing shoreline ecotourism via strengthening environmental management. Water pollution in the rivers flowing into the Caspian Sea is slowly detroiting its highly sensitive marine life (Karbassi, et al., a: in press and Karbassi, et al., b: in press). Scientists estimate that each year about of 60,000 metric tons of petroleum byproducts, 24,000 tons of sulfites and 400,000 tons of chlorine are discharged into the Caspian Sea (Aghai, 2003; Nadim,

Int. J. Environ. Sci. Tech., 5 (1), 43-52, Winter 2008

No.	External factors	Weight	Score	Attractiveness					
	Opportunities								
1	*O ₁ : tourism attractions	0.05	4	0.2					
2	O ₂ : Legal preparations for collecting environmental penalties	0.08	3	0.24					
3	O ₃ : Preparing the ground to limit the accessibility to sensitive sites.	0.05	3	0.15					
4	O ₄ : Possibility of installing and starting-up systems for collecting and treating sewages.	0.04	4	0.16					
5	O ₅ : Preparing the essential backgrounds to teach people about environmental issues.	0.05	3	0.15					
6	O ₆ : Possibility to categorize coastal areas with regard to tourists and type of usage.	0.03	3	0.09					
7	O ₇ : Receiving tourist costs and its allocation to promote the environmental quality.	0.04	4	0.16					
8	O ₈ : Possibility of providing fund as environmental loans to minimize environmental	0.04	4	0.16					
	problems.								
9	O ₉ : Possibility of enhancing and reviewing environmental regulations and supervisions.	0.1	3	0.3					
	Threats								
10	*T1: Discharge of un-treated human wastes and industrial ones in to environment.	0.1	1	0.1					
11	T ₂ : Unavailability of central system for collecting litters.	0.07	2	0.14					
12	T ₃ : Excessive consumption of agricultural pesticides and fertilizers	0.05	2	0.1					
13	T ₄ : Congested population per each square km.	0.05	2	0.1					
14	T ₅ : Land use change.	0,06	2	0.12					
15	T ₆ : High ground water tables.	0.05	2	0.1					
16	T_7 : High soil erosion.	0.05	2	0.1					
17	T ₈ : Extraordinary concentration of industries in the province compared to other regions	0.06	2	0.12					
	of the country.								
18	T ₉ : Incremental pollution due to flood rivers.	0.03	1	0.03					
		1		2.52					

* O: Opportunities; T: Threats

Table 4: Evaluation of internal factors	Table 4	4:	Eval	luation	of	internal	factors
---	---------	----	------	---------	----	----------	---------

No.	Internal factors	Weight	Score	Attractiveness					
	Strengths								
1	*S ₁ : Available environmental rules (water, wastes, air, and water boundaries).	0.15	4	0.6					
2	S ₂ : Presence of Department of the Environment in the province.	0.08	3	0.24					
3	S ₃ : Availability of standard environmental laboratories.	0.03	3	0.09					
4	S ₄ : International collaborations and conventions for preserving the sensitive regions.	0.05	3	0.15					
5	S ₅ : Appropriate implantation patterns for agricultural and garden products.	0.02	3	0.06					
6	S ₆ : Presence of skilful environmental experts in the province.	0.05	3	0.15					
7	S ₇ : Sufficient knowledge about contaminant resources.	0.02	3	0.06					
8	S ₈ : Availability of rules for obligatory reports (EIA).	0.05	3	0.15					
	Weaknesses								
10	*W ₁ : Ignoring the sea boundaries and protected areas in the developmental and industrial projects.	0.15	1	0.15					
11	W ₂ : Non-Coordination among at developmental plans.	0.07	1	0.07					
12	W ₃ : Non-observance of the ecotourism regulations.	0.05	2	0.1					
13	W ₄ : Inaccessibility to the required budgets for environment preservation.	0.1	1	0.1					
14	W ₅ : Unavailability of long-term plans for pollution treatment.	0.05	2	0.1					
15	W ₆ : Excessive concentration on wild life in comparison to human resources by Department of the Environment.	0.03	2	0.06					
16	W ₇ : Unavailability of strategic plan for environmental preservation.	0.1 1	2	0.2 2.28					

* S: Strengths; W: Weaknesses

et al., 2006), 5. expansion of fishing ports, fishing fleet, fishing industries and increasing the aquaculture production and export, 6. development and equipment of marine terminals and ports and providing required facilities to meet with the increasing demand for cargo transit, 7. land allocation consistent with coastal environment's potentials and capabilities and 8.

appropriate utilization of soil water resources to increase quality of agricultural products. Hakanson and Blenckner (in press) reported that for coastal management, it is important to defining permissible ranges (lower and upper values), thresholds and points of no return for all bioindicators. This should be done to minimize risks related to changes in ecosystem

J. Nouri, et al.

3) Strengths (S) 4) Weaknesses (W) S1: Available environmental rules (water, wastes, W1: Ignoring the sea boundaries and protected air, and water boundaries) areas in the developmental and industrial Internal factors S2: Presence of Department of the Environment projects. W2: Non-coordination among at developmental in the province S3: Availability of standard environmental plans. W3: Non-observance of the ecotourism laboratories S4: International collaborations and conventions regulations W4: Inaccessibility to the required budgets for for preserving the sensitive regions External Factors environment preservation. W₅: Unavailability of long-term plans for S₅: Appropriate implantation patterns for agricultural and garden products. S₆: Presence of skilful environmental experts in pollution treatment. W6: Excessive concentration on wild life in the province S7: Sufficient knowledge about contaminant comparison to human resources by resources Department of the Environment. S8: Availability of rules for obligatory reports W₇: Unavailability of strategic plan for environmental preservation. (EIA) Strategies on the basis of the strength points and 1) Opportunities (O) Strategies on the basis of strength points and opportunities (SO) opportunities (WO) O1: Tourism attractions - Enactment of environmental laws to promote - Using the potential of the tourism attractions O2: Legal preparations for collecting reception of the penalties, and applying more to accelerate establishing the strategic environmental penalties limitations environmental system and applying - Increasing supervision on execution of O3: Preparing the ground to limit the ecotourism regulations accessibility to sensitive sites. environmental regulations to exactly enact the Considering environmental penalties to O4: Possibility of installing and starting-up laws and enhance the present situations- Use of provide the required budgets for environment systems for collecting and treating the capabilities of private laboratories to preservation determine contamination amount for assessing Enacting and supervising the observation of sewages. O5: Preparing the essential backgrounds to guidelines for considering environmental the penalties teach people about environmental Using the experiences and facilities of boundaries issues international organizations in categorizing the Categorizing the coasts to observe the O6: Possibility to categorize coastal areas environmental boundaries coasts, enhancing the monetary fund supporting with regard to tourists and type of the environment and methods of implementing Effective enforcement of ecotourism usage. the environmental penalties regulations O7: Receiving tourist costs and its Providing an information data bank about the Providing the required budgets for allocation to promote the amount and the type of contaminants to offer environment preservation via enforcing and environmental quality. scientific-operational methods to reduce their receiving the tourism costs O₈: Possibility of providing fund as environmental loans to minimize environmental effects Providing and starting up monetary funds to over- come budget problems More effective use of EIA reports to identify and categorize the sensitive coastal regions and Revising the rules and regulations specific to environmental problems O9: Possibility of enhancing and reviewing offering the environmental education to local coastal regions to match the developmental environmental regulations and communities and industry owners plans and promoting the coastal environment supervisions. situation Revising the rules and regulations specific to the coastal environment for more effective observation of ecotourism regulations. 2) Threats (T) The strategies on the basis of the strength points The strategies on the basis of the weak points and threats (ST) and threats (WT) T1: Discharge of un-treated human wastes - Precise enactment of environmental rules to act - Preparing strategic environmental plans to control the population intensity, contamination distribution and change in the and industrial ones in to environment. against pollution centers producing T₂: Unavailability of central system for - Effective use of environmental rules to avoid excessive concentration of industries in specific lands uses collecting litters. Dividing the supervision capabilities on the T3: Excessive consumption of agricultural area pesticides and fertilizers - Environmental supervisions to prevent part of the Department of the Environment to T4: Congested population per each square discharge of contaminants all around the balance the required controls in the section km flooding rivers relating to human environment compared with T5: Land use change. - Limiting the installation of industries on the wild life T₆: High ground water tables. basis of types of contaminant combinations Preparing long-term monitoring plans for T7: High soil erosion. Determining the amount of required treatment recognizing the conditions of the pollutions T8: Extraordinary concentration of of urban and industrial wastes on the basis of Enhancing the environmental budgets to industries in the province compared to the type of contaminants control pollution Applying the patterns of garden and agricultural other regions of the country. Issuing ecotourism regulations to limit the T₉: Incremental pollution due to flood implementation to reduce the consumption of discharge of the contaminants rivers. pesticides, to avoid soil erosion, to change the Coordination among at the developmental lands functions, and to reduce the contamination plans to promote the quality of the coastal of the underground water. environment - Observing the environmental boundaries to limit the distribution.

Int. J. Environ. Sci. Tech., 5 (1), 43-52, Winter 2008

Table 6: Priorities of the executive strategies for managing the coastal regions between Jouybar and Behshahr

No.	Strategy	Rate	%
1	ST ₂₁ : Strategic environmental planning to control the population concentration, pollution		
	distribution, and land use planning	6.88	5.92%
2	ST _{23:} Long-term monitoring programs to recognize the pollution conditions	5.55	4.77%
3	ST5: Preparing a data bank about the amount and type of contaminants to offer the scientific-		
	operational methods for reducing their environmental effects	5.51	4.74%
4	ST ₂ : Increasing the supervision of the environmental law execution to exactly enforce the law		
	and improve the present situation	5.50	4.73%
5	ST1: Enactment implementation of rules to promote the financial penalties and applying more		
	limitations	5.36	4.61%
6	ST8: Effective application of rules to avoid excessive concentration of industries in one region	5.35	4.60%
7	ST ₂₇ : Observance of environmental boundaries on the basis of the type of contaminant		
	combinations	5.28	4.54%
8	ST ₁₀ : Limiting the establishment of industries on the basis of types of contaminant combinations	5.11	4.39%
9	ST ₂₄ : Raising the environmental budgets to control the pollution	4.97	4.27%
10	ST ₁₄ : Using the environmental financial penalties to provide the required budgets for		
	environment preservation	4.92	4.23%
11	ST ₇ : Exact enforcement of environmental rules to act against pollution of producing centers	4.86	4.18%
12	ST ₉ : Environmental supervision to avoid pollution evacuation around the flooding rivers	4.84	4.16%
13	ST ₄ : Using the possibilities and experiences of the international organizations in categorizing the		
	coasts, enhancing the financial resources for supporting environment, and executing the		
	environmental penalties	4.79	4.12%
14	ST ₂₂ : Dividing the supervision capabilities of the Department of the Environment to balance the		
	required control of the human environment compared to wild life	4.57	3.93%
15	ST ₆ : Take more effective results out of EIA reports to identify and categorize the sensitive		
	coastal regions and offering the environmental training to local communities and the	1.50	2.020/
1.6	industrial owners	4.56	3.92%
10	SI_{26} : Matching the developmental plans to promote the quality of coastal environment	4.42	3.80%
1/	SI_{25} : Enacting ecotourism regulations to limit the development of contaminants	4.02	3.46%
18	S I ₁₁ : Determining the amount of the required treatment of urban and industrial wastes on the	2.62	2 1 2 0/
10	basis of the types of contaminants	3.03	5.12%
19	S I ₁₂ : Applying the patterns of garden and agricultural implementation to reduce the consumption		
	of pesticides, to avoid soil erosion, to change the lands functions, and to reduce the	2 62	2 1 2 0/
20	ST : Using the potential for tourism attraction to accelerate establishing the strategic	5.05	5.12%
20	anyironmental system and applying accounting regulations	3 58	3 08%
21	ST : Enacting and supervising the observance of guidelines for considering environmental	5.56	5.00%
21	boundaries	3 57	3.07%
22	ST.: Making use of the capabilities of private laboratories to determine contamination amount	5.57	5.0770
22	for assessing the penalties	3 54	3 04%
23	ST_{12} : Providing and starting up monetary funds to overcome budget problems	2.79	2.40%
24	ST_{18} : Categorizing the coasts to observe the environmental boundaries. Effective execution of	2.19	2.1070
- ·	ecotourism regulations	2.37	2.04%
25	ST_{12} : Providing the required budgets for environmental preservation via determining and	,	2.3170
20	receiving the tourism costs	2.32	1.99%
26	ST_{20} : Revising the rules and regulations specific to the coastal regions for better observance of	2.32	
-	ecotourism regulations.	2.28	1.96%
	č	Σ = 100%	∑ <u> 116.6</u>

Environmental management of coastal regions...

Table 7: SPACE matrix; the matrix for evaluating situations and strategic measures												
Table /: SPACE matrix; the matrix for evaluating situations and strategic measures	T-1.1.	7. 0	DACE		11		C	· · · · · 1 · · · · · · · ·		1	- 4 4	
Table 7. Since matrix, the matrix for evaluating situations and subtegle measures	Lanie	/ · ·	PALE	matrix	The	matrix	TOT	evaluating	similarions	ana	strategic	measures
	raute	/ · D	INCL	matrix,	unc	matin	101	cvaluating	Situations	unu	Surancesic	measures

Items	Score
Financial Status (FS)	
1. There is no legal backgrounds for receiving the environmental penalties	+4
2. Receiving the tourism penalties and in allocation for the promotion of environmental quality	+6
3. Providing financial resources for environment preservation	+5
	15: 3=5
Industrial Status (IS)	
1. Feasibility of categorizing the coastal regions regarding the tourists returns and the usage type	+3
2. Possibility of enhancing and reviewing the regulations and environmental supervision specific to coastal regions	+3
3. Tourism attractions	+6
4. Making use of international collaborations	+4
5. Environmental rules	+4
	20:5=4
Environmental Stability (ES)	
1. Ignoring the environmental boundaries	-4
2. Excessive concentration of industries in the province comparing to other regions in the country	-6
3. High water surface	-2
4. Presence of flood rivers	-1
	-13: 2= -6.5
Competitive Advantage (CA)	
1. Unavailability of strategic environmental plans	-6
2. There is not any coordination among at the developmental plans	-6
	-12: 2= -6



Fig. 2: The importance of strategies from the most to the least important

structure and biodiversity and keeping an open dialogue between scientists, policy makers, administrators and the general public based on facts and reason rather than feelings and emotions, which are ingredients in many "environmental" debates and discussions. In the Tables 2 and 3, the external elements and the internal factor matrix along with the relative coefficient and scores are presented. As it can be concluded from the results of (Table 4) the sum of the internal factors equals 2.28 which is evident of dominance of weaknesses over the strengths in the area of study. Moreover, the sum of the coefficients in Table 3 equals 2.52 that indicates opportunities and the threats are present in the region. In addition to relationship among strengths, weaknesses, opportunities and threats, the possible strategies were

identified. The concluding results are clearly presented in Table 5. From a theoretical point of view, QSPM can reveal strategies. In other words, QSPM can determine the quality of strategy that can successfully use the internal and external effective factors. The associative effects of each one of such internal and external effective factors could determine the relative interaction of each strategy within the application strategy aggregate. Finally by applying appropriate scores and coefficients, strategies were set in accordance to their attractiveness (Table 6). After arrangements of the strategies by their importance, they were categorized into three groups: important, average and weak. Table 6 manifests such categorization. According to Table 6, it is apparent that about 40% of the strategies is considered as the important strategies, 50% of them is



Int. J. Environ. Sci. Tech., 5 (1), 43-52, Winter 2008

Fig. 3: Position evaluation diagram of SPACE matrix

regarded as average strategies, and the remaining 10% is among the weak strategies (Fig. 2). Now, the organization can apply and implement the environmental management strategies in the region, using this prioritization on the basis of time and location. As mentioned in the materials and methods first of all. the four variables of FS, CA, ES and IS are determined and rated (Table 7). When there is a vector in the matrix invasive position, the organization stands in the possible best status and can take the following measures through using the internal capabilities or strengths: 1. to use internal opportunities, 2. to remove internal weaknesses and 3. to avoid external threats. If the vector stands in the conservative position, it means that organization should preserve its own merits and avoid exposure to high risks. If the vector settles in the defensive position, it means that the internal weak points should be amended and external threats should be avoided. However according to Fig. 3, the position of region does not fall in to the 3 above mentioned zones. The situation of the region under study is using a competitive strategy. This means that special attention must be paid to the competitive strategies, i.e. expressing the strategic environmental planning and matching the plans for development. It should be pointed out that strategic environmental assessment (SEA) is not a common practice in developing countries

including Iran. Thus, development of strategies is considered periodically. Under such situation, the SWOT analysis should be carried out from time to time to meet with new situations. In the present investigation, proper strategies were developed using the SWOT method. These strategies cover wide range of policies that should be implemented at a shorter time. The present study also showed that more clear coordination is needed among various organizations.

ACKNOWLEDGEMENTS

The authors would like to express their sincere appreciation for the Organizations and Departments in Iran which cooperate in this research, such as Management and Planning Organization; Jihad-Agriculture Ministry as well as the Caspian Sea local authorities. Moreover, sincere thanks to Miss. Jalalvandi for her translation assistance throughout the article text.

REFERENCES

- Aghai, D. B., (2003). Pollution in the Caspian Sea, Payvand Iran News, available at http://www.payvand.com/news/02/ jul/1073.html
- Hakanson, L.; Blenckner, T., (in press). A review on operational bioindicators for sustainable coastal management-criteria, motives and relationships. Ocean and Coastal Management. Elsevier Publisher.

J. Nouri, et al.

- Hershman, M. J.; Good, J. W.; Bernd-Cohen, T.; Goodwin, R. F.; Lee, V.; Pogue, P., (2007). The effectiveness of coastal zone management in the United States. Coast. Manage., 27 (2), 113-138.
- IUCN (1999). Guidelines for marine protected areas. Edited and coordinated by G. R. A. Eme 7 K. Green. The World Conservation Union.
- Karbassi, A. R.; Nouri, J.; Ayaz, G. O., (in press: a). Behavior of Cu, Zn, Pb, Ni and Mn during mixing of Cu, Zn, Pb, Ni and Mn during mixing of freshwater. Desalination, Elsevier Publisher.
- Karbassi, A. R.; Nouri, J.; Mehrdadi, N.; Ayaz, G. O., (in press: b). Flocculation of heavy metals during mixing of freshwater with Caspian Sea water. Environ. Geo., SpringerLink Publisher.
- Khan, N. Y., (1997). Role of environmental impact assessment in integrated coastal zone management, in coastal zone management imperatives for maritime developing nations, Kluwer Academic Publishers.
- Mohammadizadeh, M., (2000), Environmental Management of south coast of Caspian sea Organization and administration perspectives, M.Sc. thesis, in environmental management, Science and Research Campus, IAU, Tehran, Iran.
- Nadim F.; Bagtzoglou A. C.; Iranmahboob J., (2006). Management of coastal areas in the Caspian Sea region: Environmental issues and political challenges. Coast. Manage., 34, 153-165.

- Park, A.; Farajzadeh, M., (2007). Iran's integrated coastal management plan: Persian Gulf, Oman Sea, and southern Caspian Sea coastlines. Ocean Coast. Manage., 50 (9), 754-773.
- Parsayan, A.; Aarabi, M., (2004). Strategic management, 6th. Ed. Cultural Studies Office, Tehran, Iran.
- Pickton, W. D.; Wright, S., (1998). What's SWOT in strategic analysis?, Strategic Change, 7(2), 101-109.
- Ricketts, P.; Harrison, P., (2007). Coastal and ocean management in Canada: moving into the 21st Century. Coast. Manage., 35, 5–22.
- Salm, R. V.; Clark, J. R., (1984). Marine and coastal protected areas: A guide for planners and managers. IUCN, Gland, Switzerland.
- Sanò, M.; Fierro, G., (2003). Integration of the SWOT analysis as a coastal management tool with a geographical information system: Two approaches to the problem and first results Dipartimento per lo studio del Territorio e delle sue Risorse (Dip.Te.Ris.) Università di Genova (IT), University of Georgia.
- Sharifipour, R., (2006). Environmental sensitivity of Bushehr province coastline in regard with pollutand hazardous, Ph.D. thesis, Science and Research Campus, IAU, Tehran, Iran.
- Terrados, J.; Almonacidand, G.; Hontoria, L., (2005). Regional energy planning through SWOT analysis and strategic planning tools. Impact on renewables development. Renew. Sust. Energ. Rev., 11 (6), 1275-1287.
- UNEP (1995). Guidelines for integrated management of coastal and marine areas. United Nations Environment Programe.

AUTHOR (S) BIOSKETCHES

Nouri, J., Ph.D., Professor, Department of Environmental Management, Graduate School of the Environment and Energy, Science and Research Campus, IAU, Tehran, Iran. Email: *nourijafar@gmail.com*

Karbassi, A. R., Ph.D., Assistante professor, Graduate Faculty of the Environment, University of Tehran, Tehran, Iran. Email: *arkarbassi738@yahoo.com*

Mirkia, S., M.Sc., Department of Environmental Management, Graduate School of the Environment and Energy, Science and Research Campus, IAU, Tehran, Iran. Email: *samareh.mirkia@gmail.com*

This article should be referenced as follows:

Nouri, J.; Karbassi, A. R.; Mirkia, S., (2008). Environmental management of coastal regions in the Caspian Sea. Int. J. Environ. Sci. Tech., 5(1), 43-52.