

Application of an Ant Colony Optimization Algorithm for Optimal Operation of Reservoirs: A Comparative Study of Three Proposed Formulations

R. Moeini¹ and M.H. Afshar^{1,*}

Abstract. This paper presents an application of the Max-Min Ant System for optimal operation of reservoirs using three different formulations. Ant colony optimization algorithms are a meta-heuristic approach initially inspired by the observation that ants can find the shortest path between food sources and their nest. The basic algorithm of Ant Colony Optimization is the Ant System. Many other algorithms, such as the Max-Min Ant System, have been introduced to improve the performance of the Ant System. The first step for solving problems using ant algorithms is to define the graph of the problem under consideration. The problem graph is related to the decision variables of problems. In this paper, the problem of optimal operation of reservoirs is formulated using two different sets of decision variable, i.e. storage volumes and releases. It is also shown that the problem can be formulated in two different graph forms when the reservoir storages are taken as the decision variables, while only one graph representation is available when the releases are taken as the decision variables. The advantages and disadvantages of these formulation are discussed when an ant algorithm, such as the Max-Min Ant System, is attempted to solve the underlying problem. The proposed formulations are then used to solve the problem of water supply and the hydropower operation of the "Dez" reservoir. The results are then compared with each other and those of other methods such as the Ant Colony System, Genetic Algorithms, Honey Bee Mating Optimization and the results obtained by Lingo software. The results indicate the ability of the proposed formulation and, in particular, the third formulation to optimally solve reservoir operation problems.

Keywords: Ant colony optimization; Max-Min Ant System; Graph; Optimal operation of reservoir; Hydropower reservoir.

INTRODUCTION

Many optimization problems of practical, as well as theoretical, importance consist of the search for the "best" configuration of a set of variables to achieve some goals. They seem to be divided naturally into two categories: Those in which the solutions are encoded with real-valued variables and those where solutions are encoded with discrete variables. Among the latter, there is a class of problem called Combinatorial Optimization (CO) problems. According to Papadimitriou and Steiglitz [1], in CO problems one is looking for an object from a finite set. Examples of CO problems are the Traveling Salesman Problem (TSP), the Quadratic Assignment Problem (QAP) and Time Tabling and Scheduling Problems. Due to the practical importance of CO problems, many algorithms have been developed to tackle them [2].

In the last 20 years, a new kind of approximate optimization method has emerged, which basically tries to combine basic heuristic methods with higher level frameworks aimed at efficiently and effectively exploring a search space. These methods are nowadays commonly called metaheuristics. Before this term was widely adopted, metaheuristics were often called modern heuristics. This class of algorithm includes, but is not restricted to, Ant Colony Optimization (ACO) and Evolutionary Computation (EC), including Genetic Algorithms (GA), Iterated Local Search (ILS), Simulated Annealing (SA), and Tabu Search (TS). Up to now there has not been any commonly accepted

^{1.} Department of Civil Engineering, Iran University of Science and Technology, Tehran, P.O. Box 16765-163, Iran.

 $^{*. \} Corresponding \ author. \ E-mail: \ mhafshar@iust.ac.ir$

Received 17 October 2007; received in revised form 18 September 2008; accepted 8 November 2008

definition for the term meta-heuristics. It is just in the last few years that some researchers in the field have tried to propose a definition [2].

Within the last decade, many researchers have shifted the focus of optimization problems from traditional optimization techniques, based on linear and non-linear programming, to the implementation of Evolutionary Algorithms (EAs), Genetic Algorithms (GAs), Simulated Annealing (SA) and Ant Colony Optimization (ACO) algorithms.

ACO is a metaheuristic approach proposed by Cloroni et al. [3] and Dorigo et al. [4]. The basic algorithm of ant colony optimization is the Ant System (AS). Many other algorithms have been introduced to improve the performance of the Ant System such as Ant Colony System (ACS), Elitist Ant System (AS_{elite}), Elitist-Rank Ant System (AS_{rank}) and Max-Min Ant System (MMAS) [5]. Advancements have been made on the initial and most simple formulation of ACO, the Ant System (AS), to improve the operation of the decision policy and the manner in which the policy incorporates new information to help explore the search space. These developments have primarily been aimed at managing the trade-off between the two conflicting search attributes of exploration and exploitation.

In this paper, MMAS is applied to the problem of reservoir operation. Three different formulations are presented to cast the underlying problem into a form suitable for the application of MMAS. Two of these formulations use storage volumes as the decision variables, while the other formulation considers the releases as the decision variable of the problem. With the releases taken as the decision variable, referred to as first formulation, each period of the operation is considered as the decision point of the problem. Discretizing the range of possible values of release at each period, the options available at each decision point are then represented by the set of discretized values of the releases. When storage volumes are taken as the decision variables, two different formulations are possible. In the first representation, referred to as the second formulation, the beginning and end of each period are taken as the decision points of the problem. Having discretized the range of possible values of storage volumes at each decision point, the options available are then represented by the set of discretized values of the storage volumes at each decision point. In this representation, it is not possible to associate a cost with the options available at each decision point due to the fact that the cost function of the problems considered is a function of release. In the second representation of the reservoir operation problem, with storage volumes taken as decision variables and referred to as the third formulation, the beginning and end of each period are again taken as the decision points of the problem, as in the second formulation. Having discretized the

range of allowable storage volume at all decision points, available options at each decision point are represented now by the arcs joining each and every one of the discretization points to all discretization points of the next decision point. This formulation offers the advantage of defining a heuristic value for all the different operation problems, since each arc uniquely defines the operation policy of the corresponding period. The formulations so constructed are applied to solve the water supply and hydropower operation problems of the "Dez" reservoir and the results are presented. The results indicate the MMAS is a suitable method for the solution of reservoir operation problems compared to other ant algorithms. The results also indicate that the third formulation is superior to other formulations when solving larger scale water supply operation problems.

In what follows, the Ant Colony Optimization Algorithm (ACOA) is first described. The Max-Min Ant System is then presented. The proposed formulations of the reservoir operation problem are presented in the next section. And, finally, the "Dez" reservoir operation problem is solved using MMAS and proposed formulations and the results are presented and compared to the existing results.

ANT COLONY OPTIMIZATION ALGORITHM (ACOA)

Ant algorithms were initially inspired by the observation that ants can find the shortest path between food sources and their nest, even thought they are almost blind [4]. Individual ants choose their path from the nest to the food source in an essentially random fashion. While walking from the food source to the nest and vice versa, the ants deposit on the ground a substance called pheromone forming, in this way, a pheromone trail. Ants can smell pheromone and they tend to choose paths marked by strong pheromone concentrations when choosing their way [6]. The pheromone trail acts as a form of indirect communication called stigmergy, helping the ants to find their way back to the food source or the nest. Also, it can be used by other ants to find the location of the food source [7,8].

Based upon this ant behavior, Cloroni et al. [3] and Dorigo et al. [9] developed ACO method. In the Ant Colony Optimization meta-heuristic, a colony of artificial ants cooperates in finding good solutions to difficult discrete optimization problems [10]. The original and simplest ACO algorithms used to solve many difficult combinatorial optimization problems are TSP [6], graph coloring [11] and network routing [12].

The searching behavior of ant algorithms can be characterized by two main features, exploration and exploitation. Exploration is the ability of the algorithm to broadly search through the solution space, whereas exploitation is the ability of the algorithm to search

thoroughly in the local neighborhood, where good solutions have previously been found. Higher exploitation is reflected in rapid convergence of the algorithm to a suboptimal solution, whereas higher exploration results in better solutions at higher computational cost due to the slow convergence of the method. Different methods have been developed for a proper trade-off between exploration and exploitation in ant algorithms.

Application of ant algorithms to an arbitrary combinatorial optimization problem requires that the problem be projected on a graph [9]. Consider a graph, $\mathbf{G} = (\mathbf{D}, \mathbf{L}, \mathbf{C})$ in which $D = \{d_1, d_2, \dots, d_n\}$ is the set of decision points at which some decisions are to be made, $L = \{l_{ij}\}$ is the set of options (arcs) j, $(j = 1, 2, \dots, J)$, at each of the decision points i, $(i = 1, 2, \dots, n)$, and finally $C = \{c_{ij}\}$ is the set of costs associated with options $L = \{l_{ij}\}$. The components of sets \mathbf{D} and \mathbf{L} may be constrained if required. A feasible path on the graph is called a solution (φ) and the minimum cost path on the graph is called the optimal solution (φ^*) . The cost of the solution is denoted by $f(\varphi)$ and the cost of the optimal solution by $f(\varphi^*)$.

ACOA was used first for the Traveling Salesman Problem (TSP). In TSP, each ant starts from an arbitrary city and, while passing all other cities, goes back to the starting city. The object of this problem is to find the shortest path covering all cities only once. The graph of this problem is presented in Figure 1. Each city is considered as a decision point, therefore, the number of decision points is equal to the number of cities. Each option (arcs) defines the path taken from one city to another. In TSP, each city (decision point) is connected to all other cities (decision points) and, hence, the use of a fully connected graph. This means that in TSP each ant is faced with the total number of options nearly equal to the number of cities. When an option (arc) is chosen by an ant, the next city (decision



Figure 1. Basic graph for TSP.

point) to move to is known. The cost of each option is equal to the distance between two cities.

The basic steps of the ant algorithm may be defined as follows [10]:

- 1. m ants are randomly placed on n decision points, and the amounts of pheromone trail on all arcs are initialized to some proper value at the start of the computation.
- 2. A transition rule is used at each decision point, i, to decide which option is to be selected. The ants move to the next decision point and the solutions are incrementally created by ants as they move from one point to the next. This procedure is repeated until all decision points of the problem are covered.

The transition rule used in the original Ant System is defined as follows [10]:

$$P_{ij}(k,t) = \frac{[\tau_{ij}(t)]^{\alpha} [\eta_{ij}]^{\beta}}{\sum_{j=1}^{J} [\tau_{ij}(t)]^{\alpha} [\eta_{ij}]^{\beta}},$$
(1)

where:

- $P_{ij}(k,t)$ the probability that ant k selects option $L_{ij}(t)$ for the *i*th decision point at iteration t;
- $au_{ij}(t)$ the concentration of pheromone on option (arc) $L_{ij}(t)$ at iteration t;
- η_{ij} the heuristic value representing the cost of choosing option j at point i;
- α the parameter that control the relative weight of the pheromone trail;
- β the parameter that controls the relative weight of the heuristic value.

The heuristic value (η_{ij}) is analogous to providing the ants with sight and is sometimes called visibility. This value is calculated once at the start of the algorithm and is not changed during the computation.

- 3. Costs, $f(\varphi)$, of the trail solutions generated are calculated. The generation of a complete trail solution and calculation of the corresponding cost is called the cycle (k).
- 4. The pheromone is updated after steps 2 and 3 are repeated for all ants and, therefore, the generation of m trail solutions and calculation of their corresponding costs are referred to as iteration (t).

The general form of the pheromone updating rule is as follows:

$$\tau_{ij}(t+1) = \rho \tau_{ij}(t) + \Delta \tau_{ij}, \qquad (2)$$

where:

$\tau_{ii}(t+1)$	the amount of pheromone trail on option
5. ,	j at the <i>i</i> th decision point, which is
	option L_{ij} at iteration $t+1$;
$ au_{ij}(t)$	the concentration of pheromone on
	option L_{ij} at iteration t ;
ho	the coefficient representing the
	pheromone evaporation $(0 \le \rho \le 1);$
Δau_{ij}	the change in pheromone concentration
-	associated with option L_{ij} .

Different methods have been developed for calculating the change of pheromone, $\Delta \tau_{ij}$, one of which is the Max-Min Ant System [13].

MAX-MIN ANT SYSTEM

Premature convergence to suboptimal solutions is an issue that can be experienced by all ant algorithms. To overcome the problem of premature convergence, whilst still allowing for exploitation, Stutzle and Hoss [14,15] developed the Max-Min Ant System (MMAS). The basis of MMAS is the provision of dynamically evolving bounds on the pheromone trail intensities, such that the pheromone intensity on all paths is always within a specified lower bound, $\tau_{\min}(t)$, of a theoretically asymptotic upper limit, $\tau_{\min}(t)$, that is $\tau_{\min}(t) \leq \tau_{ij}(t) \leq \tau_{ij}(t)$ $\tau_{\max}(t)$ for all edges (i, j). As a result of the lower bound stopping the pheromone trails from decaying to zero, all paths always have a nontrivial probability of being selected and, thus, a wider exploration of the search space is encouraged. The upper pheromone bound at iteration t is given by:

$$\tau_{\max}(t) = \frac{1}{1-\rho} \frac{\phi}{f(s^{gb}(t))},\tag{3}$$

where:

$$\begin{split} \tau_{\max}(t) & \text{upper bound of pheromone trail at} \\ & \text{iteration } t; \\ \rho & \text{the coefficient representing pheromone} \\ & \text{evaporation } (0 \leq \rho \leq 1); \\ \phi & \text{rewarding factor (usually } \phi = 1); \\ f(s^{gb}(t)) & \text{cost of the best global solution at} \\ & \text{iteration } t. \end{split}$$

This expression is equivalent to the asymptotic limit of an edge receiving pheromone additions of $\frac{\phi}{f(s^{gb}(t))}$ and decaying by a factor of $(1-\rho)$ at the end of each iteration. The lower bound at iteration t is given by:

$$\tau_{\min}(t) = \frac{\tau_{\max}(t) \left(1 - \sqrt[n]{P_{\text{best}}}\right)}{\left(\text{NO}_{\text{avg}} - 1\right) \sqrt[n]{P_{\text{best}}}},\tag{4}$$

where $P_{\text{best}}(0 \le P_{\text{best}} \le 1)$ is a specified probability that the current global-best path $(s^{gb}(t))$ will be selected, R. Moeini and M.H. Afshar

given that no global best edge has a pheromone level of $\tau_{\min}(t)$ and all global-best edges have a pheromone level of $\tau_{\max}(t)$; and NO_{avg} is the average number of edges across all decision points.

It should be noted that a lower value of P_{best} indicates tighter bounds. Theoretical justification of $\tau_{\min}(t)$ and $\tau_{\max}(t)$ is given in Stutzle and Hoos [16].

As the bounds serve to encourage exploration, provision for exploitation is made in MMAS by addition of pheromone to only the iteration-best ant path $(s_l(t))$ at the end of an iteration and, to further exploit, the global-best solution $(s^{gb}(t))$ is updated every T_{gb} iterations. The MMAS updating scheme is given by:

$$\tau_{ij}(t+1) = \rho \tau_{ij}(t) + \Delta \tau_{ij}^{ib}(t) + \Delta \tau_{ij}^{gb}(t) I_N \left\{ \frac{t}{T_{gb}} \right\}_{(5)},$$

where N is the set of natural numbers (note, $\frac{t}{T_{gb}}$ is an element of N in every T_{gb} iteration), and $\Delta \tau_{ij}^{ib}(t)$ is the pheromone addition given by iteration-best ant $(s_l(t))$, which is defined as below:

$$\Delta \tau_{ij}^{ib}(t) = \frac{\phi}{f(s_l(t))} I_{s_l(t)}\{(i,j)\},\tag{6}$$

where:

$$\begin{array}{ll} \phi & \text{the coefficient (usually } \phi = 1); \\ f(s_l(t)) & \text{cost of best global solution at iteration } t; \\ I_{s_l(t)} = 1 & \text{if arc } (i,j) \text{ is chosen by best ant } (ib); \\ I_{s_l(t)} = 0 & \text{otherwise.} \end{array}$$

Application of MMAS to some benchmark combinatorial optimization examples such as the Traveling Salesman Problem (TSP), has shown that it overcomes the stagnation problem and, hence, improves the performance of the ant algorithms for the range of problems considered.

FORMULATION OF THE RESERVOIR OPERATION PROBLEMS

A variety of reservoir operation problems have been devised and solved with different methods. Three major modeling approaches that have been widely used for optimization of reservoir operation problems are: Linear Programming (LP), Non-Linear Programming (NLP) and Dynamic Programming (DP). Application of DP techniques to water resource systems has been reviewed by Yakowitz [17]. Marino and Loaiciga [18] and Becker and Yeh [19] solved the optimal operation of reservoirs with DPs. Recently, Mousavi and Karamouz [20] improved the DP models by diagnosing infeasible storage combinations and using the results for solving multi-reservoir operation problems. However, the main shortcoming of DP

is the exponential increase in computational burden and memory requirements, known as the curse of dimensionality, as the number of state variables increase. Thus, the applicability of DP is limited to systems with very few reservoirs. To partially overcome the dimensionality problem in dynamic programming, evolutionary algorithms have been used. There have been several applications of GAs to multi-reservoir operation problems [21-23]. Esat and Hall [21] clearly demonstrated the advantages of GAs over standard dynamic programming techniques in terms of computational requirements. Wardlaw and Sharif [24] applied GAs to a four-reservoir system operation problem concluding that GA's with real value coding perform significantly faster than those employing binary coding. They extended the formulation to a more complex ten-reservoir problem. Being at its early stages of development, a Honey-Bee Mating Optimization (HBMO) meta-heuristic algorithm was applied to a single reservoir operation problem [25]. Recently, Jalali et al. used a multi-colony ant colony optimization algorithm to solve a ten-reservoir operation problem [26].

With a view to handle the scale aspect of the reservoir operation problem using heuristic search methods, such as ACOA uses here, only reservoir operations for the water supply and reservoir operations for the hydropower generation of a single reservoir with a known storage volume at the start of the operation are considered in this paper. The extension of the methods to multi-reservoir problems will pose no problem once the basics of the methods are understood.

Reservoir Operation for Water Supply

Optimal operation of a single reservoir for water supply may be stated mathematically as follows:

Minimize
$$F = \frac{\sum_{t=1}^{NT} [D(t) - r(t)]^2}{D_{\max}},$$
 (7)

subject to continuity equations at each period:

$$s(t+1) = s(t) + I(t) - r(t) - l(t),$$
(8)

and minimum and maximum allowable values for the release and storage volumes at each period:

$$s_{\min} \le s(t) \le s_{\max},\tag{9}$$

 $r_{\min} \le r(t) \le r_{\max},\tag{10}$

where:

- NT total number of periods;
- D(t) water demand in time period t;
- r(t) water release from the reservoir in time period t;
- D_{\max} maximum water demand (constant);
- s(t) reservoir storage at the beginning of period t;
- I(t) water inflow to the reservoir in period t;
- r(t) water release from the reservoir in period t;
- l(t) evaporation loss in period t;
- s_{\min} minimum water storage of the reservoir;
- s_{\max} maximum water storage of the reservoir;
- r_{\min} minimum water release from the reservoir;
- $r_{\rm max}$ maximum water release from the reservoir.

Optimal Reservoir Operation for Hydropower Generation

The problem of optimal reservoir operation for hydropower generation is often stated mathematically as follows:

Minimize
$$F = \sum_{t=1}^{NT} \left(1 - \frac{p(t)}{\text{power}} \right),$$
 (11)

where:

- NT total number of time periods;
- p(t) power generated by the hydro-electric plant in period t;
- Power total capacity of hydro-electric plant (MW).

The power generated by the plant is defined as:

$$p(t) = \min\left[\left(\frac{g \times \eta \times R(t)}{\text{PF}}\right) \times \left(\frac{h_t}{1000}\right), \text{power}\right],$$
(12)

with:

$$h_t = \left(\frac{H_t + H_{t+1}}{2}\right) - TWL, \tag{13}$$

where:

- p(t) power generated in period t (MW);
- g gravity acceleration (m^2/s) ;
- η efficiency of hydro-electric plant;
- PF plant factor;
- h_t effective head of hydro-electric plant in period t;
- H_t elevation of water in the reservoir in period t;
- TWL tail water elevation of hydro-electric plant (constant);
- R(t) turbine release (release rate from reservoir, (m^3/s)).

R. Moeini and M.H. Afshar

Subject to the continuity equation of the reservoir at each period:

$$s(t+1) = s(t) + I(t) - r(t) - l(t),$$
(14)

and minimum and maximum allowable values for the release and storage volumes at each period and minimum power yield and turbine release at each period:

$$s_{\min} \le s(t) \le s_{\max},\tag{15}$$

 $r_{\min} \le r(t) \le r_{\max},\tag{16}$

 $p(t) \ge p_{\min},\tag{17}$

$$R(t) \ge R_{\min}.$$
 (18)

 r_{\min} minimum water release from reservoir;

 r_{\max} maximum water release from reservoir;

 p_{\min} minimum power yield;

 R_{\min} minimum turbine release.

$$R(t) = co(t) \times r(t), \tag{19}$$

where co(t) = time coefficient for period t and other parameters are defined as before.

The water elevation can be obtained from the volume-elevation curve defined as follows:

$$H_i = a + b \times s_i + c \times s_i^2 + d \times s_i^3, \tag{20}$$

where a, b, c, d = constant coefficients obtained by fitting the above equation to the data available.

Proposed Formulations

Formulation of the optimal operation of reservoirs as an optimization problem requires the selection of decision variables. Basically, two different sets of decision variable can be sought in reservoir operation problems, namely storage volumes (s) or releases (r) at each period. Furthermore, application of ant algorithms, such as MMAS, requires that the problem under consideration be presented in terms of a graph by defining decision points, options available at each decision point and costs associated with each of these options. The problem graph is very much dependant on the decision variables selected for the problem.

With the releases taken as the decision variables, the problem graph can be defined as illustrated in



Figure 2. Basic graph when release is the decision variable (first formulation).

Figure 2. In this representation, referred to as first formulation, each period of the operation is considered as the decision point of the problem. Discretizing the range of possible values of release in each period, the options available at each decision point are then represented by the set of discretized values of the releases. It is to be noted that the options are, in fact, represented by the set of discretization points rather than arcs in its real sense. When the initial reservoir storage is unknown, this parameter is also taken as a decision variable leading to a problem with total of NT + 1 decision variables. For the first problem, a cost can be associated to each option j at decision point i, which is defined as the squared deviation of the release from the required demand at that period. The corresponding heuristic value can, therefore, be defined as:

$$\eta_{ij} = \frac{1}{(D(t) - r_{ij})^2},\tag{21}$$

where:

 η_{ij} heuristic value at arc (i, j);

- D(t) water demand at period t (decision point i);
- r_{ij} jth discretized release from reservoir at period (decision point) *i*.

Definition of a cost for each option in a hydropower reservoir operation problem, however, is not possible in this formulation, since it requires the value of the effective head, which is not known. Note that the effective head is a function of the storage volumes at the beginning and end of the period.

The situation is somehow different when storage volumes are taken as the decision variables. In this case, the problem can be represented by two different graphs. In the first representation, referred to as second formulation, the beginning and end of each period are taken as the decision points of the problem, as illustrated in Figure 3. Discretizing the range of possible values of storage volume at each decision point, the options available are then represented by the set of discretized values of the storage volumes at that decision point. In this formulation, it is not possible to associate a cost to the options available



Figure 3. Basic graph when storage is decision variable (second formulation).

at each decision point, due to the fact that the cost function of both water supply and hydropower reservoir operation problems are functions of release. It is clear that the amount of release can only be known when the storage volumes are known at both the beginning and end of the period. Two notes have to be made regarding the characteristics of this formulation. First, the options available at different decision points are independent from each other and, therefore, the decisions made at for example two consecutive decision points can be made arbitrarily, as shown in Figure 3. Second, available options at each decision point are in fact some points chosen on the range of possible values of the decision variable associated with that decision point. There is no arc in the sense that exists in TSP problem in this formulation of the reservoir operation problem. The pheromones are, therefore, associated to this point rather than the arcs in its true meanings. This is somehow related to the fact that no heuristic information can be defined for options in this representation.

In the second representation of the reservoir operation problem with the storage volumes taken as decision variables, referred to as the third formulation, the beginning and the end of each period are taken as the decision points of the problem, as in the second formulation. Having discretized the range of allowable storage volumes at all decision points, one can represent available options at each decision point as shown in Figure 4 by the arcs joining each and every one of the discretization points to all discretization points of the next decision point. This formulation differs from the second formulation in two ways. First, the options available to the ants at each decision point are not independent from decisions made at previous decision points. To be specific, the options (arcs) available at decision point i are very much related to the decisions made at previous decision points and, in particular, at decision point i - 1. This is a direct result of the physical requirement that a storage volume at the end of each period should be the same as a storage volume at the beginning of the next period. This property is very useful, as it takes into account the serial feature of



Figure 4. Basic graph when storage is decision variable (third formulation).

the reservoir operation problem. The associated graph is, in fact, very similar to the graph constructed in the dynamic programming method for a total enumeration. The second difference, very much related to the first, is that the options are, in fact, real arcs joining the value of the storage volumes at the beginning and the end of each period. This is very significant, as it is now possible to define heuristic information for all the options (arcs) at any of the decision points, since a release value can be computed for each and every arc using the storage volumes at the beginning and end of the arc and the continuity equation. It is interesting to note that useful heuristic information can be easily computed for both of the reservoir operation problems considered here. The heuristic value is calculated by Equation 21 for water supply reservoir operations and Equation 22 for hydropower operation problems.

$$\eta_{ij} = 1 - \frac{p_{ij}}{\text{power}},\tag{22}$$

where:

 η_{ij} the heuristic value at arc (i, j);

Power total capacity of hydro-electric plant;

 p_{ij} power generated by the power plant, which can be calculated by Equation 15 using the known storage volumes and release during the period.

To discourage the ants from making decisions (i.e. select releases or storages) that constitute an infeasible solution, a higher cost is associated to the solutions that violate constraints of the problem. This is achieved via the use of a penalty method, in which the total cost of the problems is considered as the sum of the problem costs and a penalty cost as follows:

$$F_p = F + \alpha_p \times \sum_{t=1}^{NT} CSV_t, \qquad (23)$$

where:

279

F	original objective function defined by
	Equaitons 7 and 11 for the water supply
	and hydropower cases, respectively;
F_p	penalized objective function;
CSV_t	a measure of constraint violation at period
	t;

 α_p represents the penalty parameter.

TEST EXAMPLES

In this section, the water supply and hydropower operation of the "Dez" reservoir in southern Iran are considered as test examples to test the versatility and efficiency of the proposed formulations. The active storage volume of the "Dez" reservoir is equal to 2510 MCM, and its average annual inflow is equal to 5303 MCM over 5 years and 5900 MCM over 40 years. These problems are solved here for optimal monthly operation over 5 and 20 years, i.e. 60 and 240 monthly periods, respectively. The initial storage of the reservoir is taken equal to 1430 MCM. The maximum and minimum allowable storage volumes are considered equal to 3340 MCM and 830 MCM, respectively, while maximum and minimum monthly water releases are taken to be 1000 MCM and zero, respectively. Evaporation losses in each period, minimum power yield and turbine releases are considered to be equal to zero.

For hydropower reservoir operation problem, a polynomial is fitted to the volume-elevation data, defined as follows:

$$H_i = 249.83364 + 0.0587205 \times s_i - 1.37 \times 10^{-5}$$

$$\times s_i^2 + 1.526 \times 10^{-9} \times s_i^3. \tag{24}$$

The "Dez "reservoir hydro-electric plant consists of eight units. Each unit has a capacity of 80.8 MW and is supposed to work 10 hours per day leading to a plant factor of 0.417. The total capacity of the hydro-electric plant of the "Dez" reservoir is equal 650 MW and its efficiency equals 90 percent ($\eta = 0.9$). The downstream elevation of the hydro-electric plant from the sea surface equals 172 meters (TWL = 172 meter above sea level).

RESULTS AND DISCUSSIONS

In this section, the results obtained for optimal operation of the "Dez" reservoir, using the proposed formulations, are presented and compared to results obtained by other methods. All the results presented hereafter are based on an iteration best pheromone updating mechanism, neglecting the role of a globalbest solution in Equation 6, and uniform discretization of the allowable range of decision variables into 18 intervals for first formulation and 36 intervals for the second and third formulations.

First, consider the solution of the water supply and hydropower operation using the first formulation, in which the releases are taken as the decision variables of the problem. The graph of the problem is already shown in Figure 2. A set of preliminary runs are conducted to find the proper values of MMAS parameters as shown in Table 1. Table 2 shows the results of 10 runs carried out for the problems of water supply and hydropower operation of the "Dez" reservoir using the parameters of Table 1 over 60 and 240 monthly periods. These results are obtained within 2000 iterations, amounting to 400,000 function evaluations for each run using a colony size of 200.

As seen from Table 2, optimal solutions obtained using the first formulation for water supply operations over 60 and 240 months have costs of 0.785 and 10.314 units, respectively. Optimal solutions obtained using the first formulation for hydropower operations over 60 and 240 months have costs of 7.913 and 35.3 units, respectively. These can be compared with the costs of 0.7316 and 4.7684 obtained with Lingo software (version 9) for water supply over 60 and 240 months, respectively, and 7.372 and 20.622 obtained with Lingo software for hydropower operation over 60 and 240 months, respectively. It is clear that MMAS is able to produce a near-optimal solution for both cases of water supply and hydropower operation problem. These problems were also solved by Jalali et al. [26] using standard and improved Ant Colony System (ASC). Standard ACS required 400,000 function evaluation to get to a solution of 0.926 for water supply operation over 60 monthly periods. The improved version of ACS, on the other hand, was able to obtain the solution of 0.804 for water supply reservoir over 60 monthly pe-

 Table 1. Values of MMAS parameters used in the first formulation.

NO. Ant	α	β	ρ	$p_{ m best}$
200	1	0.1	0.9	0.15

Table 2. Maximum, minimum and average solution costs over 10 runs (first formulation).

	Maximum Cost		\mathbf{Averag}	e Cost	Minimum Cost	
Operation	60	240	60	240	60	240
	Period	Period	Period	Period	Period	Period
Water Supply	0.814203	13.3259	0.799127	12.0133	0.784853	10.3135
Hydropower	8.0629	39.9800	8.00153	37.5683	7.91263	35.2988

280

riods with 400,000 function evaluations. The problem of water supply operation of "Dez" reservoir over 60 monthly periods was also solved by Bozorg Haddad et al. [25] using GA and HBMO algorithms to only achieve solutions of 1.1 and 0.82 using 6,000,000 function evaluations, respectively. Also, standard ACS failed to produce a feasible solution for hydropower operation over 60 monthly periods. The improved version of ACS, on the other hand, was able to obtain the solution of 7.504 for hydropower reservoir over 60 monthly periods with 1,000,000 function evaluations. It is clearly seen that for both problems, MMAS was able to obtain better solutions than standard and improved ACS, GA and HBMO algorithms. The CPU time required by MMAS for each run carried out on a 2.4 MHZ Pentium PC, were about 300(320) and 1220(1250)seconds for water supply (hydropower) operation over 60 and 240 monthly periods, respectively. Figures 5 to 8 show the variation of maximum, minimum and average solution costs of water supply and hydropower



Figure 5. Variation of maximum, minimum and average solution costs of water supply operation over 60 periods (first formulation).



Figure 6. Variation of maximum, minimum and average solution costs of water supply operation over 240 periods (first formulation).





Figure 7. Variation of maximum, minimum and average solution costs of hydropower operation over 60 periods (first formulation).



Figure 8. Variation of maximum, minimum and average solution costs of hydropower operation over 240 periods (first formulation).

operation of "Dez" reservoir over 60 and 240 monthly periods obtained using the first formulation in which the releases are taken as the decision variables.

Next, these problems are solved using the second formulation in which the storage volumes are taken as the decision variables of the problem. Following a set of preliminary runs, the values of MMAS parameters listed in Table 3 are selected for the main runs. Again to assess the sensitivity of the proposed formulation to initial random colony, the problems are solved with ten different initial colonies. Table 4 shows the maximum, minimum and average solution costs of water supply and hydropower operation of "Dez" reservoir over 60 and 240 monthly periods obtained

 Table 3. Value of MMAS parameters in the second formulation.

NO. Ant	α	β	ρ	$p_{ m best}$
200	1	0.0	0.9	0.15

R. Moeini and M.H. Afshar

	Maximum Cost		Average Cost		Minimum Cost	
Operation	60	240	60	240	60	240
	Period	Period	Period	Period	Period	Period
Water Supply	1.504	17.472	1.209	15.095	1.072	13.282
Hydropower	9.107	42.535	8.568	40.629	8.069	38.971

Table 4. Maximum, minimum and average solution costs over 10 runs (second formulation).

using the second formulation in which the storage volumes are taken as the decision variables. It is seen that all the results obtained with this formulation is inferior to those obtained with the first formulation. This can be attributed to two following differences. First, the second formulation as explained earlier does not allow for the definition of heuristic information neither in water supply operation nor in hydropower. This of course only explains the superiority of the first formulation in the case of water supply operation. The second reason for inferior performance of the second formulation can be due to the fact that the original continuous search space is represented by a coarser discrete search space when storage volumes are taken as the decision variables. This can be easily seen by a comparison between allowable range of storage volumes (830-3340) and release volumes (0.0-1000). It should be noted that in this case no heuristic information can be defined for the options available at decision points of the problem and, therefore, the value of $\beta = 0.0$ is used in the second formulation.

Figures 9 to 12 show the variation of maximum, minimum and average solution costs of the water supply and hydropower operation of the "Dez" reservoir over 60 and 240 monthly periods obtained using the second formulation, in which the storages are taken as the decision variables.

The CPU times required by MMAS for each run carried out on a 2.4 MHZ Pentium PC, are about



Figure 9. Variation of maximum, minimum and average solution costs of water supply operation over 60 periods with iterations (second formulation).

530(340) and 2120(2160) seconds for the water supply (hydropower) operation over 60 and 240 monthly periods, respectively.

The third formulation is also tested on these problems using the MMAS parameters listed in Table 5, which are obtained by some preliminary runs for the best performance of the algorithm. Again, ten runs are carried out to eliminate the effect of an initial colony on the final solutions obtained. The performance of the third formulation over 10 runs is shown in Table 6 for the two operation problems over 60 and



Figure 10. Variation of maximum, minimum and average solution costs of water supply operation over 240 periods with iterations (second formulation).



Figure 11. Variation of maximum, minimum and average solution costs of hydropower operation over 60 periods with iterations (second formulation).

www.

Optimal Operation of Reservoirs



Figure 12. Variation of maximum, minimum and average solution costs of hydropower operation over 240 periods with iterations (second formulation).

Table 5. Value of MMAS parameters in the third formulation.

NO. Ant	α	β	ρ	$p_{ m best}$
200	1	0.3	0.9	0.15

240 monthly periods. Comparison of these results with those obtained with the second formulation reveals full superiority of the third formulation over the second. Comparison of the results with those obtained by the first formulation in which the releases are taken as decision variables, listed in Table 2, is noteworthy. In the water supply operation problem, the best solution obtained by the third formulation, 0.830, is slightly inferior to that obtained by the first formulation, 0.785, over a shorter period of 60 months, while the optimal solution produced by the third formulation over a longer period of 240 months, 7.370, is considerably better than that of the first formulation, 10.313. This superiority is even more apparent for the worst and average solution costs, showing that the third formulation is less sensitive to the initial colony, which is considered to be a useful property for stochastic search methods. The performance of the third formulation for hydropower operation, however, is not as good as the first formulation, as one might have expected. This can be attributed to the fact that the value of the heuristic information for some arcs, those for which $p(t) \geq$ power, is infinity which is replaced by the maximum heuristic value of all arcs. This will lead to the same heuristic value for some of the arcs leading to poorer results than expected. Figures 13 to 16 show the variation of maximum, minimum and average solution costs for water supply and hydropower operation over 60 and 240 periods considered here.

The CPU time required by MMAS for each run, carried out on a 2.4 MHZ Pentium PC, is about 550(360) and 2200(2240) seconds for the water supply (hydropower) operation over 60 and 240 monthly periods, respectively.



Figure 13. Variation of maximum, minimum and average solution costs of water supply operation over 60 periods with iterations (third formulation).



Figure 14. Variation of maximum, minimum and average solution costs of water supply operation over 240 periods with iterations (third formulation).

Table 6. Maximum, minimum and average solution costs over 10 runs (third formulation).

	Maximum Cost		Average Cost		Minimum Cost	
Operation	60	240	60	240	60	240
	Period	Period	Period	Period	Period	Period
Water Supply	1.097	8.201	0.922	7.664	0.830	7.370
Hydropower	14.701	64.784	13.727	47.043	13.002	42.955



Figure 15. Variation of maximum, minimum and average solution costs of hydropower operation over 60 periods with iterations (third formulation).



Figure 16. Variation of maximum, minimum and average solution costs of hydropower operation over 240 periods with iterations (third formulation).

CONCLUSION

In this paper, three different formulations were used to represent the water supply and hydropower reservoir operation problems in proper form, to be solved with ant colony optimization algorithms. In the first formulation, each period was taken as the decision point of the problem at which the value of the release, as the decision variable, is to be decided. This formulation allowed for definition of the heuristic information only for the case of water supply operation problem. In the second formulation, the beginning and the end of each period were taken as the decision points of the problem and the value of the storage volume was considered as the decision variable. This formulation, however, did not allow for the heuristic information to be defined for options available for none of the problems considered. In the third representation of the reservoir operation problem, with storage volumes taken as decision variables, the beginning and end of each period were taken as the decision points of

R. Moeini and M.H. Afshar

the problem. Having discretized the allowable range of storage volumes at all decision points, one could represent available options at each decision point by the arcs joining each and every one of the discretization points to all discretization points of the next decision point. With this representation, it was possible to define the heuristic information for the options available at any of the decision points, since a release value can be computed for each and every arc using the storage volumes at two ends of the arc and the continuity equation. A recent variant of the ACOA's, namely MMAS, was then used to solve the problem of the water supply and hydropower reservoir operation problems over 5 and 20 years and the results were presented and compared to the available solutions. The results indicated the superiority of the MMAS, in conjunction with the third formulation, over other available methods.

REFERENCES

- 1. Papadimitriou, C.H. and Steiglitz, K., Combinatorial Optimization-Algorithms and Complexity, Dover Publications Inc., New York (1982).
- Blum, C. and Roli, A. "Meta-heuristics in combinatorial optimization: Overview and conceptual comparison", ACM Computing Surveys, 36(3), pp. 268-308 (2003).
- Colorni, A., Dorigo, M. and Maniezzo, V. "Distributed optimization by ant colonies", in *Proceedings* of *ECAL91-European Conference on Artificial Life*, Elsevier Publishing, pp. 134-142 (1991).
- Dorigo, M., Maniezzo, V. and Colorni, A. "The ant system: ant autocatalytic optimization process", *Technical Report TR 91-016*, Politiecnico di Milano (1991)
- Zecchin, C.A., Maier, H.R., Simpson, A.R., Leonard, M. and Nixon, J.B. "Ant colony optimization applied to water distribution system design: A comparative study of five algorithms", ASCE, Journal of Water Resources Planning and Management, 133(1), pp. 87-92 (2007)
- Dorigo, M. and Gambardella, L.M. "Ant colony for the traveling salesman problem", *Biosystems*, 43, pp. 73-81 (1997).
- 7. Dorigo, M., Ant Colony Optimization Web Page, http://iridia.ulb.ac.belmdorigo/ACO/ACO.html.
- Dorigo, M. and Di Caro, G. "The ant colony optimization meta-heuristic", in *New Ideas in Optimization*, D. Corne, M. Dorigo and F. Glover, Eds., London, UK, McGraw Hill, pp. 11-32 (1999).
- Dorigo, M., Maniezzo, V. and Colorni, A. "The ant system: optimization by a colony of cooperating agents, IEEE transaction on systems", *Man, Cybernetics-Part B*, 26, pp. 29-41 (1996).

- Dorigo, M., Di Caro, G. and Gambardella, L.M. "Ant algorithms for discrete optimization", Artificial Life, 5(2), pp. 137-172 (1999).
- Costa, D. and Hertz, A. "Ants can color graphs", J. Operate Res. Soc., 48, pp. 295-305 (1997).
- Di Caro, G. and Dorigo, M. "Two ant colony algorithms for best-effort quality of service routing", Unpublished at ANTS'98-From Ant Colonies to Artificial Ants: First International Workshop on Ant Colony Optimization (1998).
- Stutzle, T. and Hoss, H. "MAX-MIN ant system and local search for combinatorial optimization problems", in *Meta Heuristics: Advances and Trends in Local Search Paradigms for Optimizaiton*, S. VOB, S. Martello, I.H. Osman and C. Roucairol, Eds., Kluwer, Boston, pp. 137-154 (1998)
- Stutzle, T. and Hoos, H. "MAX-MIN ant system", Future Generation Computer Systems, 16(8), pp. 889-914 (2000).
- 15. Stutzle, T. and Dorigo, M. "A short convergence proof for a class of ACO algorithms", *IEEE Transactions on Evolutionary Computation*, **6**(4), pp. 358-365 (2002).
- Stutzlt, T. and Hoos, H. "Improvements on the ant system: Introducing MAX-MIN ant system", in Proceeding of International Conference on Artificial Neural Networks and Genetic Algorithms, Springer Verlag, Wien, pp. 245-249 (1997).
- Yakowitz, S. "Dynamic programming application in water resources", Water Resource Research, 18(4), pp. 673-96 (1982).
- Marino, M.A. and Loaiciga, H.A. "Dynamic model for multi reservoir operation", Water Resource Res., 21(5), pp. 619-630 (1985).

285

- Becker, L. and Yeh, W. "Optimization of real-time operation of a multiple reservoir system", *Water Re*source Res., 10(6), pp. 1107-1112 (1974).
- Mousavi, S.J. and Karamouz, M. "Computational improvement for dynamic programming models by diagnosing infeasible storage combinations", *Advances* in Water Resources, 26, pp. 851-859 (2003).
- Esat, V. and Hall, M.J. "Water resource system optimization using genetic algorithms", Hydro Informatics'94, Pro., 1st Int. Conf. on Hydro Informatics, Balkerma, Rotterdam, The Netherlands, pp. 225-231 (1994).
- Fahmy, H.S., King, J.P., Wentzle, M.W. and Seton, J.A. "Economic optimization of river management using genetic algorithms", *Int. Summer Meeting, AM.* Soc. Agric. Engrs., Paper no. 943034, St. Joseph, Mich. (1994).
- Oliveira, R. and Loucks, D. "Operation rules for multireservoir systems", Water Resource. Res., 33(4), pp. 839-852 (1997).
- Wardlaw, R. and Sharif, M. "Evaluation of genetic algorithms for optimal reservoir system operation", *Journal of Water Resources Planning and Management*, **125**(1), pp. 25-33 (1999).
- Bozorg Haddad, O., Afshar, A. and Marino, M.A. "Honey-Bees Mating Optimization (HBMO) algorithm: A new heuristic approach for water resources optimization", Water Resources Management, 20(5), pp. 661-680 (2006).
- Jalali, M.R., Afshar, A. and Marino, M.A. "Multicolony ant algorithm for continuous multi-reservoir operation optimization problems", *Water Resources Management*, **21**(9), pp. 1429-1447 (2007).