



Letter to the Editor

# The Relationship between Caesarean and Neonatal Hypothyroidism in Chadegan City

Moslem Taheri Soodejani<sup>1\*</sup>

<sup>1</sup>PhD Candidate in Epidemiology, Department of Biostatistics and Epidemiology, Faculty of Health, Kerman University of Medical Sciences, Kerman, Iran  
Email: moslem.taheri2009@yahoo.com

Received: 12 Feb. 2018, Accepted: 24 Apr. 2018, ePublished: 23 June 2019



## Dear Editor,

I have read with great interest the article titled “The Relationship between Caesarean and Neonatal Hypothyroidism in Chadegan City” by Naderi et al.<sup>1</sup> It is an interesting subject, however with best regards and thanks to the authors, I have highlighted the following few points:

First point is related to the method section, in which the authors have mentioned the records as 86 cases. It is unlikely to have such high number in only one year. The highest prevalence in this area is two cases in 1000 births.<sup>2,3</sup>

Moreover, it has been mentioned that individual and group matching has been used; in a such situation, conditional logistic regression or logistic regression should have been used to adjust the confounders.<sup>4</sup>

Finally, there is inconsistency between value in the text and that in Table 2 for control group (176 vs. 126). According to this table, the odds ratio is equal to 0.56 (CI 95%: 0.30-1.02), while in the results, another value was reported.

## Ethical Approval

Not applicable.

## Conflict of Interest Disclosures

None.

## Funding/Support

None.

## References

1. Naderi Beni M, Espareh G, Asgari M. The Relationship Between Caesarean and Neonatal Hypothyroidism in Chadegan City. *Int J Epidemiol Res.* 2017;4(4):267-9. doi: 10.15171/ijer.2017.15. [Persian].
2. Hashemipour M, Amini M, Iranpour R, Sadri GH, Javaheri N, Haghighi S, et al. Prevalence of congenital hypothyroidism in Isfahan, Iran: results of a survey on 20,000 neonates. *Horm Res.* 2004;62(2):79-83. doi: 10.1159/000079392. [Persian].
3. Taheri-Soodejani M, Fallahzadeh H, Lotfi MH, Dehghani A, Ghaderi A. Screening for congenital hypothyroidism in Shahr-e-Kord: prevalence and recall rate during 2006-2014. *Feyz Journal of Kashan University of Medical Sciences.* 2017;20(6):574-80. [Persian].
4. Kleinbaum DG, Klein M, Pryor E. *Logistic regression: a self-learning text.* New York, USA: Springer; 2002.

**How to cite the article:** Taheri Soodejani M. The relationship between caesarean and neonatal hypothyroidism in Chadegan city. *Int J Epidemiol Res.* 2019;6(2):91. doi: 10.15171/ijer.2019.16.