## Which method has the most accurate measurement of daily salt intake?

Sir,

Which method has the most accurate measurement of daily salt intake?

The recently published paper by Hasandokht *et al.*, entitled "Life style interventions for hypertension treatment among Iranian women in primary health-care settings: Results of a randomized controlled trial," had this advantage that it was done in Iran<sup>[1]</sup> that emphasized on the importance of preventive medicine in Iranian population. As the authors mentioned in their study and because the positive correlation between daily salt intake and hypertension is an essential risk factor, <sup>[1]</sup> it is important to estimate nearly accurate daily sodium intake.

However, in their study the amount of dietary salt Intake is based on self-reported food record questionnaires, and this is one of the limitations of their study.<sup>[1]</sup>

We suggested to obtain a morning fasting midstream urine sample from each patient and after freezing, and to send it to the laboratory in an ambient packaging with special boxes for biologic materials.<sup>[2]</sup>

After that the Kawasaki formula is used to calculate 24 h urinary sodium excretion and this estimate is used as equivalent for most accurate salt intake. [2,3]

Thus, by this procedure nearly accurate daily sodium intake is achieved and the validity of the studies would be increased.

Financial support and sponsorship

## **Conflicts of interest**

There are no conflicts of interest.

## Allahyar Golabchi, Majid Mazoochi, Hamid Reza Fayyazi

Shahid Beheshti Hospital, Faculty of Medicine, Kashan University of Medical Sciences, Kashan, Isfahan, Iran

Address for correspondence: Dr. Hamid Reza Fayyazi,
Faculty of Medicine, Shahid Beheshti Hospital,
Kashan University of Medical Sciences,
Kashan, Isfahan, Iran.
E-mail: hamidreza.fayyazi@yahoo.com

## **REFERENCES**

- Hasandokht T, Faraizadegan Z, Siadat ZD, Paknahad Z, Rajati F. Lifestyle interventions for hypertension treatment among Iranian women in primary health-care settings: Results of a randomized controlled trial. J Res Med Sci 2015;20:54-61.
- O'Donnell M, Mente A, Rangarajan S, McQueen MJ, Wang X, Liu L, et al.; PURE Investigators. Urinary sodium and potassium excretion, mortality, and cardiovascular events. N Engl J Med 2014;371:612-23.
- Tanaka T, Okamura T, Miura K, Kadowaki T, Ueshima H, Nakagawa H, et al. A simple method to estimate populational 24-h urinary sodium and potassium excretion using a casual urine specimen. J Hum Hypertens 2002;16:97-103.

This is an open access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms.

Access this article online	
Quick Response Code:	Website: www.jmsjournal.net  DOI: ****

**How to cite this article:** Golabchi A, Mazoochi M, Fayyazi HR. Which method has the most accurate measurement of daily salt intake?. J Res Med Sci 2015;20:1020.