

()

(Zea mays)

(Vigna radiata)

*

(/ / : / / :)

(2004) Lauriault & Kirksey .
(Ali, 1998; Mazaheri, 1998)
(Ali, 1998;
Javanshir, 2000)

Agegnehu et al. .
(2006)
/ (Anil et al., 1998)
/

Morgado & Willey .
(2003) .(Oveiai et al., 2006)
(2006) Li et al.

Shirley et al. .
(2004)

(2007) Neumann et al. .
(Fukai & Trenbath, 1993)
(2006a) Chaichi & Daryaei

Park et al.,) (2006) Lithourgedis et al.
(2001) Hauggaard-Nielsen et al. .(2002

/ (1997) Bulson et al. .
(2004) Ghosh .(Hauggaard-Nielsen et al., 2006)
/

... (Zea mays)

:

(2006) Agegnehu et al.

/

(javanshir et al., 2000)

(Konsur)

(Hauggaard-Nielsen et al., 2003)

: ()

(Cwf)

(Hauggaard-Nielsen et al., 2006)

(Cwo)

(C +M)

(Poggio, 2005)

(C +M)

(2006b) Chaichi & Daryaei

(C +M)

(C +M)

(C +M)

(C M)

(C M)

(1983) Risch et al.

(C M)

(Mwf)

(Mwo)

Gomez & (Szumigalski & Van Aker, 2005)

(1998) Gurevitch

/ (2006) Agegnehu et al.

/ /

/

()

Mead &)

.(Willey, 1980

$$LER = \frac{Y_{1,2}}{Y_{1,1}} + \frac{Y_{2,1}}{Y_{2,2}}$$

()

:

:Y

(

:Y

:Y

)

:Y

(

.(Agegnehu et al., 2006)

(SAS Institute, 1998) SAS

/

(×)

()

)

(

)

/

:

(/

(

)

/

:

.(Agegnehu et al., 2006)

/

/

/

/

.()

... (Zea mays)

:

(poggio, 2005)

/

() / / /

/ /

()

(Fukai & Trenbath, 1993)

(Park et al., 2002)

)

(/

/	/	/	/	/
/	/	/	/	/
/	/	/	/	/

/	/	/	/	/	() CV
---	---	---	---	---	--------

.()

(2003) Hauggaard-Nielsen et al. .

/

/

(2003) Mahmoodi

:

/ / /

/

(2006) Lithourgedis et al.

Morgado & Willey .

(2003)

()

/

Mahmoodi .

(2003)

/

/ /

)

/ /

(

/

(2001) Hauggaard-Nielsen et al.

(1997) Bulson et al.

Agegehu et al.

(2006)

	()	()	()	()	()	
/ c	/	/ fg	/ bc	/ a	/ a	Cwf
/ cd	/	/ g	/ de	/ cd	/ cd	Cwo
/ cd	/	/ ef	/ cd	/ c	/ bc	C + M
/ de	/	/ de	/ bc	/ bc	/ bc	C + M
/ e	/	/ de	/ ab	/ abc	/ abc	C + M
/ e	/	/ d	/ ab	/ abc	/ abc	C + M
/ c	/	/ d	/ a	/ ab	/ ab	C + M
/ bc	/	/ de	/ de	/ de	/ de	C M
/ b	/	/ c	/ e	/ e	/ e	C M
/ a	/	/ b	/ e	/ f	/ f	C M
		/ a	/ de	/ g	/ g	Mwf
		/ a	/ f	/ h	/ g	Mwo

.*

/

/ /

/

Bulson et

(1997) al.

(2006) Hauggaard-Nielsen et al.

/ /

(2003) Morgado & Willey

(1998) Gomez & Gurevitch

Agegnehu et al.

/

(2006)

/

()	()	
	/	Cwf
	/	Cwo
/	/	C +M
/	/	C +M
/	/	C +M
/	/	C +M
/	/	C +M
/	/	C M
/	/	C M
/	/	C M
/		Mwf
/		Mwo

REFERENCES

1. Agegnehu, G., Ghizaw, A. & Sinebo, W. (2006). Yield performance and land-use efficiency of barley and faba bean mixed cropping in Ethiopian highlands. *Euro J Agron*, 25, 202-207.
2. Ali, M. (1988). Legume suppress weeds in pigeon pea. *Tro Pest Manag*, 34, 384-387.
3. Anil, L., Park, X., Phipps, R. H. & Miller, F. A. (1998). Temperate intercropping of cereals for forage: A review of the potential for growth and utilization with particular reference to the UK. *Grass Forage Sci*, 53, 301-317.
4. Bulson, H. A. J., Snaydon, R. W. & Stopes, C. E. (1997). Effects of plant density on intercropped wheat and field beans in an organic farming system. *J Agric Sci*, 128, 59-71.
5. Chaichi, M. R. & Daryaei, F. (2006a). Evaluation of forage yield in sole and intercropping of sorghum and alfalfa. In: Proceedings of *First National Forage Crops Congress of Iran*, P77.
6. Chaichi, M. R. & Daryaei, F. (2006b). The effect of sorghum and alfalfa intercropping on weed control. In: Proceedings of *First National Forage Crops Congress of Iran*, P.186.
7. Fukai, S. & Trenbath, B. R. (1993). Processes determining intercrop productivity and yields of components crops. *Field Crops Res*, 34, 247-271.
8. Ghosh, P. K. (2004). Growth, yield, competition and economics of groundnut / cereal fodder intercropping systems in the semi-arid tropics of India. *Field Crops Res*, 88, 227-237.
9. Gomez, P. & Gurevitch, J. (1998). Weed community responses in a corn-soybean intercrop. *App Veg Sci*, 1, 281-288.
10. Hauggaard-Nielsen, H. & Jensen, E. S. (2001). Evaluating pea and barley cultivars for complementarity in intercropping at different levels of soil N availability. *Field Crops Res*, 72, 185-196.
11. Hauggaard-Nielsen, H., Joernsgaard, B. & Jensen, E. S. (2003). Legume-cereal intercropping as a weed management tool. In: Proceedings of *4th EWRS workshop: Crop/Weed competitive interactions*, Università Tusca, Viterbro, Italy, 10-12 April.
12. Hauggaard-Nielsen, H., Andersen, M. K., Joernsgaard, B. & Jensen, E. S. (2006). Density and relative frequency effects on competitive interactions and resource use in pea-barley intercrops. *Field Crops Res*, 95, 256-267.
13. Javanshir, A., dabbagh Mohammadi Nasab, A., Hamidi, A. & gholypour, M. (2000). *The Ecology of Intercropping*. Mashhad university. 222p.
14. Lauriault, L.M. & Kirksey, R.E. (2004). Yield and nutritive value of irrigated winter cereal forage grass-legume intercrops in the southern high plain, USA. *Agron J*, 96, 352-358.
15. Li, L., Sun, J., Zhang, F., Guo, T., Bao, X., Smith, F. A. & Smith, S. E. (2006). Root distribution and interactions between intercropped species. *Oecologia*, 147, 280-290.
16. Lithourgidis, A. S., Vasilakoglou, I. B., Dhima, K. V., Dordas, C. A. & Yiakoulaki, M.D. (2006). Forage yield and quality of common vetch mixtures with oat and triticale in two seeding ratios. *Field Crops Res*, 99, 106-113.
17. Mahmoodi, C. (2003). *The investigation of corn and chenopodium ecophysiological interference*. Ph. D. dissertation, University of Tehran, Iran, 227p. (In Farsi).
18. Mazaheri, D. (1999). *Intercropping*. Tehran University Publications. 262p. (In Farsi).
19. Mead, R. & Willey, R.W. (1980). The concept of 'Land Equivalent Ratio' and advantages in yields from intercropping. *Exp Agric*, 16, 217-228.
20. Morgado, L. B. & Willey, R. W. (2003). Effects of plant population and nitrogen fertilizer on yield and efficiency of maize-bean intercropping. *Pesq Agropec Bras*, 38, 1257-1264.
21. Neumann, A., Schmidtke, K. & Rauber, R. (2007). Effects of crop density and tillage system on grain yield and N uptake from soil and atmosphere of sole and intercropped pea and oat. *Field Crops Res*, 100, 285-293.
22. Oveisi, M., Mazaheri, D. & Chaichi, M. R. (2005). Investigation of crop yield in intercropping. *Sustainable Development Agriculture*, 6-7, p14.
23. Park, S. E., Benjamin, L. R. & Watkinson, A. R. (2002). Comparing Biological Productivity in Cropping Systems: A Competition Approach. *The J of App Eco*, 39, 416-426.
24. Poggio, S. L. (2005). Structure of weed communities occurring in monoculture and intercropping of field pea and barley. *Agric Ecosy & Envir*, 109, 48-58.
25. Risch, S. J., Andrews, D., & Altieri, M. A. (1983). Agroecosystem diversity and pest control: Data, tentative conclusions, and new research directions. *Envir. Ento*, 12, 625-629.
26. SAS Institute. (1998). *SAS Institute Inc*. Ver. 6.12. Carry, NC 27513, USA.
27. Shirley, M. R., King, J. R., O'Donovan, J. T. & Spaner, D. (2004). Forage Potential of Intercropping Berseem Clover with Barley, Oat, or Triticale. *Agron J*, 96, 1013-1020.
28. Szumigalski, A. & Van Aker, R. (2005). Weed suppression and crop production in annual intercrops. *Weed Sci*, 53, 813-825.