

( )

\*

( III : II : )

(P<0.05)

( P>0.05)

( P>0.05)

(Na<sup>+</sup>+K<sup>+</sup>+Ca<sup>2+</sup>+Mg<sup>2+</sup>) (Cl+So<sub>4</sub><sup>2-</sup>+H<sub>2</sub>po<sub>4</sub><sup>-</sup>+Hpo<sub>4</sub><sup>2-</sup>)

- 
1. Acidogenicity
  2. Alkalogenicity

E-mail: Hamed@imexgulf.com

( )

\*

(.)

( ) ( )

( ) ( )

( ) ( )

( ) ( )

pH

( ) ( )

pH

(.)

(.)

( ) ( )

( ) ( )

(.)

( )


( ) ( )

( ) ( )



| ( )     |     |     |      |
|---------|-----|-----|------|
| ( ) DEB |     |     |      |
| ( )     | ( ) | ( ) | ( )  |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |
| /       | /   | /   | (% ) |

(Dietary Electrolyte Balance =  $K^+ + Na^+ - Cl^-$ )  
D<sub>3</sub> / A :  
B<sub>3</sub> / B<sub>2</sub> / B<sub>1</sub> / K<sub>3</sub> / E /  
H<sub>2</sub> / B<sub>12</sub> / B<sub>9</sub> / B<sub>6</sub> B<sub>5</sub>  
(% ) :



4. Panting

1. Brachial Vein
2. Corning flame photometers
3. Tibia

( )

( / °C )

( )

/

pH

( )  
( )

( )

pH

( )

(P>0.05)  
( )

:

( )

( )DEB

( )

(% )

( )

( )

( )

( )

( )

( )

( )

( )

( )

(Dietary Electrolyte Balance = K<sup>+</sup> + Na<sup>+</sup> - Cl<sup>-</sup>)

/ A

B<sub>2</sub>

/

:

B<sub>1</sub>

/

K<sub>3</sub>

/

E

/

D<sub>3</sub>

/

B<sub>3</sub>

/

H<sub>2</sub>

/

B<sub>12</sub>

(% )

:

/

( )

/

( )

( )

( )

pH

( )

( )

( )

SDS<sup>1</sup>

( )

(P>0.05)

( )

|     |   | DEB    |   |     |
|-----|---|--------|---|-----|
|     |   | ( )    |   |     |
|     |   | ( )DEB |   |     |
| SEM |   |        |   |     |
| /   | a | b      | c | ( ) |
| /   | a | b      | c | ( ) |
| /   | / | /      | / | ( ) |

(Dietary Electrolyte Balance =  $K^+ + Na^+ - Cl^-$ )

(p<0.05)

|     |     | DEB    |   |     |
|-----|-----|--------|---|-----|
|     |     | ( )    |   |     |
|     |     | ( )DEB |   |     |
| SEM |     |        |   |     |
| /   | ( ) |        |   |     |
| /   | ( ) |        |   |     |
| /   | /   | /      | / | ( ) |

(Dietary Electrolyte Balance =  $K^+ + Na^+ - Cl^-$ )

(p<0.05)

|     |     | DEB    |   |     |
|-----|-----|--------|---|-----|
|     |     | ( )    |   |     |
|     |     | ( )DEB |   |     |
| SEM |     |        |   |     |
| /   | ( ) |        |   |     |
| /   | ( ) |        |   |     |
| /   | /   | /      | / | ( ) |

(Dietary Electrolyte Balance =  $K^+ + Na^+ - Cl^-$ )

(p>0.05)

1. Sudden death syndrom

...

:

( )

| DEB |   |   |     |
|-----|---|---|-----|
| SEM | ( | ) | DEB |
| /   | / | / | /   |

( Dietary Electrolyte Balance )

|   |   |   |   |   |   |   |   |   |   |   |   | DEB |
|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| / | / | / | / | / | / | / | / | / | / | / | / |     |
| / | / | / | / | / | / | / | / | / | / | / | / |     |
| / | / | / | / | / | / | / | / | / | / | / | / |     |

( Dietary Electrolyte Balance )

| ( )                             |  | DEB |
|---------------------------------|--|-----|
| ( Dietary Electrolyte Balance ) |  |     |
| ( Tibia Dyschondroplasia )      |  |     |
| ( Sudden Death Syndrom )        |  |     |

TD  
SDS

**REFERENCES**

1. Amescua, C. M., J. L. L. Vega, E. A. Conzalez, U. C. Poblano & M.T. Kidd. 1998. Dietary lysine and electrolyte balance do not interact to affect broiler performance . J. Appl. Poult. Res. 7: 313-319
2. Bassiri, A. 1994. Statistical designs in agricultural science. Shiraz University Press.
3. Bonsembiante M. , Chiericato G.M. & Rizzi C. 1996 .Effect of different amounts of sodium bicarbonate in diets for broiler chickens. Rivista –di- Avicoltura. 65:4, 49-56.(Abs)
4. Borge, S, S. A. , A. V. Fischer da silva, J. Arika, D. M. Hooge, & K. R. Cummings. 2003. Dietary electrolyte balance for broiler chickens under moderately high ambient temperatures and relative humidities. Poult.Sci. 82:301- 308
5. Borge, S, S. A. , A. V. Fischer da silva, J. Arika, D. M. Hooge, & K. R. Cummings. 2003. Dietary electrolyte balance for broiler chickens exposed to thermoneutral or heat stress environments. Poult.Sci. 82:428-435
6. Borge, S, S. A. , A. V. Fischer da silva, J. Arika, D. M. Hooge, & K. R. Cummings. 2004. Physiological responses of broiler chickens to heat stress and dietary electrolyte balance (sodium plus potasium minus chloride, milliequivalents per kilogram). Poult.Sci. 83: 1551-1558
7. Branton, S. L., F. N. Reece , & J. W. Deaton. 1986. Use of ammonium cholorida and sodium bicarbonate in acute heat exposure of broiler . Poult .Sci. 65:1659-1663

8. Btley, W. G. & P. C. Harrison. 1985. The effect of tap water, carbonated water, sodium bicarbonate and calcium chloride on blood acid- base balance in cockerels subjected to heat stress. *Poult. Sci.* 64:107-113
9. Cuningham, J. G. 1992., *Textbook of Veterinary Physiology- W. B. Saunders Company.* p:656
10. Hamilton R.M.G. and B.K.Thmpson. 1980. Effects of sodium plus potassium to chloride ratio in practical diets on blood levels in three straines of white leghorn hens and relationship between acid-base balance and egg shell strength. *Poult. Sci.* 59:1294-1303.
11. Karunajeewa H. and Barr D.A. and M Fox. 1986 . Effect of dietary phosphorus concentration and electrolyte balance on growth performance of broiler chicken. *British Poult.Sci.* 27: 601-612.
12. Kidd, M. T. & B. J. Kerr. 1998. Dietary arginine and lysine ratios in large white toms .2- lack of interaction between arginin : lysine ratios and electrolyte balance . *Poult. Sci.* 77: 864-869.
13. Ladenson, J. H. Apple, F.S.1982. Sodium measurements in multiple myeloma. Two techniques compared. *Clin. Chem.* 28:2383-2386.
14. Mirsalimi, S. M. , R. J. Julian. 1993. Effect of excess sodium bicarbonate on the blood volume and erythrocyte deformability of broiler chickens. *Avian Pathology.* 22: 495-507.
15. Mongin, P. 1981. Recent advances in dietary anion-cation balance in poultry. *Proc. Nutr. Soc.* 90: 94-104
16. Murakami A. E., J. R. G. Franco, E. N. Martins, E. O. Oviedo Rondon, M. I. Sakamoto & M. S. Pereira. 2003. Effect of electrolyte balance in low perotein diets on broiler performance and tibial dyschondroplasia incidence. *J. Appl. Poult. Res.* 12:207-216
17. National Reserarch Council. 1994. Nutrient requirments of poultry ,th. Rev. ed , National Academy Press. Washington D.C.
18. Owen R.L. ,Wideman R.F. , Leach R.M. , Cowen B.S. ,Dunn P.A. ,and B.C. Ford 1994 . Effect of age exposure and dietary acidification or alkalization on mortality due to broiler pulmonary hypertension syndrome. *J.Appl.Poult.Res.*3:244-252.
19. SAS Institute, 1985 . *SAS User´s Guide. Statistics- Version 5 Edition.* SAS Institute Inc., Cary, Nc
20. Smith, M.O. 1994. Effects of electrolytes and lighting regimen on growth of heat distressed broilers. *Poult.Sci.* 73:350-353
21. Teeter R.G. and Smith M.O. ,Owen F.N., Arp S.C. , Sangiah S. and J.E. Breazile 1985 .Chronic heat stress and respiratory alkalosis : occurrence and treatment in broiler chicks. *Poult.Sci.* 64:1060-1064.