

( )

\*

( // : // : )

( )

"

( ) ×  
(P < / )

( ) (P < / )  
(P > / )  
(P < / )

(P < / )

(P > / )

(P > / )

T4 T3

( )

:

.2005)

(Nabizadeh et al.,

(Newkirk et al., 2003)

/  
(Tripathi & Mishra, 2007)

)  
(  
(  
/ / )  
OO

(Bell et al., 1999)

(NRC,

1994)

(Tahir et al., 2005)

(Vahjen et al., 2005)

(AOAC, 2002)

(Meng & Slominski, 2005)

(Mushtaq et al., 2007)

$$\frac{1}{n} \sum_{i=1}^n (T_{4i} - T_{3i})$$
 REF KT2CT

(Mawson et al., 1993)

(Smith & Campbell, 1976)  $\times$  (SAS, 1997)

(Yapar & Clandinin, 1972)

$(P < / )$  % (Zokaeinia, 2004)

$(P < / )$  ( ) ( ) ( )





(Tripathi & Mishra, 2007)

(Zokaenia, 2004)

		T <sub>4</sub>		T <sub>3</sub>	
( )		( )		( )	
/	a	/	/	/	/
/	b	/	/	/	/
/	b	/	/	/	/
/	c	/	/	/	/
/	c	/	/	/	/
/		/	/	/	/
					SEM
/	a	/	b	/	/
/	a	/	a	/	/
/		/	/	/	/
					SEM

(Pearson et al., 1989; Zokaenia, 2004; Giffiths et al., 1980)

(Olomu et al., 1975)

(Karujewa et al., 1990)

(P < / ) .

( ) ( )

%

(%)	(%)	(%)	(%)	(%)
/	a	/	b	/
/	b	/	ab	/
/	b	/	ab	/
/	b	/	a	/
/	ab	/	a	/
/		/	/	/
				SEM
/	a	/	a	/
/	a	/	a	/
/		/	/	/
				SEM

(P < / ) .

( )

( )

**REFERENCES**

1. Association of Official Analytical Chemists. (2002). Official Methods of Analysis. 16th ed. Association of Official Analytical Chemists, Washington DC. USA.

2. Bell, J. M., Rokow, G. & Downey, R. K. (1999). Mineral composition of oil free seeds Brassica napus, B. rapa, and B. Juncea as affected by location and year, *Canadian Journal of Animal Science*, 79(4), 405-408.
3. Giffiths, N. M., Fenwick, G. R. Pearson, A. W. Greenwood, N. M. & Butler, E. J. (1980). Effects of rapeseed meal on broilers studies of meat flavor, liver haemorrhage and trimethylamine oxidase activity. *Journal of Science of Food and Agriculture*, 31(2), 188-193.
4. Karujewa, H., Ijabuji, E. G. & Reece, R. L. (1990). Effect of dietary level of rapeseed meal and polyethyleneglycole on the performance of male broilers. *Poultry Science*, 31(3), 345-555.
5. Mawson, R., Heany, R. K. Zdunczyk, Z. & Kozłowska, H. (1993). Rapeseed meal glucosinolates and their antinutritional effects on flavour and palatability. *Die Nahrung*, 37: 36-344.
6. Meng, X., & Slominski, B. A. (2005). Nutritive values of corn, soybean meal, canola meal, and peas for broiler chickens as affected by a multicarbohydrase preparation of cell wall degrading enzymes, *Poultry Science*, 84(8), 1242-1251.
7. Mushtaq, M., Sarwar, G., Ahmad, M. A., Mirza, H., Nawaz, M. M., Mushtaq, H. & Noreen, U. (2007). Influence of canola meal-based diets supplemented with exogenous enzyme and digestible lysine on performance, digestibility, carcass, and immunity responses of broiler chickens. *Poultry Science*, 86(10), 2144 - 2151.
8. Nabizadeh, A., Nasiri Moghaddam, H. & Shahroudi, F. E. (2005). Effect of fish meal protein substitution with blood meal on broiler performance. *Iranian Journal of Agricultural Science*, 36(3), 273-280 (In Farsi).
9. Newkirk, R. W., Classen, H. L., Scott, T. A. & Edney, M. J. (2003). The digestibility and content of Amino acid in toasted and non-toasted canola meal. *Canadian Journal of Animal Science*, 38(1), 131-139.
10. National Research Council, 1994. Nutrient Requirements for Poultry, 9th Rev. Ed. NY.
11. Olomu, J. M., Robblee, A. R. & Clandinin, D. R. (1975). Effect of span rapeseed on the performance organ weights and composition of the carcass, heart and liver of broiler chicks, *Poultry Science*, 54(5), 722-726.
12. Pearson, A. W., Greenwood, N. M., Butler, E. J. & Fenwick, G. R. (1983). Biochemical changes in layer and broiler chickens when fed on a high glucosinolates rapeseed meal. *British Poultry Science*, 24(3), 417-427.
13. SAS Institute. 1997. SAS/State users Guide. Version 6.03 SAS Institute Inc. Carry, NC.
14. Smith, T. K. & Campbell, L. D. (1976). Rapeseed meal glucosinolates metabolism and effect on performance of laying hens. *Poultry Science*, 55(7), 861-867.
15. Summers, J. D., Bedford, M. & Spratt, M. (1989). Amino acid supplementation of canola meal. *Canadian Journal of Animal Science*, 69(3), 469-475.
16. Tahir, M., Saleh, F., Ohtsuka, A. & Hayashi. K. (2005). Synergistic effect of cellulase and hemicellulase on nutrient utilization and performance in broilers fed a corn- soybean meal diet. *Animal Science Journal*, 76(6), 559-565.
17. Tripathi, M. K. & Mishra, A. S. (2007). Glucosiolates in animal nutrition- A review. *Animal Feed Science and Technology*, 132(1,2), 1-27.
18. Vahjen, W., Busch, T. & Simon, O. (2005). Study on the use of soyabean polysaccharide degrading enzymes in broiler nutrition. *Animal Feed Science and Technology*, 120(3,4), 259-276.
19. Yapar, Z. & Clandinin, D. R. (1972). Effect of tannis in rapeseed meal on its nutritional value for chicks. *Poultry Science*, 51(2), 222-228.
20. Zokaenia, F. (2004). *Effect of different levels of canola meal with phytase enzyme on broiler performance*. MSc dissertatation. Isfahan University of Technology, Isfahan, Iran (In Farsi).