

()

*

(// : // :)

±

% %

()

()

(P < /)

C : C :

C : C :

: C : C : C : C :

C

(Rizzi et al., 2002)

(Mir et al.,

.2002)

()

-
- 1. Omega 3
 - 2. Conjugated Linoleic Acid (CLA)

E-mail: rezayazdi @ ut.ac.ir

: : *

			()
/	/	/	
/	/	/	
/	/	/	
/	/	/	
/	/	/	
/	/	/	
/	/	/	
/	/	/	
/	/	/	()
/	/	/	()
/	/	/	()
/	/	/	()
/	/	/	()
/	/	/	()
/	/	/	()
/	/	/	()
/	/	/	()

(Felton & Kerley, 2004; Kott et al., 2003)

(1990) AOAC

				()
/	/	/	/	C :
/	/	/	/	C :
/	/	/	/	C :
/	/	/	/	C :
/	/	/	/	C :
/	/	/	/	C : (n-)C
/				

(1975) Folch et al.
(1966) Metcalf et al.
Unicam 4600
(Capillary, BPX70
ID: 0.25 mm*0.22µm*30m)
(Lough et al., 1993)
(2005) Manso et al. (2004) Felton & Kerley
(2000) Andrae et al.
Rizzi et al. (2003) Kott et al.
(2001) Ivan et al. (2002)
(NEC, 1988) (2001) SAS
(Chang et al., 1992)
(P < /)
(Sadeghi panah, 1998)
(2005) Manso et al. ()
Rizzi et al. (2003) Kott et al. (1993) Lough et al. (2002)
Mir et al. () (2002)
Felton & Kerley (2004)
Sadeghi panah (1998)
(Lough et al., 1993)

(Palmquist & Jenkins, 1980)

()
 (1997) Abasht (1989) Zinn

SEM				
/	/	/	/	()
/	/	/	/	()
/	/	/	/	()
/	/	/	/	()
/	/ ^b	/ ^{ab}	/ ^a	()
/	/ ^b	/ ^b	/ ^a	
/	/	/	/	()
/	/	/	/	()
/	/	/	/	()
/	/ ^a	/ ^{ab}	/ ^b	()

(P < /)

(Palmquist & Jenkins, 1980)

()
 Ivan et al. (2003) Kott et al.
 (1989) Zinn (2001) Andrae et al. (2001)

SEM				
/	/ ^a	/ ^{ab}	/ ^b	()
/	/ ^b	/ ^{ab}	/ ^a	
/	/	/	/	
/	/ ^b	/ ^{ab}	/ ^a	
/	/ ^a	/ ^a	/ ^b	

*

(P < /)

(2002) Mir et al. ()
 (1990) Brandt & Anderson (2003) Kott et al.
 (1992) White et al.
 (2004) Castro et al. (2002) Beaulieu et al.

(1992) White et al. ()
 (2002) Beaulieu et al. (2000) Andrae et al.

()

C :

C :

C :
(DePeters et al., 2001)

SEM	————— ()			
/	/	/	/	C :
/	/ ^b	/ ^b	/ ^a	C :
/	/ ^b	/ ^b	/ ^a	C :
/	/	/	/	C :
/	/	/	/	C :
/	/ ^a	/ ^{ab}	/ ^b	C :
/	/ ^a	/ ^a	/ ^b	C :
/	/	/	/	C : (n-)C
/	/	/	/	C : (n-)C
/	/	/	/	—————

(P < /)

DePeters et al.

/

(2001)

Jenkins

(1998)

C :

C : C :

C : C :

C :

REFERENCES

1. Abasht, B. (1997). *The use of animal fat in Holstein growing male calves diets*. M. Sc. dissertation. Faculty of Agriculture. University of Tehran . Tehran. Iran .(In Farsi)
2. Andrae, J. G., Hunt, C. W., Duckett, S. K., Kennington, L. R., Feng, P., Owens, F. N. & Soderlund, S. (2000). Effect of high-oil corn on growth performance, diet digestibility and energy content of finishing diets fed to beef cattle. *Journal of Animal Science*, 78, 2257–2262.
3. AOAC. (1990). *Official Methods of Analysis*. (15th ed.) Arlington, United States of America.
4. Beaulieu, A. D., Drackley, J. K. & Merchen, N. R. (2002). Concentrations of conjugated linoleic acid (cis-9, trans-11-octadecadienoic acid)are not increased in tissue lipids of cattle fed a high-concentrate diet supplemented with soybean oil. *Journal of Animal Science*, 80, 847–861.
5. Brandt, R. T. & Anderson, S. J. (1990). Supplemental fat source affects feedlot performance and carcass traits of finishing yearling steers and estimated diet net energy value. *Journal of Animal Science*, 68, 2208–2217.
6. Castro, T., Manso, T., Manteco, A. R., Guirao, J. & Jimeno, V. (2004). Fatty acid composition and carcass characteristics of growing lambs fed diets containing palm oil supplements. *Journal Meat Science*, 69, 757–764.
7. Chang, J. H. P., Lunt, D. K. & Smith, S. B. (1992). Fatty acid composition and fatty acid elongase and stearoyl-CoA desaturase activities in tissues of steers fed high oleate sunflower seed. *Journal of Nutrition*, 122, 2074–2080.

8. DePeters, E. J., German, J. B., Taylor, S. J., Essex, S. T. & Perez-Monti, H. (2001). Fatty acid and triglyceride composition of milk fat from lactating Holstein cows in response to supplemental canola oil. *Journal of Dairy Science*, 84, 929–936.
9. Felton, E. E. D. & Kerley, M. S. (2004). Performance and carcass quality of steers fed different sources of dietary fat. *Journal of Animal Science*, 82, 1794–1805.
10. Folch, J., Lees, M. & Sloane-Stanley, G. H. (1957). A simple method for isolation and purification of total lipids for animal tissues. *Journal of Biological Chemistry*, 256, 497–509.
11. Ivan, M., Mir, P. S., Koenig, K. M., Rode, L. M., Neill, L. & Mir, Z. (2001). Effects of dietary sunflower seed oil on rumen protozoa population and tissue concentration of conjugated linoleic acid in sheep. *Small Ruminant Research*, 41, 215–227.
12. Jenkins, T. C. (1998). Fatty acid composition of milk from Holstein cows fed oleamide or canola oil. *Journal of Dairy Science*, 81, 794–800.
13. Kott, R. W., Hatfield, P. G., Bergman, J. W., Flynn, C. R., VanWagoner, H. & Boles, J. A. (2003). Feedlot performance, carcass composition and muscle and fat CLA concentration of lambs fed diets supplemented with safflower seeds. *Small Ruminant Research*, 41, 11–17.
14. Lough, D. S., Solomon, M. B., Rumsey, T. S., Kahl, S. & Slyter, L. L. (1993). Effects of high forage diets with added palm oil on performance, plasma lipids, and carcass characteristics of ram and ewe lambs. *Journal of Animal Science*, 71, 1171–1176.
15. Manso, T., Castro, T., Mantecon, A. R. & Jimeno, V. (2005). Effects of palm oil and calcium soaps of palm oil fatty acids in fattening diets on digestibility, performance and chemical body composition of lambs. *Animal Feed Science and Technology*, 127, 175–186.
16. Metcalf, L. C., Schmitz, A. A. & Pelka, J. R. (1966). Rapid preparation of methyl esters from lipid for gas chromatography. *Analytical Chemistry*, 38, 514–515.
17. Mir, P. S., Mir, Z., Kuber, P. S., Gaskins, C. T., Martin, E. L., Dodson, M. V., Elias Calles, J. A., Johnson, K. A., Busboom, J. R., Wood, A. J., Pittenger, G. J. & Reeves, J. J. (2002). Growth, carcass characteristics, muscle conjugated linoleic acid (CLA) content, and response to intravenous glucose challenge in high percentage Wagyu, Wagyu, Limousin and Limousin steers fed sunflower oil containing diets. *Journal of Animal Science*, 80, 2996–3004.
18. NEC. (1988). Current trends in the consumption of animal products. In *Designing food: Animal products options in the market*. National Research Council, National Academic Press, Washington, United States of America, pp. 18.
19. Palmquist, D. L. & Jenkins, T.C. (1980). Fat in lactation rations: review. *Journal of Dairy Science*, 63, 1-14.
20. Rizzi, L., Simioli, M., Sardi, L. & Monetti, P. G. (2002). Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds. *Animal Feed Science and Technology*, 97, 103–114.
21. Sadeghi panah, A. (1998). *The effects of level and fat source on performance of Kordi finishing male calves*. M. Sc. dissertation. Faculty of Agriculture. University of Tehran . Tehran. Iran .(In Farsi)
22. SAS. (2001). *User's Guide: Statistics*. Release 8.0 Edition.SAS Institute Inc, Cary, United States of America.
23. White, T. W., Bunting, L. D., Sticker, L. S., Hembry, F. G. & Saxton, A. M. (1992). Influence of fish meal and supplemental fat on performance of finishing steers exposed to moderate or ambient temperatures. *Journal of Animal Science*, 70, 3289-3297.
24. Zinn, R. A. (1989). Influence of level and source of dietary fat on its comparative feeding value in finishing diets for steers: Feedlot cattle growth and performance. *Journal of Animal Science*, 67, 1029–1037.