

*

Archive of SID

%

// :

// :

*

Wang et al.,) ()

(1997, Garcia et al., 1996, Shin et al., 2001

(Kennedy et al., 2000, ()

(Timur & Ozturk 1997, Diamadopoulos et al., 1997

(Linde et al., 1995, Chianese et al., 1999) ()

(Martin et al., 1999, Bulc et al., 1997) ()

(COD)

(TOC)

(Safari and Baronian, 2000)

Townsend et al., 1995 and 1996; San & Onay, 2001;)

(McCreanor and Reinhart, 1996; Pohland and Kim, 1999

()

LB

(:)

/ ()

(Safari & Baronian, 2002)

()

)

(

()

() %

)

(

/

/


COD

COD

COD

COD

COD



شکل شماره (۱): تغییرات COD در شیرابه ورودی و خروجی ستون های ۱ و ۲ در طول آزمایش.

COD

COD

()

() ()

COD

COD

COD

COD

COD

COD

COD

()

COD


)

COD

(:)

$$R^2 = /)$$

$$. (R^2 = /$$



Archive of SID

COD
COD

$$R^2 = /)$$

$$. (R^2 = /$$

COD

COD

COD

COD

COD

COD

COD

COD

$$(\quad)$$

COD COD

COD


$$(\text{COD} \quad \% / \quad)$$

شکل (۲): تغییرات COD در شیرابه ورودی و خروجی ستون ۱ به تفکیک مراحل سه گانه آزمایش.

COD

COD

%



شکل (۳): تغییرات COD در شیرابه ورودی و خروجی ستون ۲ به تفکیک مراحل سه گانه آزمایش.

COD

COD

% /

Kennedy K.J. and Lentz E. M. 2000. Treatment of landfill leachate using sequencing batch and continuous flow upflow anaerobic sludge blanket (UASB) reactors. *Wat.Res.* Vol.14: 3640-3656.

Linde K.,Jonsson A. and Wimmerstedt R. 1995. Treatment of three types of landfill leachate with reverse osmosis. *Desalination* 101: 21-30.

Martin C.D., Johnson K.D. and Moshiri G. A. 1999. Performance of a constructed wetland leachate treatment system at the Chunchula landfill, Mobile County, Alabama. *Wat. Sci. Tech.* 40(3): 67-74.

McCreanor P. T. and Reinhart D. R. 1996. Hydrodynamic modeling of leachate recirculating landfills. *Wat. Sci. Tech*(7-8): 463-470.

Pohland F. and Kim J. 1999. In situ anaerobic treatment of leachate in landfill bioreactors. *Wat. Sci. Tech.* 40(8): 203-210.

Safari E. and Baronian C. 2000. A proposed methodology for in-situ treatment of landfill leachate, Proceedings of the International Conference on the Science and Engineering of Recycling for Environmental Protection. Harrogate, England, WASCON 2000.

Safari E. and Baronian C. 2002. Modeling temporal variations in leachate quantity generated at kahrizak Landfill. Proceedings of International Environmental Modeling Software Society (IEMSS 2002), Switzerland.

یادداشت ها

1. Landfill Bioreactor (LB)
2. Upflow Anaerobic Sludge Blanket (UASB)
3. Sequencing Batch Reactor (SBR)
4. Reverse Osmosis (RO)
5. Constructed Wetland (CW)

Bulc T., Vrhovsek D. and Kukanja V. 1997. The use of constructed wetland for landfill leachate treatment. *Wat. Sci. Tech.* 35(5): 301-306.

Chianese A.,Ranauro R. and Verdone N. 1999. Treatment of landfill leachate by reverse osmosis. *Wat. Res.* 33(33): 647-652.

Diamadopoulos E., Samaras P., Dabou X. and Sakellaropoulos G. P. 1997. Combined treatment of landfill leachate and domestic sewage in a sequencing batch reactor. *Wat. Sci. Tech.* 36(2-3): 61-68.

Garcia H., Rico J.L. and Garcia P.A. 1996. Comparison of anaerobic treatment of leachates from an urban-solid-waste landfill at ambient temperature and at 35 degree C. *Bioresourse Technology*, 58: 273-277.

San I. And Onay T. T. 2001. Impact of various leachate recirculation regimes on municipal solid waste degradation. *Journal of Hazardous Materials B87*: 259-271.

Shin H. S., Han S. K., Song Y.C. and Lee C.Y.. 2001. Performance of UASB reactor treating leachate from acidogenic fermenter in the two-phase anaerobic digestion of food waste. *Wat. Res.*, Vol.35: 3441-3447.

Timur H. and Ozturk I. 1997. Anaerobic treatment of leachate using sequencing batch reactor and hybrid bed filter. *Wat. Sci. Tech.* 36(6-7): 501-508.

Townsend T.G., Miller, W.L. and Earle J.F.K. 1995. Leachate-recycle infiltration ponds, *Journal of Environmental Engineering.* 121(6): 465-471.

Townsend T.G., Miller W.L., Lee H. and Earle J.F. 1996. Acceleration of landfill stabilization using leachate recycle. *Journal of Environmental Engineering.* 122(4): 263-268.

Wang B., Li J., Wang L., Zhao H., Cao X. and Li J. 1997. A pilot scale study on the treatment of high-strength sanitary landfill leachate. *European Water Pollution Control.* 7(6).

Archive of SID