

Archive of SID

( ) : )

\*

\*\*

( )

/

SAR

/

11:

11:

\*  
\*\*

		Westcot Ayers .(Pescod,1992)
		(1985)
	(Abbott and Quosy, 1996)	
		.(Pescod,1992)
	)	
		(
		(K ,N ,P)
		(CSIRO, 1999)
	(Pescod,1992)	
/		
		(Ayers and Westcot,1985)
		(CSIRO,1999)
/	(Ayers and Westcot,1985)	
		( )
	(Pescod,1992)	
	( )	
	(Cd)	(Cr)
	(Mo)	(Hg) (Zn) (Pb) (Ni)
		.(Hanna et al,1992) (Co) (Cu)
	(1991)	Feigin (1985) Chang Page
	%	%

( ) : ( )

(CSIRO, 1999)

>		<	(mg/L), (BOD)
>		<	(mg/L)
>		<	(mg/L)
>		<	) (mg/L) (
>		<	(mg/L), TDS
>		<	SAR
>		<	(mg/L)
>	/	< /	(mg/L)
/	/		pH

: ( )

( )					( )			
					/	/	/	
		/			/	/		
		/			/	/	/	

( )

(WHO, 1989)

(

)

( )

: ( )

	pH	EC	SS	COD	BOD5	
	dS/m					
	/	/				
	/	/				

/

/ × ( ) .

( ) ( × ) . ( × )

K <sup>+</sup> ppm	Na <sup>+</sup> ppm	Mg <sup>2+</sup> ppm	Ca <sup>2+</sup> ppm	Cl <sup>-</sup> ppm	SO <sub>4</sub> <sup>-2</sup> ppm	CO <sub>3</sub> H <sup>-</sup> ppm	pH	SAR	dS/m	
/		/	/	/	/		/	/	/	
/		/	/	/	/		/	/	/	
/		/		/		/	/	/	/	

(g/cm <sup>3</sup> )	SAR	pH	(dS/m)	PWP%	FC %		( )
/	/	/	/	/	/		
/	/	/	/		/		
/	/	/	/	/	/		
/	/	/	/	/	/		

( )

(1998) FAO

/ /

/ ( )

: ( )

/	/	/	/	/	/	/	
/	/	/	/	/	/	/	

( )

(Fallciner and Smith, 1997)

) / ( ) ( ) (

/ / ( × )

(NWS, 1993)

FAO / ( ) /  
(Ayers and Westcot, 1985)

% %

.(CSIRO, 1999)

) / / ( ) / ( ) ( ) ( BOD  
% ( ) SAR / ( ) /  
/ / / / / / /

BOD / / /

%

) ( )  
( Ayers and Westcot, 1985 )

SAR ( ) :  
/ / SAR FAO

SAR

( Pescod, 1992 )



/ / / ( )

SAR EC

SAR / / C<sub>3</sub>S<sub>3</sub> C<sub>3</sub>S<sub>2</sub>  
SAR FAO

SAR

/

SAR

BOD

% /

( )  
/ /

(Ayers and Westcot,1985)

Ayers and Westcot .

/

%

Westcot Ayers

(% / ) (% / )  
(% / ) (% / ) (% / )  
(% / ) (% / ) (% / )

(% / )

( )

%



/

:( )

(

)

/

:

/

(Ayers and Westcot,1985)

---

water management Research Institute, Cairo, Report  
OD. 134.

%

Ayers, R.S. and Westcot, D.W. 1985. Water quality  
for agriculture, FAO, Irrigation and Drainage paper.

Fallciner,R.A. and Smith,C.J. 1997. Changes in soil  
chemistry in effluent irrigated pinusradiata and  
ucalyptus grandis plantations. Australlian Journal of  
soil research,35:131-147.

Feigin, A., Ravina, I. and Shalkevet,  
J.1991.Irrigation with treated sewage efflueut:  
Management for environment protection, Springer-  
verlage ,Berline, Germany.

Hanna, D., et .al. 1992. Early performance of  
effluent irrigated hardwood plantations at Bolivar,  
South Australia. In chatchments of Green  
Conference. Adelaide, Greening Australia, pp.207-  
214.

New South Wales Land and Water Conservation.  
1997. Guidelines for the on-sit pre-treatment of  
trade waste discharges to sewer. Land and Water  
Conservation, Parramatta, NSW.

Page,A.L. and Chang,A.C. 1985 .Fate of effluent  
constituents in soil and grandwater:trace elements.  
In irrigation with reclaimed municipal effluent. A  
guidance manual, Lewis Publisher, Chelsea,  
Michigan.

Pescod, M.B. 1992 . Wastewater treatment and use in  
agriculture, FAO Irrigation and Drainage paper No 47,  
125p.

Abbott,C.L. and Quosy, D.E.D.EL. 1996. A  
Procedure to assess the impacts of drainage water  
reuse, HR Wallingford in Collaboration with the