

حسین*

مریبی پژوهشی گروه اکولوژی مرکز بین المللی علوم و تکنولوژی پیشرفته و علوم محیطی
۲- استادیار گروه زیست شناسی دانشگاه شهید باهنر کرمان
۳- کارشناس ارشد بیوشیمی مرکز بین المللی علوم و تکنولوژی پیشرفته و علوم محیطی

/

/

pH

کلید واژه

) نیست.

(

زمینه

SO_3 H_2S SO_2

(Acharya, 2001, Anushree, 2000)

بیشتر از

.(Juszczak, 1995)

.(Prayuenyong ,2002)

مواد و روش‌ها

.(Fuseler, 1996)



XRF

.(Schippersm, 1999)

()

:()

SiO₂	Al₂O₃	Fe₂O₃	CaO	SO₃	Na₂O	K₂O	LOI
% /	% /	% /	% /	% /	% /	% /	% /



(Silverman ,1959) 9K

(Chen, 2000)

Juszczak,)


.(1995

.()

()

.(Fuseler, 1996)

()



317 9K

:()

9K (Silverman, 1959)	g.l	(Chen, 2000)	g.l
(NH ₄) ₂ SO ₄	/	(NH ₄) ₂ SO ₄	/
K ₂ HPO ₄	/	K ₂ HPO ₄	/
MgSO ₄ 7H ₂ O	/	MgSO ₄ 7H ₂ O	/
KCl	/	CaCl ₂	/
Sulphur			

pH

(Bosecker ,1997)

cc

Bataghelia,)

(NH₄)₂SO₄ 3.7 g/l, H₃PO₄ 0.8 g/l, KOH 4.8 g/l, (1997

MgSO₄·H₂O .52g/l]

.....
/ /
Donati,)
. (1995

/ /
pH .
pH
وسيلة
()

Pronab,)
() .(1996 pH
pH

.(Oser, 1965)

.(Donati, 1995)

Excel

%

Acharya .

/
. (Acharya, 2001) ()
Anushree
()

.(Schippersm, 1999)) : () pH

.(Sasaki, 1995)


	+S	- S	
<i>T.ferrooxidans</i>	/	/	
<i>T. thiooxidans</i>	/	/	
<i>T.ferrooxidans + T. thiooxidans</i>	/	/	

pH ()

(Prayuenyong, 2002)


pH

/ pH




pH ()

/ pH



دما

()



()

ppm

(Juszczak, 1995)


(Juszczak, 1995)

نتیجه گیری کلی

()


()

pH



یادداشت‌ها

- 1-Biodesulphurization
- 2-Thiobacillus ferrooxidans
- 3-Thiobacillus thiooxidans
- 4-Thiobacillus caldus
- 5-Sulfolobus acidocaldarius
- 6-Acidianus brierleyi
- 7-Metallosphaera sedula
- 8-Desulfovibrio desulfuricans
- 9-Leptospirillum ferrooxidans



()

-
- Acharya, C., Kar, R.N. and Sukla, L.B. 2001. Bacterial removal of sulphur from three different coals. *Fuel*. 80: 2207 – 2216.
- Anushree, M., Manisha, G. D. and Pradip, K. R. 2000 .Biodesulphurization of coal: rate enhancement by sulphur-grown cells. *Biotechnology Letters*. 22: 273 – 276.
- Batagelia, F.,et al. 1998. The mutual effect of mixed thiobacilli and leptosprilli population on pyrite bioleaching. *Mineral Engineering*. 11(2): 195 - 205.
- Bosecker, K. 1997. Bioleaching, metal solubilization by microorganisms. *FMES Microbiology Reviews*. 20: 591-604.
- Chen, S. and Lin, J. 2001. Bioleaching of heavy metals from sediment: significance of pH. *Chemosphere*. 44: 1093-1102.
- Onati, E.,et al. 1995. Bioleaching of covellite using pure and mixed cultures of *Thiobacillus ferrooxidans* and *Thiobacillus thiooxidans*. *Process Biochemistry*. 31: 129 – 134.
- Fuseler, K.,et al. 1996. A common pathway of sulfide oxidation by sulfat- reducing bacteria. *FEMS Microbiology Letters*. 144: 129–134.
- Juszczak, A.,et al. 1995. Microbial desulphurization of coal with *Thiobacillus ferrooxidans* bacteria. *Fuel*. 74: 725 – 728.
- Oser, B. L. 1965. Hawk's Physiological chemistry, 14th ed. New York: McGraw Hill.1094-1096.
- Prayuenyong, P. 2002. Coal biodesulphurization processes. *Journal Science Technology*. 24: 493–507.
- Pronab, K. B. and Mrinal, K. B. 1996. Sulphur in Assam coal. *Fuel Processing Technology*. 46: 83 – 97.
- Sasaki, K.,et al. 1995. Confirmation of sulphur- rich layer on pyrite after oxidative dissolution by Fe (III) ions around pH 2. *Geochimica et Cosmochimica Acta*. 59: 3155 – 3158.
- Schippers, A., Rohwerder, T. and Sand, W. 1999. Intermediary sulphur compounds in pyrite oxidation: implications for bioleaching and biodepyritization of coal. *Appl Microbiology Biotechnol*. 52: 104 – 110.
- Silverman, M. P. and Lundgren, D.G. 1959. Studies on the chemo-autotrophic iron bacterium *ferrobacillus ferrooxidans*. In: An improved medium and a harvesting procedure for securing high cell yields. *Journal of Bacteriology*. 77: 642 – 647.