

( )

//

x

/ / /

( / / / )

(

/

(P> / )

Archive of SID

)

(

( )

( )

( )

( )

( )

( )

( )

)

( )

(

Archive of SID

( )

( )

( )

( )

( )

( ) SAS

)

(

x

P < / ( )

( / / / )  
(P > / )

( )  
/ / / / /

Archive of SID

/ /  
(P > / )

( )

( )

(%)

/ / / / / /

( )

/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %

D.C.P

( )

/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %

+

% %

B1

A

:

B6

B2

K3

E

D3

B12

( )

... :

( )

(%)

/ / / / / /

( )

/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%

D.C.P

( )

/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%
/	/	/	/	/	/	%

+

% %

B1

A

:

B6

B2

K3

E

D3

B12

( )

( )

(%)

/ / / / / /

( )

/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %

D.C.P

( )

/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %  
/ / / / / / %

+

% %

B1

A

:

B6

B2

K3

E

D3

B12

( )

... :

( )

/ / )

( / / / ( ) ( )

( / )

( )

Archive of SID

( )

( / / / ( ) / /

( )

(p > / )

( )

( )

( )

/ /

l ( )

( l )

( )

( )

( )

l l

Archive of SID

( )

( )

( l l )

( l )

l l )

(

( l l )

( )

( )

( )



...

:

( )

( )

( )

( )

/ ± /	/ ± /	/ ± /	/ ± /	/ ± /
/ ± /	/ ± /	/ <sup>b</sup> ± /	/ <sup>a</sup> ± /	/ <sup>a</sup> ± /
/ ± /	/ ± /	/ <sup>b</sup> ± /	/ <sup>a</sup> ± /	/ <sup>a</sup> ± /

( )

/ ± /	/ ± /	/ ± /	/ ± /	/ ± /
/ ± /	/ ± /	/ <sup>b</sup> ± /	/ <sup>a</sup> ± /	/ <sup>a</sup> ± /
/ ± /	/ ± /	/ ± /	/ ± /	/ ± /
/ ± /	/ ± /	/ <sup>b</sup> ± /	/ <sup>a</sup> ± /	/ <sup>ab</sup> ± /

(p < / )

:abc

/ / /

/ / /

:

( )

( / )

( )

( )

/ <sup>a</sup> ± /	/ <sup>b</sup> ± /	/ ± /	/ ± /	/ ± /
/ <sup>a</sup> ± /	/ <sup>b</sup> ± /	/ ± /	/ ± /	/ ± /
/ ± /	/ ± /	/ ± /	/ ± /	/ ± /
/ <sup>a</sup> ± /	/ <sup>b</sup> ± /	/ ± /	/ ± /	/ ± /

( / )

/ <sup>a</sup> ± /	/ <sup>b</sup> ± /	/ ± /	/ ± /	/ ± /
/ ± /	/ ± /	/ <sup>a</sup> ± /	/ <sup>b</sup> ± /	/ <sup>b</sup> ± /
/ ± /	/ ± /	/ ± /	/ ± /	/ ± /
/ ± /	/ ± /	/ <sup>a</sup> ± /	/ <sup>b</sup> ± /	/ <sup>b</sup> ± /

(p < / )

:abc

/ / /

/ / /

:

( )

( )

( )

( )

/ $a_{\pm}$ /	/ $a_{\pm}$ /	/ $a_{\pm}$ /	/ $ba_{\pm}$ /	/ $ba_{\pm}$ /	/ $b_{\pm}$ /
/ $dc_{\pm}$ /	/ $d_{\pm}$ /	/ $a_{\pm}$ /	/ $cba_{\pm}$ /	/ $dcb_{\pm}$ /	/ $ba_{\pm}$ /
/ $cb_{\pm}$ /	/ $c_{\pm}$ /	/ $a_{\pm}$ /	/ $ba_{\pm}$ /	/ $cba_{\pm}$ /	/ $cba_{\pm}$ /

( )

/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /
/ $cb_{\pm}$ /	/ $c_{\pm}$ /	/ $a_{\pm}$ /	/ $ba_{\pm}$ /	/ $cba_{\pm}$ /	/ $a_{\pm}$ /
/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /
/ $cb_{\pm}$ /	/ $c_{\pm}$ /	/ $a_{\pm}$ /	/ $ba_{\pm}$ /	/ $cba_{\pm}$ /	/ $cba_{\pm}$ /

( $p < /$  ) ( ) :abc  
/ / / / / / / :

1. Natuphos,10000 U/g F.T.U ,BASF Aktiengesellschaft Strategic Marketing Animal Nutrition ,67056 Ludwigshafen ,Germany

(

( )

( / )

( )

( )

/ $a_{\pm}$ /	/ $a_{\pm}$ /	/ $a_{\pm}$ /	/ $ba_{\pm}$ /	/ $a_{\pm}$ /	/ $b_{\pm}$ /
/ $ba_{\pm}$ /	/ $b_{\pm}$ /	/ $a_{\pm}$ /	/ $b_{\pm}$ /	/ $ba_{\pm}$ /	/ $b_{\pm}$ /
/ $b_{\pm}$ /	/ $a_{\pm}$ /	/ $a_{\pm}$ /	/ $a_{\pm}$ /	/ $a_{\pm}$ /	/ $b_{\pm}$ /
/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /

( / )

/ $ba_{\pm}$ /	/ $ba_{\pm}$ /	/ $ba_{\pm}$ /	/ $b_{\pm}$ /	/ $a_{\pm}$ /	/ $b_{\pm}$ /
/ $a_{\pm}$ /	/ $a_{\pm}$ /	/ $ba_{\pm}$ /	/ $ba_{\pm}$ /	/ $ba_{\pm}$ /	/ $b_{\pm}$ /
/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /	/ $\pm$ /
/ $ba_{\pm}$ /	/ $a_{\pm}$ /	/ $cba_{\pm}$ /	/ $cb_{\pm}$ /	/ $cba_{\pm}$ /	/ $c_{\pm}$ /

( $p < /$  ) :abc  
/ / / / / / / :

Archive of SID

... :  
( ) ( )

(% )  
(% )  
( )

(% / )

(% / )  
( )

/ / / / /

( )

## REFERENCES

1. Adeola, O., & J. S. Sands. 2003. Does supplemental dietary microbial phytase improve amino acid utilization? A perspective that it does not. *Journal of Animal Sci.* 81(E. Suppl. 2): E78-E85.
2. Angel, R., T. J. Applegate, & M. Christman. 2000. Effect of dietary nonphytae phosphorus (npp) on performance and bone measurements in broilers fed on a four-phase feeding system. *Poultry Sci.* 79(Suppl. 1): 21-22(Abstr).
3. Applegate, T. J., B. C. Joern, D. L. Nussbaum-Wagler, & R. Angel. 2003. Water-soluble phosphorus in fresh broiler litter is dependent upon phosphorus concentration fed but not on fungal phytase supplementation. *Poultry Sci.* 82: 1024-1029.
4. Bedford, M. R. 2000. Exogenous enzymes in monogastric nutrition-their current value and future benefits. *Animal Feed Sci. and Technology* . 86: 1-13.
5. Boling-Frankenbach, S. D., C. M. Peter, M. W. Douglas, J. L. Snow, C. M. Parsons, & D. H. Baker. 2001. Efficacy of phytase for increasing protein efficiency ratio values of feed ingredients. *Poultry Sci.* 80: 1578-1584.
6. Ceylan, N., S. E. Scheideler, & H. L. Stilborn. 2003. High available phosphorus corn and phytase in layer diets. *Poultry Sci.* 82: 789-795.
7. Dhandu, A. S. & R. Angel. 2003. Broiler nonphytin phosphorus requirement in the finisher and withdrawal phases of a commercial four-phase feeding system. *Poultry Sci.* 82: 1257-1265.
8. Edwards, H. M. Jr., A. B. Carlos, A. B. Kasim, & R. T. Toledo. 1999. Effects of steam pelleting and extrusion of feed on phytate phosphorus utilization in broiler chickens. *Poultry Sci.* 78: 96-101.
9. Gordon, R. W. & D. A. Sr. Roland. 1998. Influence of supplemental phytase on calcium and phosphorus utilization in laying hens. *Poultry Sci.* 77: 290-294.
10. Jalal, M. A. & S. E. Scheideler. 2001. Effect of supplementation of two different sources of phytase on egg production parameters in laying hens and nutrient digestibility. *Poultry Sci.* 80: 1463-1471.
11. Jang, D. A., J. G. Fadel, K. C. Klasing, A. J. Jr. Mireles, R. A. Ernst, K. A. Young, A. Cook, & V. Raboy. 2003. Evaluation of low-phytate corn and barley on broiler chick performance. *Poultry Sci.* 82: 1914-1924.
12. Keshavarz, K. 2003a. Effects of continuous feeding of low-phosphorus diets with and without phytase during the growing and laying periods on performance of two strains of leghorns. *Poultry Sci.* 82: 1444-1456.
13. Keshavarz, K. 2003b. The effect of different levels on nonphytate phosphorus with and without phytase on the performance of four strains of laying hens. *Poultry Sci.* 82: 71-91.
14. Kornegay, E. T. 2001. Digestion of phosphorous and other nutrients: the role of phytase and factors influencing their activity. In *Enzymes in Farm Animal Nutrition* (Eds M. R. Bedford and G. G. Partridge), CABI Publishing, Wallingford, Oxon OX10 8DE, UK.
15. Lan, G. Q., N. Abdullah, S. Jalaludin, & Y. W. Ho. 2002. Efficacy of supplementation of a phytase-producing bacterial culture on the performance and nutrient use of broiler chickens fed corn-soybean meal diets. *Poultry Sci.* 1522-1532.
16. Leske, K. & C. Coon. 2002. The development of feedstuff retainable phosphorus values for broilers. *Poultry Sci.* 81: 1681-1693.

17. Lesson, S. & J. D. Summers. 2001. Nutrition of the chicken. 4th Edition. University Books, P. O. Box 1326, Guelph, Ontario, Canada N1H 6N8.
18. MacDowell, L. R. 1992. Minerals in animal and human nutrition. Academic Press, INC., 1250 Sixth Avenue, San Diego, California 92101. pp: 523.
19. Maenz, D. D. 2001. Enzymatic characteristics of phytase as they relate to their use in animal feeds. In Enzymes in Farm Animal Nutrition (Eds M. R. Bedford and G. G. Partridge), CABI Publishing, Wallingford, Oxon OX10 8DE, UK.
20. National Research Council. 1994. Nutrient Requirements of Poultry. 9<sup>th</sup> . rev. ed. National Academy Press, Washington, DC.
21. Orban, J. I., O. Adeola & R. Strohshine. 1999. Microbial phytase in finisher diets of white pekin ducks: effect on growth performance, plasma phosphorus concentration, and leg bone characteristics. Poultry Sci. 78: 366-377.
22. Persia, M. E., C. M. Parsons, & K. W. Koelkebeck. 2003. Interrelationship between environmental temperature and dietary nonphytate phosphorus in chicks. Poultry Sci. 82: 1616-1623.
23. Punna, S. & D. A. Sr. Roland. 1999. Influence of supplemental microbial phytase on first cycle laying hens fed phosphorus-deficient diets from day one of age. Poultry Sci. 78: 1407-1411.
24. Punna, S. & D. A. Sr. Roland. 2001. Influence of dietary phytase supplementation on incidence and severity in broilers divergently selected for tibial dyschondroplasia. Poultry Sci. 80: 735-740.
25. Qian, H., H. P. Veit, E. T. Kornegay, V. Ravindran, & D. M. Denbow. 1996. Effects of supplemental phytase and phosphorous on histological and other tibial bone characteristics and performances of broilers fed semi-purified diets. Poultry Sci. 75: 618-626.
26. Ravindran, V., P. H. Selle, & W. L. Bryden. 1999a. Effects of phytase supplementation, individually and in combination, with glycanase, on the nutritive value of wheat and barley. Poultry Sci. 78: 1588-1595.
27. Ravindran, V., P. H. Sell, G. Ravindran, P. C. H. Morel, A. K. Kies, & W. L. Bryden. 2001. Microbial phytase improves performance, apparent metabolizable energy and ileal amino acid digestibility of broilers fed a lysine-deficient diet. Poultry Sci. 80: 338-344.
28. Ravindran, V., S. Cabahug, G. Ravindran, & W. L. Bryden. 1999b. Influence of microbial phytase on apparent ileal amino acid digestibility of feedstuffs for broilers. Poultry Sci. 78: 699-706.
29. SAS Institute. 1991. SAS® User's Guide: Statistics. Version 6.03 Edition. SAS Institute, Inc., Cary, NC.
30. Sebastian, S., S. P. Touchburn, E. R. Chavez, & P. C. Lague. 1996a. Efficacy of supplemental microbial phytase at different dietary calcium levels on growth performance and mineral utilization of broiler chickens. Poultry Sci. 75: 1516-1523.
31. Sebastian, S., S. P. Touchburn, E. R. Chavez, & P. C. Lague. 1996b. The effects of supplemental microbial phytase on the performance and utilization of dietary calcium, phosphorus, copper, and zinc in broiler chickens fed corn-soybean diets. Poultry Sci. 75: 729-736.
32. Shirley, R. B. & H. M. Jr. Edwards. 2003. Graded levels of phytase past industry standards improves broiler performance. Poultry Sci. 82: 671-680.
33. Simons, P. C. M., H. A. J. Versteegh, A. W. Jongbloed, P. A. Kemme, P. Slum, K. D. Bos, M. G. E. Wolters, R. F. Beudeker, & G. J. Verschoor. 1990. Improvement of phosphorus availability by microbial phytase in broiler and pigs. British Journal of Nutrition. 64: 525-541.
34. Sooncharernying, S. & H. M. Jr. Edwards. 1993. Phytate content of excreta and phytate retention in the gastrointestinal tract of young chickens. Poultry Sci. 72: 1906-1916.
35. Snow, J. L., M. W. Douglas, & C. M. Parsons. 2003. Phytase effects on amino acid digestibility in molted laying hens. Poultry Sci. 82: 474-477.
36. Sohail, S. S. & D. A. Sr. Roland. 1999. Influence of supplemental phytase on performance of broilers four to six weeks of age. Poultry Sci. 78: 550-555.

37. Sohail, S. S. & D. A. Sr. Roland. 2002. Influence of dietary phosphorus on performance of Hy-Line W36 hens. *Poultry Sci.* 81: 75-83.
38. Summers, J. D. 1997. Precision phosphorus nutrition. *Journal Applied Poultry Res.* 6: 495-500.
39. Um, J. S., & I. K. Paik. 1999. Effects of microbial phytase supplementation on egg production, eggshell quality, and mineral retention of laying hens fed different levels of phosphorus. *Poultry Sci.* 78: 75-79.
40. Viveros, A., A. Brenes, I. Arija, & C. Centeno. 2002. Effects of microbial phytase supplementation on mineral utilization and serum enzyme activities in broiler chicks fed different levels of phosphorus. *Poultry Sci.* 81: 1172-1183.
41. Waldroup, P. W. 1999. Nutritional approaches to reducing phosphorus excretion by poultry. *Poultry Sci.* 78: 683-691.
42. Yan, F., J. H. Kersey, & P. W. Waldroup. 2001. Phosphorus requirements of broiler chicks three to six weeks of age as influenced by phytase supplementation. *Poultry Sci.* 80: 455-459.
43. Yan, F., J. H. Kersey, C. A. Fritts, & P. W. Waldroup. 2003. Phosphorus requirements of broiler chicks six to nine weeks of age as influenced by phytase supplementation. *Poultry Sci.* 82: 294-300.
44. Yi, Z., E. T. Kornegay, & D. M. Denbow. 1996a. Effect of microbial phytase on nitrogen and amino acid digestibility and nitrogen retention of turkey poults fed corn-soybean meal diets. *Poultry Sci.* 75: 979-990.
45. Yi, Z., E. T. Kornegay, & D. M. Denbow. 1996a. Supplemental microbial phytase improves zinc utilization in broilers. *Poultry Sci.* 75: 540-546.
46. Yi, Z., E. T. Kornegay, V. Ravindran, & D. M. Denbow. 1996b. Improving phytate phosphorus availability in corn and soybean meal for broilers using microbial phytase and calculation of phosphorus equivalency values for phytase. *Poultry Sci.* 75: 240-249.

Archive of SID