

( )

\*

( / / : / / : )

)

(

(

)

(

( **R** = / )

Archive of SID

( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

)  
(

mm<sup>2</sup>

ASAE

( )

( )

)

(RPM)

(

( )



(EC)

( )

( )

A

DGPS

)

(

( )

(John

(DGPS)

Deere Gator)

( )

( )



( )


Archive of SID

cm

/	/	/	/	Clayey-kaolinitic - thermic, <i>Typic Paleudults</i>	( )
/	/	/	/	Loamy-siliceous-thermic, <i>Arenic Plinthic Paleudults</i>	( )
/	/	/	/	Siliceous-thermic-coated, <i>Typic Quartzipsamments</i>	( )


SSToolbox

(GIS)



DGPS

عمر خاک ورزی = 46 سانتیمتر




( )

QBASIC

( )

عمر خاک ورزی = 38 سانتیمتر



% ( ) ) ( ( / ) )

l l ( ) ( ) Archive of SID ( )

( )


SAS





) ( ) % (

( )

( )

( )	( )	( )	( )	( )
<hr/>				
١١/٠٥	٨/٧٣ <sup>d</sup>	١٣/٠٧ <sup>d</sup>	٥/٩٨ <sup>d</sup>	٢٠
٢٣/٦٣	١٠/٥٩ <sup>c</sup>	٢٧/٢٧ <sup>c</sup>	١٢/١٥ <sup>c</sup>	٣٠
٢٧/٥٩	١١/١٩ <sup>b</sup>	٣٢/٠١ <sup>b</sup>	١٤/١٨ <sup>b</sup>	٣٦
٢٠/٧٥				( )
٤١/٩١	١٤/٤٢ <sup>a</sup>	٤٥/٥٧ <sup>a</sup>	٢١/٥٥ <sup>a</sup>	٤٦
<hr/>				
١٣/٨٨	٨/٦١ <sup>b</sup>	١٩/٤١ <sup>c</sup>	٧/١٥ <sup>c</sup>	٢٨
٢٣/٥٧	١٠/٨٧ <sup>a</sup>	٢٧/٥٧ <sup>b</sup>	١٢/١٣ <sup>b</sup>	٤٠
٢٩/٦٩	١١/٠٠ <sup>a</sup>	٣١/٩٤ <sup>a</sup>	١٣/٨٠ <sup>a</sup>	٤٦
٢٢/٣٨				( )
٢٨/١٤	١١/٠٣ <sup>a</sup>	٣٢/٢٣ <sup>a</sup>	١٤/١٠ <sup>a</sup>	٤٦
<hr/>				
٨/٦٢	٨/٣٨ <sup>b</sup>	١٠/٠٤ <sup>b</sup>	٤/٤٣ <sup>c</sup>	٢٨
١٤/٣٩	٩/٦٣ <sup>a</sup>	١٩/١٩ <sup>a</sup>	٧/٣٤ <sup>b</sup>	٣٨
١٧/٣٤	١٠/٠٩ <sup>a</sup>	١٩/٦٩ <sup>a</sup>	٩/١١ <sup>a</sup>	٤٦
١٣/٤٤				( )
١٨/١٩	١٠/٢٣ <sup>a</sup>	٢٠/٨٨ <sup>a</sup>	٩/٥٠ <sup>a</sup>	٤٦
<hr/>				
	LSD	%		*





%

%

R = /

( )

% / % /

% %

Cotton Incorporated South Carolina Cotton Board

## REFERENCES

1. Al-Janobi, A.A. & S.A. Al-Suhaimani. 1998. Draft of primary tillage implements in sandy loam soil. *Applied Engineering in Agriculture* 14(4): 343 – 348.
2. ASAE Standards. 2004a. ASAE S313.3 FEB04: Soil cone penetrometer. In: Hahn, R.H., Purschwitz, M.A., Rosentreter, E.E. (Eds.), ASAE Standards 2004. ASAE, St. Joseph, MI.
3. Clark, R.L. 1999. Evaluation of the potential to develop soil strength maps using a cone penetrometer. Presented at the 1999 ASAE Annual International Meeting, Paper No.99-3109, American Society of Agricultural Engineers. 2950 Niles Road, St. Joseph, MI 49085-9659, USA.
4. Fulton, J.P., L.G. Wells, S.A. Shearer, & R.I. Barnhisel. 1996. Spatial variation of soil physical properties: a precursor to precision tillage. Presented at the 1996 ASAE Annual International Meeting, Paper No.96-1012, American Society of Agricultural Engineers. 2950 Niles Road, St. Joseph, MI 49085-9659, USA.
5. Garner, T.H., A. Khalilian, & M.J. Sullivan. 1989. Deep tillage for cotton in Coastal Plain soils costs / returns. 1989 Proceedings, Beltwide Cotton Production Research Conferences, pp.168-171, January 1989, Nashville, TN.
6. Gill, W. R. & G. E. Vanden Berg. 1968. Soil Dynamics in Tillage and Traction. Agricultural handbook 316. Washington, D.C.: USDA-Agric. Res. Service.
7. Gorucu, S., A. Khalilian, Y.J. Han, R.B. Dodd, F.J. Wolak, & M. Keskin. 2001. Variable depth tillage based on geo-referenced soil compaction data in Coastal Plain region of South Carolina. ASAE Paper No. 011016. St. Joseph, MI: ASAE.
8. Khalilian, A., Y. J. Han, R. B. Dodd, Mike J. Sullivan, S. Gorucu, & M. Keskin. 2002. A control system for variable depth tillage. ASAE Paper No. 021209. St. Joseph, MI.: ASAE.
9. Khalilian, A., M. Jones, M. Sullivan, & J. Frederick. 2004. Comparison of strip tillage system in coastal plain soils for cotton production. Proceedings of the Beltwide Cotton Conferences, National Cotton Council of America, Memphis, TN.
10. Lund, E.D., C.D. Christy, & P.E. Drummond. 1999. Practical applications of soil electrical conductivity mapping. p.p. 771-779. In J.V. Stafford (ed.) Precision Agriculture '99- Proc. of the 2nd Eur. Conf. on Precision Agriculture. Denmark, 11-15 July 1999. SCI, Shefield, UK.

- ... :
11. Nehmdahl, H. & M.H. Greve. 2001. Using soil electrical conductivity measurements for delineating management zones on highly variable soils in Denmark. In: Grenier, G. and Blackmore, S. (eds), 2001. Proceedings of the 3rd European conference on precision agriculture, June 18-20. Montpellier, France. Vol. 1: 461-466.47
  12. Palmer, A.L. & I. R. kruger. 1982. Comparative drafts of six tillage implements. Proceeding of Conference on Agricultural Engineering, 163-167, Armidale, NSW Australia, 22-24 August. Barton, Australia.
  13. Raper, R.L. 1999. Site-specific tillage for site-specific compaction: Is there a need? Proceedings of the International Conference of Dryland Conservation/Zone Tillage, Beijing, China,1999.
  14. Raper, R.L., E.B. Schwab, & S.M. Dabney. 2000a. Spatial variation of the depth of root restricting layers in Northern Mississippi soils. Second Int. Conf. Geospatial Information in Agriculture and Forestry, Lake Buena Vista, FL. pp. I-249-256.
  15. Raper, R.L., E.B. Schwab, & S.M. Dabney. 2000b. Site-specific measurement of site-specific compaction in the Southeastern United States. Proceedings of the 15th ISTRO Conference, Ft. Worth, TX. July 3-7.
  16. Raper, R.L., & A. K. Sharma. 2004. Soil moisture effects on energy requirements and soil disruption of subsoiling a coastal plain soil. Transactions of the ASAE 47(6): 1899-1905.
  17. SAS Institute Inc., SAS/STAT® User's Guide, Version 8, Cary, NC: SAS Institute Inc., 1999.
  18. Sojka, R.E., W.J. Busscher, and G.A. Lehrsch. 2001. In situ strength, bulk density, and water content relationships of a Durinodic Xeric Haplocacio soil. Soil Science of American Journal, 166(8): 520-529.
  19. Taylor, H.M and H.R. Gardner. 1963. Penetration of cotton seedlings taproots as influenced by bulk density, moisture content and strength of soil. Soil Science, 96: 153-156.
  20. Upadhyaya, S. K., T.H. Williams, L. J. Kemble and N. E. Collins. 1984. Energy requirement for chiseling in coastal plain soils. Transactions of the ASAE 36(5): 1267-1270.

Archive