

( )

***Brevipalpus obovatus* Donnadieu**

**(Acari: Tenuipalpidae)**

( // : // : )

***Brevipalpus obovatus***

/ ± / ± / ±

±

/ ±

/

( )

/

/

/

/ ±

/ ±

/ ±

***Brevipalpus obovatus***

:

( )

*Pinus radiata*

( )

)

(...

*Brevipalpus obovatus* Donnadieu

(Cosmopolitan)

(Scarlet mite)

( ) (*Ligustrum*)

( )

( )

( )

(.)

*B. obovatus*

( )

(.)

(.)

(Thelytoky)

/ ±

( )

±

*B. phoenicis* *B. obovatus*

( )

±

*Oligonychus coffeae*

*B. obovatus*

/ /

( )

/ ±

/ ±

/ ±

±

/

...

:

/ ±

) / ± / ± /

/ ± / / ( /

/ ± / / / ±

/ ) /

(Deutochrysalis) .(

/ ±

/ ± /

/ ± / /

/ / /

) / ±

/ ± / / (

/ ± /

/ / / / ±

/ / / / ±

(Teliochrysalis)

/ ± / ±

/ ± / /

/ ± / / / ±

/ / / ± /

( ) /

( )

(Nymphochrysalis)

- 
1. Protonymph
  2. Deutonymph

$l \pm$

)  $l \pm$  (  $l \pm$

$l \pm$   $l \pm$

$l \pm$  ( )

( )

$l \pm$  ( )  $l \pm$   $l \pm$   $l \pm$   $l \pm$

(Teliochrysalis)

(Hysterosoma)

(Gnathosoma)

$l \pm$  ( )

(Postpedal)

( )

( )

( )

$l \pm$   $l \pm$

(Thelytoky)

/ ±

*B. obovatus*

(Bisexual)

( )

<i>B. obovatus</i>		<i>B. obovatus</i>	
/ ±	/ ±	/ ±	/ ±
/ ± °C		/ ± °C	
/ ± /		/ ± /	
/ ± /	/	± /	/
/ ± /	/	/ ± /	/
/ ± /		/ ± /	/
/ ± /	/	/ ± /	/
/ ± /	/	/ ± /	/
/ ± /		/ ± /	
± /		/ ± /	
/ ± /		/ ± /	
/ ± /	/	/ ± /	/
/ ± /	/	/ ± /	/
			( )
			( )

<i>B. obovatus</i>		<i>B. obovatus</i>	
/ ±	/ ±	/ ±	/ ±
± /	/	± /	/
/ ± /		/ ± /	
± /	/	/ ± /	/
± /	/	/ ± /	/
±		/ ± /	/
± /	/	/ ± /	/
± /	/	/ ± /	/
		/ ± /	
		/ ± /	
/ ± /	/	/ ± /	( )
/ ± /	/	/ ± /	( )

$/ \pm / \pm / \pm$  *B. obovatus*

$\pm$

---



---

$/ \pm /$	$\pm /$	$/ \pm ^\circ\text{C}$
$/ \pm /$	$/ \pm /$	$/ \pm ^\circ\text{C}$
$/ \pm /$	$/ \pm /$	$/ \pm ^\circ\text{C}$

---

*B. obovatus*

(% = )

---




---

$/ a$	$/ a$	$/ a$	$a$	$/ a$	$/ a$	$/ a$	$/ a$	$/ a$	$/ a$	$/ a$	$/ a$	$/ \pm ^\circ\text{C}$
$/ b$	$/ b$	$/ b$	$/ b$	$/ b$	$/ b$	$/ b$	$/ b$	$/ b$	$/ b$	$/ b$	$b$	$/ \pm ^\circ\text{C}$
$/ c$	$/ b$	$/ b$	$/ c$	$/ c$	$/ b$	$/ b$	$/ b$	$/ b$	$c$	$/ c$	$/ \pm ^\circ\text{C}$	

---



---



*B. obovatus*

$\pm$

*B. obovatus*

$\pm$

---

( )	( )	( )
$/$	$//$	$//$
$/$	$//$	$//$
$/$	$//$	$//$
$/$	$//$	$//$
$/$	$//$	$//$
$/$	$//$	$//$
$/$	$//$	$//$
$/$	$//$	$//$
$/$	$//$	$//$
$/ \pm$		

---



---

$/ \pm$

$/ \pm$

$\pm$

$/ \pm$

$/$

( )

**REFERENCES**

*Oligonychus ununguis*

*Brevipalpus obovatus*

8. Benjamin, D. M. 1968. Insects and mites on tea in Africa and adjacent islands. East African Agric & Forest. Jour., 33: 345-57.
9. Danthanarayana, W. & D. J. W. Ranaweera. 1970. The red spider mite and Scarlet mite of tea and their control. Tea Q. 41: 19-33.
10. Pijnacker L.P., M.A. Ferwerda, H.R. Bolland & W. Helle. 1980. Haploid female parthenogenesis in the false spider mite *Brevipalpus obovatus* (Acari: Tenuipalpidae). Genetica, 51(3): 211-214.
11. Ramlogun, H.G.S. 1971. The pests and diseases of tea in Mauritius. Revue Agricole et Sucriere de l'île Maurice, 50: 48-67.
12. Rattan, P.S. 1992. Pest and diseases control in Africa: Willson, K.C. and Clifford, M.N. (Eds.). Cultivations to Consumption. Chapman & Hall. London. 337-352.
13. Trindade M.L.B. & L.G. Chiavegato. 1994. Biological characteristics of the mites *Brevipalpus obovatus* D., *B. californicus* B. and *B. phoenicis* G. (Acari: Tenuipalpidae). Anais da Sociedade Entomologica do Brasil, 23(2): 189-195.

Archive of SID