```
اثر رژيم غذايي اسيد اولئيك(امگا ٩) بر يادگيري موشهاي صحرايي نر بالغ
  (p<0.01)
                      ( ).
       11: 11:
                                           11 :
```

(,) (). (). ()) T) \pm

¹⁻ N-methyl-D-Aspartate2- Non- N-methyl-D-Aspartate3- Wistar

().

T

(p<0.001)

().

.(p<0.05)).

).

(P<0.001)

6-Latancy 7-One Way ANOVA

1- Simple learning2- Reversal learning


3- Criterion

4- Trial

5- Extinction

```
(
                                                                                                                        ).
        (p<0.01)
                                                                                                                                 (p<0.01)
                                        ).
                                                                                                                                                 ).
                                                                                     (P<0.05)
                                                                       (
هزاد دفعات آمزش تا رسيين به معيار
صحيح (38 x)
25 00 12 0 2
                                                                                                       كنترل 🖸
يك هفته 🔳
                                                                                                       دو هفته 🖪
                                                                                                       چهار هفته 🖿
                                يادگيري ساده
                                                                     يادگيري معكوس
                                                 * P<0.05
*** P<0.001
                                                                                                                                                    :
                                                                               )
                14
                12
                                                                                                  کنترل ₪
یك هفته ₪
دو هفته □
سه هفته ⊟
          متوسط خطاها(SE)
                8
                6
                                                                                                   چهار هفته 🗆
                 2
                                                                    2
يادگيري معكوس
                                   يادگيري ساده
                                                * P<0.05
*** P<0.001
                   (
                                                                                 )
                                                                                                                                                    :
```

... ()



C C (). ().

. (). T

·

-N . Y,S

^{1 -}Kilodalton Growth Associated Protein

... ()

.

F

().

C

().

().

(). C

C .

1- F-Motif

2- Microtubul Assosiated Protein

3- Long-Lasting Facilitation

4-Long-Term Potential

- 2 Yehuda S, Rabinovits S, Mostifsky Di. Modulation of learning membrane composition in the rat by essential fatty acid preparation: time course analysis. Neurchem Res 1998 May; 23(5): 627-34.
- 3 Cheon Sh, Huh MH, Lee YB. Effect of dietary linoleat /alpha-linolenate balance on the brain lipid composition, reproductive outcome and behaiver of rats during their prenatal and postnatal development. Biosci Biotechnol Biochem 2000 Nov;64(11):2290-7.
- 4 Ikemoto A, Ohoshi M, Sato Y. Reversibility of n-3 fatty acid deficiency-induced alternations of learning behavior in the rat: Level of n-6 fatty acids as another critical factor. J lipid Res 2001 Oct; 42(10): 1655-63.
- 5 Nam E, Chung S. Inhibition of excitotoxicity in cultured rat cortical neurons by a mixture of conjugated linoleic acid isomer. Pharmacological research 2003 April; 47(4): 305-10.
- 6 Daniel J M, Fader AJ, Spencer AL. Esterogen enhanced performance of female rats during acquisition of a radial arm maze. Hormon & Behavior 1997, 32: 217-25.
- 7 Annet L E, MC Greogo A, Robbins TW. The effects of ibotenic acid lesions of the nucleus accumbens on spatial learning in the rat. Behavioral Brain Reserch 1989; 31:231-41
- 8 Gong J, Shi F, Shao O, Zheng X. Effect of soy bean phospholipids on learning and memory ability and contents of lipids in mice 's brain. Wei Sheng Yan Jiu 2004 May; 33(3): 324-7.



- 11 Breuer S, Pech K, Buss A, Regulation of stearoyl-COA desaturase-1 after central and peripheral nerve lesions. BMC Neuroscience 2004 April; 5:15.
- 12 Granda B, Tebernero A, Tello V. Oleic acid induce GAP-43 expression through a protein kinase C-mediated mechanism that is independent of NGF but synergistic with NT-3 and NT-4/5 Brain Research 2003 July; 998:1-8.
- 13 Velasco A, Tabernero A, Medina J M Role of oleic acid as a neurotrophic factor is supported in vivo by the expression of GAP-43 subsequent to the activation of SREBP-1 and the up-regulation of stearoyl-COA desaturase during postnatal development of brain. Brain Research 2003 April; 997:103-11.
- 14 Medina J, Tabernero. Lactate utilization by brain cells and its role in cns development. Journal of Neuroscience Research 2005; 79: 2-10.
- 15 Tabernero A, Lavado EM, Granda B. Neuronal differentiation is triggered by oleic acid synthesized and released by astrocytes. J Neurochem 2001; 79: 606-16.
- 16 Rodriguez RA, Tabernero A, Velasco A.The neurotrophic effect of oleic acid includes dentritic differentiation and the expression of the neuronal basic helix-loop- helix transcription factor NeuroD2. J Neurochem 2004; 88: 1041-51.
- 17 Tanaka A, Nishiizaki T. The newly synthesized linoleic acid derivative FR236924 induces a long-lasting facitation of hippocampal neurotransmission by targeting nicotinic acetylcholine receotors. Bioorganic & Medicinal Chemistry Letter. 2003 24 March; 13(6): 1037-40.

18 Ozkan Y, Yilmaz O, Ozturk A I. Effect of trioxidant combination (vitamin E, vitamin C and α -lipoic acid) with insulin on lipid and cholesterol level and fatty acid composition of brain tissue in experimental diabetic and non-diabetic rats. Cell Biology International 2005 April; 29: 754-60.

19 Das UN. Long-chain polyunsaturated fatty acids in the growth and development of the brain and memory. Nutrition 2003; 19: 62-5.

