

Archive of SID

(E.Merk, D – 64271

B

Darmstadt)


B₂O₃

Mg

[]

B₄C

(/ - / μm)



()

/ M

C

[]

pH .

C

%

[]

()

B₂O₃ C

B₄C

/

C

MPa

(- °C)

mm

mm

[]

mm

Pa

°C/min

/

C

x

PHILIPS Xpert

C₆H₈O₇.H₂O Merck KGaA, 64271 Darmstadt

CILAS

Germany

1064 LIQUID

B₂O₃


XRD


°C

(B₂O₃)

XRD

C B₂O₃





XRD

B₂O₃ C

°C °C [] °C

°C

C B₂O₃

°C

°C

B₂O₃ °C

()

() °C

°C/min


/

.....

$^{\circ}C$ $^{\circ}C$ D_{90} D_{50}



$^{\circ}C$ / /

$^{\circ}C$ / /



SEM MAG: 2.00 kx
HV: 25.0 kV
VAC: HiVac
DET: SE Detector
DATE: 06/21/05
Device: MV2300
10 μm
Vega ©Tescan
Obductat CamScan

/ SEM : $^{\circ}C$



Archive of SID

-
- 1 - Jimenez, I., Terminello, L. J., Himpsel, F. J. and Grush, M. (1991). "Photoemission, X-ray absorption and X-ray emission study of boron carbides." *Journal of Electron Spectroscopy and Related Phenomena*, Vol. 101-103, PP. 611-615.
 - 2 - Jimenez, I., Sutherland, D. G. J., Van Buuren, T. and Carlisle, J. A. (1998). "Photoemission and X-ray-absorption study of boron carbide and its surface thermal stability." *Physical Review B*, Vol. 57, No. 20, PP. 1367-13174.
 - 3 - Vast, N., Besson, J. M., Baroni, S. and Dal Corso, A. (2000). "Atomic structure and vibrational properties of icosahedral α -boron and B_4C boron carbide." *Computational Materials Science*, Vol. 17, PP. 127-132.
 - 4 - Simeone, D., Mallet, C., Dubuisson, P., BaldiNozzi, G. and Gervais, C. (2000). "Study of boron carbide evolution under neutron irradiation by Raman spectroscopy." *Journal of Nuclear Materials*, No. 277, PP. 1-10.
 - 5 - De With, G. (1984). "High temperature fracture of boron carbide: experiments and simple theoretical models." *Journal of Material Science*, Vol. 19, PP. 457-466.
 - 6 - Arbery, Z. L. and Reynolds, C. D. (1980). U.S. patent, No. 4,215,088, *Method for fabricating boron carbide articles*, July. 29.
 - 7 - Jung, C. H., Lee, M. J. and Kim, C. J. (2003). "Preparation of carbon free B_4C powder from B_2O_3 oxide by carbothermal reduction process." *Materials Letters*, Vol. 58; Issue 5, PP. 609-614.
 - 8 - Gray, E. G. (1950). "Patent Specification, No. 687946." *A process for the production of boron carbide*, Feb. 22.
 - 9 - Subba Rao, B. V. S., Manohar, A. D., Rao, R. M., Somaraju, K. and Basu, R. K. (1991). "Synthesis of high purity boron carbide powder." *Ceramic Powder for High Tech Applications*, PP. 83-88.
 - 10 - Sinha, A., Mahata, T. and Sharma, B. P. (2002). "Carbothermal route for preparation of boron carbide powder from boric acid-citric acid gel precursor." *Journal of Nuclear Materials*, Vol. 301, PP. 165-164.
 - 11 - Carlsson, M., Garcia-Garcia, F. J. and Johnsson, M. (2002). "Synthesis and characterization of boron carbide whiskers and elongated platelets." *J. crystal Growth*, Vol. 236, Issue 3&4, PP. 466-476.
 - 12 - Thevenot, F. (1990). "Boron carbide- A comprehensive review." *J. Euro. Ceram. Soc.*, Vol. 74, Issue 6, PP. 205-225.
 - 13 - Alizadeh, A., Taheri-Nassaj, E. and Ehsani, N. (2004). "Synthesis of boron carbide powder by a carbothermic reduction method." *J. Euro. Ceram. Soc.*, Vol. 24, Issue 10-11, PP. 3227-3234.
 - 14 - Subba Rao, B. V. S., Manohar, A. D. and Basu, R. K. (1996). "Synthesis of high purity boron carbide." *Ceramic Powder for High Tech. Applications*, PP. 82-87.
 - 15 - Bose, D. K., Nair, K. U. And Gupta, C. K. (1986). "Production of high purity boron carbide." *High Temp. Mat. & Proc.*, Vol.7. No. 2&3, PP. 133-140.
 - 16 - Shi, L., Gu, Y, Chen, L. and Qian, Y. (2003). "A low temperature synthesis of crystalline B_4C ultrafine powders." *Solid State Communications*, Vol. 128, Issue 1, PP. 5-7.
 - 17 - Mondal, S. and Banthia, A. K. (2005). "Low- temperature synthesis route for boron carbide." *J. Euro. Ceram. Soc.*, Vol. 25, Issue 2-3, PP. 287- 291.
-