

( )

//  
//

## CHROMagar Orientation

\*

---

*CHROMagar Orientation*

*CHROMagar Orientation*

% / %

*CHROMagar Orientation*

---

blood agar

CLED (cystine lactose electrolyte deficient) agar

MacConkey agar

( )


( )

( )

CHROMagar Orientation

( )

MacConkey blood agar  
( ) agar  
% /  
( ) (L-pyrrolidonyl-b-naphthylamide) PYR  
CHROMagar Orientation  
CHROMagar  
CAMP  
( ) B A  
SPSS 11.0



MacConkey agar blood agar

CHROMagar Orientation  
CHROMagar, Paris, France

( )

( ) A

B

( )

% / %

( )

CHROMagar Orientation

( )

		*

CHROMagar

B A

Orientation

( )

blood agar

MacConkey agar

( )

CHROMagar Orientation

( )

(.)

( )

CHROMagar

Orientation CHROMagar Orientation

( )

)

CHROMagar Orientation

(

CHROMagar Orientation

## **REFERENCES**

---

1. Ronald AR, Pattulo MS. The natural history of urinary infection in adults. *Med Clin North Am* 1991; 75:299-312.
2. Jones RN, Kugler KC, Pfaller MA, Winokur PL. Characteristics of pathogens causing urinary tract infections in hospitals in North America: results from the SENTRY Antimicrobial Surveillance Program, 1997. *Diagn Microbiol Infect Dis* 1999; 35:55-63.
3. Navaneeth BV, Belwadi S, Suganthi N. Urinary pathogens' resistance to common antibiotics: a retrospective analysis. *Trop Doct* 2002; 32:20-2.
4. Shigemura K, Tanaka K, Okada H, Nakano Y, Kinoshita S, Gotoh A, et al. Pathogen occurrence and antimicrobial susceptibility of urinary tract infection cases during a 20-year period (1983-2002) at a single institution in Japan. *Jpn J Infect Dis* 2005 Oct; 58(5):303-8.

5. Dutka-Malen S, Evers S, Courvalin P. Detection of glycopeptide resistance genotypes and identification to the species level of clinically relevant enterococci species. *J Clin Microbiol* 1995; 33:24-7.
6. Iwen PC, Kelly DM, Linder J, Hinrichs SH. Revised approach for the identification and detection of ampicillin and vancomycin resistance in enterococcus species by using microscan panels. *J Clin Microbiol* 1996; 34:1779-83.
7. Laclercq R, Courvalin P. Emerging problem with enterococcal infections. *Curr Opin Infect Dis* 1996; 9: 115-9.
8. Baron EJ, Finegold SM, Streptococci and related genera. In: Baron EJ, Finegold SM, editors. *Bailey & Scott's Diagnostic Microbiology*. 10th ed. New York: Churchill-Livingstone; 2002. p.2113-2114
9. Scarparo C, Piccoli P, Ricordi P, Scagnelli M. Comparative evaluation of two commercial chromogenic media for detection and presumptive identification of urinary tract pathogens. *Eur J Clin Microbiol Infect Dis* 2002; 21:283-9.
10. Ohkusu K. Cost-effective and rapid presumptive identification of gram-negative bacilli in routine urine, pus, and stool cultures: evaluation of the use of CHROMagar Orientation medium in conjunction with simple biochemical tests. *J Clin Microbiol* 2000 Dec; 38(12):4586-92.
11. Perry JD, Butterworth LA, Nicholson A, Appleby MR, Orr KE. Evaluation of a new chromogenic medium, Uriselect 4, for the isolation and identification of urinary tract pathogens. *J Clin Pathol* 2003; 56:528-31.
12. Aspevall O, Osterman B, Dittmer R, Sten L, Lindback E, Forsum U. Performance of four chromogenic urine culture media after one or two days of incubation compared with reference media. *J Clin Microbiol* 2002 Apr; 40:1500-1503.
13. Chauv C, Crepy M, Xueref S, Roure C, Gille Y, Freydiere AM. Comparison of three chromogenic agar plates for isolation and identification of urinary tract pathogens. *Clin Microbiol Infect* 2002; 8:641-5.
14. Fallon D, Ackland G, Andrews N, Frodsham D, Howe S, Howells K, et al. A comparison of the performance of commercially available chromogenic agars for the isolation and presumptive identification of organisms from urine. *J Clin Pathol* 2003; 56:608-12.
15. Kloos, W. E., and T. L. Bannerman. Urinary Tract Infection, In P. R. Murray, E. J. Baron, M. A. Tenover, F. C. Tenover, and R. H. Tenover (ed.), *Manual of clinical microbiology*, 7th ed. American Society for Microbiology, Washington, D.C. 1999; p 246-82.
16. Dupont HL: Urinary Tract Infection. In: Mandell GL, Bennett JE, Dolin R (eds): *Principles and practice of infectious diseases*. Churchill Livingstone, New York. 2004; P: 2128-44.
17. Samra Z, Heifetz M, Talmor J, Bain E, Bahar J. Evaluation of use of a new chromogenic agar in detection of urinary tract pathogens. *J Clin Microbiol* 1998; 36:990-4.
18. Cavagnolo, R. Evaluation of incubation times for urine cultures. *J Clin Microbiol* 1995;33:1954-56.
19. Hengstler KA, Hammann R, Fahr A. Evaluation of BBL CHROMagar Orientation medium for detection and presumptive identification of urinary tract pathogens. *J Clin Microbiol* 1997; 35:2773-7.
20. Merlino J, Siarakas S, Robertson GJ, Funnell GR, Gottlieb T, Bradbury R. Evaluation of CHROMagar Orientation for differentiation and presumptive identification of gram-negative bacilli and enterococcus species. *J Clin Microbiol* 1996 Jul; 34:1788-93.

21. Houang ETS, Tam PC, Lui SL, Cheng AFB. The use of CHROMagar Orientation as a primary isolation medium with presumptive identification for the routine screening of urine specimens. *APMIS* 1999; 107:859-62.

Archive of SID