


1 / ( ) )  
1 /

\*

---



---

(Post Term Pregnancy)

( )

(

post term

(

post term

( )

( )

( )

post term

Randomized Double Blind Clinical Trial

LMP

( ) .( )

post term

)

(

(

) . ( )  
t-test (

/

SPSS 11

(Kolmogorov-Smirnov)

( Group t-test)

(Mann-Whitney U)

(Chi-square)

/ ± /

/ ± /

± ±

/ ± /

/ ± /

/

% /

%

)

(

post term

.( )

/ ± / (N= )

.( )

Dare FO

PROM

%

post term

**PROM**

( ) ( ) ( ) ( )

( ) ( ) ( ) ( )

P< / P< / P< / P< /

.( )

post term

Michel Boulvain

de Miranda

post term

post term

.( )

/

---

Archive of SID

PGE2

St. John

( )

( )

( )

Stripping

( )

PGFM

(P < / )

/

/

(PAF)

post term

PROM

post term

## **REFERENCES**

---

1. Adair CD. Nonpharmacological approaches to cervical priming and labor induction. *Clin Obstet Gynecol* 2000; 43: 447-54.
2. Cunningham FG, Leveno KJ, Bloom SL, Hauth JC, Gilstrap LC, Wenstrom KD. *Williams Obstetrics*. 22<sup>nd</sup> ed. USA: McGraw-Hill. 2005; P: 3346.
3. de Miranda E, van der Bom JG, Bonsel GJ, Bleker OP, Rosendaal FR. Membrane sweeping and prevention of post-term pregnancy in low-risk pregnancies: a randomised controlled trial. *BJOG* 2006; 113(4): 402-9.
4. Gürmezoglu AM, Crowther CA, Middleton P. Induction of labour for improving birth outcomes for women at or beyond term. *Cochrane Database Syst Rev* 2006 Oct 18;(4):CD004945.
5. Wong SF, Hui SK, Choi H, Ho LC. Does sweeping of membranes beyond 40 weeks reduce the need for formal induction of labour? *BJOC* 2002; 109(6): 632-6.
6. Boulvain M, Irion O, Marcoux S, Fraser W. Sweeping of the membranes to prevent post-term pregnancy and to induce labour: a systemic review. *Br J Obstet Gynaecol* 1999; 106(5): 481-5.
7. Kashanian M, Akbarian A, Baradaran H, Samiee MM. Effect of membrane sweeping at term pregnancy on duration of pregnancy and labor induction: a randomized trial. *Gynecol Obstet Invest* 2006; 62(1): 41-4.
8. Mitchell MD, Flint APF, Bibby J, Brunt J, Anderson ABM, Turnbull AC. Rapid increases in plasma prostaglandin concentrations after vaginal examination and amniotomy. *Br Med J* 1977; 2: 1183-5.
9. Cunningham FG, Leveno KJ, Bloom SL, Hauth JC, Gilstrap LC, Wenstrom KD. *Williams Obstetrics*. 22<sup>nd</sup> ed. USA: McGraw-Hill. 2005; PP: 871-5.