



(Positive Predictive Value)

.( )

(Snow storm)

/ ± /

.( )

( )

/ ± /

/

% /

% /

.( )

hCG

(% / )

.( )

(% / )

(% / )

( )

%

%

(%) (%) (%)

(% / ) (%) ) (%) )

(% / ) (%) ) (%) )

SPSS

(Sensitivity)

/  
 % Kirk  
 .( )  
 .(% / )  
 % Kirk  
 %  
 % % /  
 Fowler .( ) % % Sebire % /  
 % % %  
 % Johns .( )  
 .( ) Fowler .( ) %  
 .( ) % / %  
 % % % Kirk .( )  
 % .( ) %  
 % % /  
 .( )  
 Kirk % /  
 .( ) (% ) Gemer (% )  
 .( )  
 Sebire  
 Johns %  
 % Fowler %

**REFERENCES**

1. Kirk E, Papageorghinou AT, Condous G, Bottomley C, Bourne T. The accuracy of first trimester ultrasound in the diagnosis of hydatidiform mole. *Ultrasound Obstet Gynecol* 2007; 29: 70-5.

2. Sebire NJ, Rees H, Paradinas F, Seckl M, Newlands E. The diagnostic implications of routine ultrasound examination in histologically confirmed early molar pregnancies. *Ultrasound Obstet Gynecol* 2001; 18: 662-5.
3. Paspulati RM, Bhatt S, Nour S. Sonographic evaluation of first trimester bleeding. *Radiol Clin North Am* 2004; 42(2): 297-314.
4. Lenhart M. Diagnosis and treatment of molar pregnancy. *Postgrad Obstet Gynecol* 2007; 27(17): 1-4.
5. Benson CB, Genest DR, Bernstein MR, Soto-Wright V, Goldstein DP, Berkowitz RS. Sonographic appearance of first trimester complete hydatidiform moles. *Ultrasound Obstet Gynecol* 2000; 16: 188-91.
6. Betel C, Arti M, Arenson AM, Khalifa M, Osborne R, Tomlinson G. Sonographic diagnosis of gestational trophoblastic disease and comparison with retained products of conception. *J Ultrasound Med* 2006; 25(8): 985-93.
7. Johns J, Greenwold N, Buckley S, Jauniaux E. A prospective study of ultrasound screening for molar pregnancies in missed miscarriages. *Ultrasound Obstet Gynecol* 2005; 25: 493-7.
8. Fowler DJ, Lindsay I, Seckle MJ, Sebire NJ. Routine pre-evacuation ultrasound diagnosis of hydatidiform mole: experience of more than 1000 cases from a regional referral center. *Ultrasound in Obstet Gynecol* 2006; 25(1): 56-60.
9. Gemer O, Segal S, Kopmar A, Sassoon E. The current clinical presentation of complete molar pregnancy. *Arch Gynecol Obstet* 2000; 264: 33-4.
10. Izadi-Mood N, Eftekhar N, Jazayeri SN, Yarandi F. Clinicopathological assessment of unsatisfactory Papanicolaou smears in Iran. *Int J Gynecol Cancer* 2004; 14 (suppl 1): 212.

Archive SID