// : // :
(E-mail:chaichi@ut.ac.ir)

492

(.()

.(Agropyron intermedium Bromus tomentellus Agropyron spp Oryzopsis spp. Poa bulbosa Melica persica (Festuca ovina Dactylis glomerata Carex spp Ferula sp. Onobrychis cornuta, Astragalus spp. Thymus kotscyanus)

494

-	
!	
	.eU

cm

```
cm
                                                                                                       cm
                                                                                                                / gr/cm<sup>3</sup>
                                                                                                                         = \mathbf{B}_{\mathbf{d}}
                                                                                            gr/cm<sup>3</sup>
                                                        gr/cm<sup>3</sup>
MSTATC
                                                                                                                          = P_d
                                                                                                                  ELE
                                                     `-Penetrometer
```

.() ...

** ** ** ** ** ns × ** ** ** × ** ** × ns * ** ** ** ** × ** * n s ** ns ns ns ns ** ** ** ns ns ** Ns ns

** n.s

%

```
(
                                               .(
                                                                                                                   .(
                                                                                                                           )
(
                  )
                                                     .(
                                                                             .(
                                                                                  ( / g/cm )
/ g/cm )
                          .(
        .(
                                                                                                .(
                                                           ns
                                                                                    ×
                                                                                    ×
                                                                                    ×
                                                                                      n.s
```

498

(Bromus tomentellus, Agropyron repens (Ferula sp.) Agropyron intermedium),) ()


). .(.() .(.(


```
.(
.(
  .(
)
                                              .(
    )
```


```
.(
                         .(
Cousinia sp, "
     Astragalus sp, Onobrichis sp, Exilirion sp
                                                                                                  (Forb)
                                                                  /)
```


www.SID.ir

7 و جهرای دام منطقه تعدد چرای دام منطقه تعدد چرای دام









15-30


0-15


بحرانى


كليدى


منطقه فحث جرای دام


مرجع





















.. 506



- 1-Branson, F. A., 1984. Evaluation of impacts of grazing intensity and specialized grazing systems on watershed characteristics and responses. pp. 985-1000: In Developing Strategies for Rangeland Management. *NRC/NAS. Westview Press.* London.
- 2-Blackburn, W., H. Knight, R.W. and M. K. Wood, 1982. Impacts of grazing on watersheds. *Texas Agr. Exp. Sta. Mp.* USA. Pp. 1496
- 3-Chaichi, M. R., 1995. Grazing management of medic pastures. Ph. D. Thesis. College of Agriculture. The University of Adelaide.
- 4-Clary, W. P., 1995. Vegetation and soil responses to grazing simulation on riparian meadows. *J. of Range Manag.* V. 48: 18-25.
- 5-Curtis, D. and T. Wright, 1993. Natural regeneration and grazing management a case study. Australian J. of Soil and Water Conservation. V. 6 (4) P. 30-34.
- 6-Dormaar, J. F. and W. D. William, 1998. Effect of forty-four years of grazing on fescue grassland soils. *J. of Range Manag.* V. 51: 122-126
- 7-Faizul, B., Karlw, D. M. and L. Murray, 1995. Livestock grazing impacts on infiltration rates in a temperate range of Pakistan. *J. of Range Manag*. V. 46: 367-372.
- 8-Ferrero, A. F., 1991. Effect of compaction simulating cattle trampling on soil physical Characteristics in woodland. *Soil and Tillage Research* (Netherlands)., V. 19(2) P. 319-329.
- 9-Guthery, F. S., and R. L. Blingham, 1996. A theoretical basis for study and management of treading by cattel. *J. of Range Manag.* V. 49: 264-269.
- 10-Mapfumo, E., Chanasyk, D. S. Baron, V. S. and M. A. Naeth. 2000. Grazing impacts on selected soil parameters under short-term forage sequences. *J. of Range Manag.* V. 53: P. 466-470.
- 11-Mc Calla, G. R., Backburn, W. H. and L. B. Merrill, 1984. Effects of livestock grazing on infiltration rates: Ewards Plateau of Texas. *J. of Range Manag.*, V. 37: 265-268
- 12-Naeth, M. A. and D. S. Chanasyk, 1995. Grazing effects on soil water in Alberta foothills fescue grasslands. *J. of Range Manag.* V. 48: P. 528-534.
- 13-Naeth, M. A., Bailey, A.W. Chanasyk, D. S. and D. J. Pluth, 1991. Water holding capacity of litter and soil organic matter in mixed prairie and fescue grassland ecosystems of Alberta. *J. of Range Manag.*, V. 44: 13-17
- 14-Naeth, M. A., Bailey, A. W., Pluth, D. J., Chanasyk, D. S. and R. T. Hardin, 1991. Grazing impact on litter and soil organic matter in mixed prairie and fescue grassland ecosystems of Alberta. *J. of Range Manag.*, V. 44: 113-117.

- 15-Naeth, M. A., Chanasyk, D. S., Rothwell, R. L. and A. W. Bailey 1990. Grazing impacts on infiltration in mixed prairie and fescue grassland ecosystems of Alberta. *Can. J. of Soil Sci.*, V. 70: P. 593-605.
- 16-Naeth, M. A., Chanasyk, D. S., Rothwell, R. L. and A. W. Bailey, 1991. Grazing impacts on soil water in mixed prairie and fescue grassland ecosystems of Alberta. *Can. J. of Soil Sci.* V., 71: 313-325.
- 17-Roundy, B., A. Winkel, V. K. Khalifa, and H. Matthias, 1992. Soil water availability and temperature dynamics after one-time heavy cattle trampling and land imprinting. *Arid Soil Research and Rehabilitation*, 6: 53-69.
- 18-Rauzi, F., 1963. Water intake and plant Composition as affected by differential grazing on Rangeland. *Journal of Soil and Water Conservation.*, 18: 114-116.
- 19-Salve, R. and B. Allen-Diaz, 2001. Variations in soil moisture content in a rangeland catchment. *J. of Range Manag.* V. 54:44-51.
- 20-Severson K. E. and L. F. Debano 1991. Influence of Spanish goats on vegetation and soils in Arizona chaparral. *J. of Rnge Manag.*, V. 44: P. 111-117.
- 21-Sun, D. and M. J. Liddle, 1993. A survey of trampling effects on vegetation and soil in eight tropical and subtropical sites. *Environmental management*, V. 17(4). P. 467-510.
- 22-Thurow, T. L., Backburn, W. H. and C. A. Taylor, 1986. Hydrologic characteristics of vegetation types as affected by livestock grazing systems: Edwards Plateau of Texas. *J. of Range Manag.* V. 39: 505-509
- 23-Usman, H., 1994. Cattle trampling and soil compaction effects on soil properties of a northeastern Nigerian sandy loam. *Arid Soil Res. and Rehabilitation* (USA), V. 8 (1): 69-75.
- 24-Warren, S. D., Blackburn, W. H. and C. A. Taylor, 1986. Effects of season and stage of rotation cycle of hydrologic condition of rangeland under intensive rotation grazing. *J. of Range Manag.*. V. 39: 500-504.
- 25-Winkel, V. K. and B. A. Roundy,1989. Effect of cattle trampling and mechanical seedbed prepration on grass seedling emergence. *J. of Range Manag.*. V. 44: 8-25.
- 26-Weitz, M. and M. K. Wood, 1986. Short duration grazing in Central New Mexico: Effects on infiltration rates. *J. of Range Manag.*. V. 39: 365-368.
- 27-Williams, W. D., Smoliak, S. and A. W. Bailey, 1986. Herbage production following litter removal on Alberta native grassland. *J. of Range Manag*. V. 39: 536-540.

Trampling Effects of Livestock Grazing on Soil Physical Properties and Range Vegetation Cover

M. R. Chaichi¹

M. Mohseni Saravi²

A. Malekian³

Abstract

Soil physical properties have an important role on vegetation growth in rangelands through affecting the development of root system. The goal of this research was to investigate the trampling effect of livestock grazing on soil physical properties and range vegetation cover. The experiment was conducted on three range condition sites (reference, key and critical area) in Lar rangelands during grazing season from 2000 to 2001. The results of the experiment showed that soil moisture reduced from reference area to critical area as well as through grazing season in both 0-15 and 15-30 cm depths. Soil bulk density increased during grazing season and was the lowest in reference area and the highest in critical site. Through the grazing season bulk density was higher at 0-15 cm compared to 15-30 cm. Reference site had the highest soil porosity while the porosity reduced both in key and critical area. As the grazing season continued soil porosity reduced in all sites in both 0-15 and 15-30 cm soil depths. Soil infiltration rate decreased and mechanical resistance increased in all experimental sites as the grazing period continued. The proportion of grass was the highest in vegetation composition in reference area while it reduced to as low as 1 percent in critical site. The total vegetation covers of 7 percent (93 percent of bare soil) at the end of the grazing season made the soil very vulnerable to water and wind erosions at critical site.

Keywords: Livestock grazing, Treading, Soil physical properties, Vegetation cover.

¹-Assistance Professor, Faculty of Agricultur, University of Tehran

²-Associate Professor, Faculty of Natural Resources, University of Tehran

³-Ph.D.student of Watershed Management, Faculty of Natural Resources, University of Tehran