## NSSC NSSC

|   |      | ( / / : | * // :            |         |     |
|---|------|---------|-------------------|---------|-----|
| / | NSS  | SC C    |                   | ,       |     |
|   |      | (CSF)   |                   |         |     |
|   | NSSC | 30      | gr/m <sup>2</sup> | I       | PFI |
| • |      |         | gi/iii            |         |     |
|   |      |         |                   | NSSC    | ~ ~ |
|   |      | C       |                   | NS NSSC | SC  |
|   |      |         | NSSC              | :       |     |

E-mail: hr-rudi2000@yahoo.com

- Linear

```
NSSC
                          NSSC
C
                (CSF)
                                                          Helianthus annus
                                                            .Compositea
          ml
          (CSF)
                                    NSSC
                                                     NSSC
                                                                    NSSC
    NSSC
 - Canadian Standard Freeness
 - Grammage
```

- Neutral Sulfite Semichmical

|                          |               |  | ( )   |
|--------------------------|---------------|--|-------|
|                          |               | ·<br>:                                 |       |
|                          |               | Kgr/cm                                 | . °C  |
| НАТТС                    | . NSS         |  | ( )   |
| SSC                      | NSSC          |  | ( / ) |
|                          | gr/m²<br>.( ) |  | ( )   |
| gr/m <sup>2</sup>        |               | (RCT)                                  | (CMT) |
| -<br>Shive<br>Handsheets |               | _<br>Eroglu<br>- Jimenez<br>- Marechal |       |

NSSC NSSC

| L CCF   | NSSC    | NSSC                                    | NSSC    |
|---------|---------|---|---------|
| ml, CSF | ml, CSF | ml, CSF                                 | ml, CSF |
|         |         |   |         |
|         |         |   |         |
|         |         |   |         |
|         |         |   |         |
|         |         |   | 7       |
|         |         | A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |         |
|         |         | 67                                      |         |
|         |         | <b>C</b>                                |         |
|         |         | X                                       |         |

**NSSC** 

**TAPPI** 

T240-

T236-cm-85

T227-om-92

om-88

T205-om-

T248-cm-85

T410-os-88

T410-om-88

88

T547-pm-88

T220-om-88

T404-cm-92

T808-om-

T809-om-87

.T403-om-91

87

P<sub>11</sub>:73

**SCAN** 

| ( ) | (Na <sub>2</sub> O %) | ( ) | (Na <sub>2</sub> O %) |
|-----|-----------------------|-----|-----------------------|
| 1   | 1                     |     |                       |
| 1   | 1                     |     |                       |
| 1   | 1                     |     |                       |
| 1   | 1                     |     |                       |
|     |                       |     | 7                     |

 $\begin{array}{c} . & gr/m^2 \\ NSSC & \\ & gr/m^2 \end{array}$ 

gr/m<sup>2</sup>

NSSC NSSC

.

| NSSC                      | NSSC         | NSSC  |                          |
|---------------------------|--------------|-------|--------------------------|
| (CSF)                     | (CSF)        | (CSF) |                          |
| $\frac{1}{\mathrm{ns}^2}$ | /<br>1<br>** | 1     | (gr/cm <sup>3</sup> )    |
| /<br>**                   | /<br>**      | 1     | ( )                      |
| ns                        | **           | C     | (Nm/gr)                  |
| /<br>ns                   | **           |       | (Km)                     |
| **                        | ns           |       | (KN/m)                   |
| ns                        | **           |       | (N)                      |
| /<br>**                   | **           | I     |                          |
| I                         |              | 1     | (KN/m)                   |
| **                        | **           | 1     | (mN.m <sup>2</sup> /gr)  |
| **                        | **           |       | (KPa.m <sup>2</sup> /gr) |

NSSC

| NSSC   | C                       |              |
|--------|-------------------------|--------------|
|        | NSSC /                  | NSSC         |
|        | . ( / )                 | NSSC<br>NSSC |
| NSSC   |                         | NSSC         |
| . NSSC | - Hand feeling - Reject |              |

) (Pinus brutia) (Picea excelsa)

7-Eroglu, h., M. Usta & H. Kirci, 1990, A Review of Oxygen Pulping Conditions Some Nonwood Plants Growing in Turkey. Tappi Proceeding, Book No.1:215-222.

8-Jimenez, L.A., F.B. Lopez, & J.H. Luis, Evaluation of agricultural residues for paper manufaturing. 1993, Tappi Journal, No.76(3):169-173.

9-Marchael, V. & L. Rigal, 1999, Characterization of by-products of Sunflower Culture-commertial Applications for Stalks and Heads. Journal of Industrial Crops and Products., No.(10):185-200.

10- Ramond, A.Y., 1997, Paper and Composites from Agro-Based Resources into Pulp and Paper. CRC press Inc. Chater No.6:137-245.

11- TAPPI Standard Method. 1994-1995.

## The effects of using sunflower stalk NSSC pulp on the properties of fluting paper from hardwood NSSC pulp

## H. Rudi <sup>1</sup>, H. Resalati<sup>2</sup> and R. Behrooz Eshkiki<sup>3</sup>

<sup>1</sup>M. Sc. Graduate of Wood and Paper Industry, Faculty of Natural Resources, Tarbiat Modarres University, Noor, I.R. Iran

<sup>2</sup> Associate Prof., Gorgan University of Agricultural Sciences & Natural Resources, Gorgan, I.R. Iran


<sup>3</sup> Assistant Prof., University Tarbiat Modarres, Noor, I.R. Iran

(Received 7 March 2004, Accepted 4 March 2006)

## **Abstract**

By carrying various cooking from sunflower stack chips using NSSC pulping process, optimum cooking at pulp yield of 43.8 % and kappa number of 82.6 was selected under cooking condition of 20 % chemical charge based on sodium oxide, cooking time of 180 min, and maximum temperature of 170 degree Celsius. The pulps were refined to obtain freeness levels of 328 ad 372 ml, CSF, by PFI mill revolutions of 150 and 500, respectively. Standard hand sheets with grammage of 127 g/m² were made from both sunflower NSSC pulps, at three levels of 10, 20 and 30 % in admixture with hardwood NSSC pulp from Mazandaran Wood and Paper Industries (MWPI), and their physical and strength properties were measured. Statistical analysis showed that, up to 30 % of sunflower NSSC pulp with freeness of 328 ml, CSF can be blended with hardwood NSSC pulp from MWPI, to make fluting paper. It has been also shown that, up to 30 % of hardwood NSSC pulp from MWPI can be substituted by sunflower NSSC pulp at freeness level of 372 ml, CSF, if 5 % unbleached softwood kraft pulp can be used in the furnish.

Keywords: Sunflower stalk, NSSC pulp, Fluting paper, CMT, RCT



Tel: 0121-3240837 , Fax: 0171-2245964

E-mail: hr-rudi 2000@yahoo.com