

⁺*


(TEOS)


(NH⁺OH NaOH HNO₃)

(CPC)

KEY WORDS: Catalyst support, Perlite, Specific surface area, Sylanization, Nanoporous.

()
[]





pH

Leo VP 1455

(TEOS)

CPC

/ / /

NaOH

HNO

)

$(\text{NH}_3^+ \text{OH}^-)$

TEOS

TEOS

Leo VP 1455 (SEM)
(BET)

Micromeritics Gemini 2375

CuK α

X

D5000

Semens

/ / /

TEOS


FTIR

$(\lambda = /)$

FTIR Tensor 27

(CPC)


	(kg/m ³)
/	
/	(mm)
/	
/	pH
/	(SiO ₂)
/	(Al ₂ O ₃)
/	(Na ₂ O)
/	(K ₂ O)
/	(CaO)
/	(Fe ₂ O ₃)
/	(MgO)
/	




[] SEM
 NaOH (HNO₃) (NH₄⁺OH⁻)
 NaOH HNO₃

pH = / pH
 (SiO) (/)
 (-OH) (SN)
 (-OR)
 (Si-OH) (Si-O-Si)
 FT Si-OH IR
 (FTIR)


()




(BET)



()



()




()

() SEM ()
() HNO () NaOH


XRD

XRD (MCM-41)


D ₁₀₀ ()	V _{Pore} ()	S _{BET} ()	
/	/		
/	/		(HNO ₃)
/	/		(NaOH)
/	/		(NH ₄ ⁺ OH ⁻)
/	/		(NH ₄ ⁺ OH ⁻)



NH₄⁺OH⁻



XRD ()



() () () ()

p6mm

- [1] Hagen,J., "Industrial Catalysis: A Practical Approach", 2rd Ed., Wiley-VCH. Weinheim Co. pp. 15-100 (2006).
- [2] Haki,G.D., Rakshit,S.K.,Developments in Industrially Important Thermostable Enzymes: A Review, *Bioresource Technol.*, **89**, p. 17 (2003).
- [3] Fagain, C., Enzyme Stabilization-Recent Experimental Progress, *Enzyme Microb Technol.*, **33**, p. 137 (2003).
- [4] Kim, H., Jung, J.C., Yeom, S.H., Lee, K.Y., Yi, J., Song I.K.,Immobilization of a Heteropolyacid Catalyst on the Aminopropyl-Functionalized Mesostructured Cellular Foam (MCF) Silica, *Mater. Res. Bull.*, **42**, p. 2132 (2007).
- [5] Reshma, R., Sanjay, G., Sugunan, S.,Enhanced Activity and Stability of α -Amylase Immobilized on Alumina, *Catal Commun.*, **7**, p. 460 (2006).
- [6] Kahraman, M.V., Bayramoglu, G., Kayaman-Apohan, N., Gungor, A., α -Amylase Immobilization on Functionalized Glass Beads by Covalent Attachment, *Food Chem.*, **104**, p. 1385 (2007).
- [7] Zhao, X. S., Bao, X. Y., Wanping, G., Lee, F. Y., Imoobilizing Catalysts on Porous Materials, *Materials Today.*, **9**, p. 32 (2006).
- [8] Naik, S.P., Sokolov, I.,Room Temperature Synthesis of Nanoporous Silica Spheres and Theirformation Mechanism, *Solid State Commun.*, **9**, p. 1 (2007).
- [9] Zukal, A., Thommes, M., Cejka, J.,Synthesis of Highly Ordered MCM-41 Silica with Spherical Particles, *Micropor. Mesopor. Mater.*, **104**, p. 52 (2007).
- [10] Dai, Z., Bao, J., Yang, X., Ju, H.,A Bienzyme Channeling Glucose Sensor with a With Spherical Particles, *Mesopore. Biosens. Bioelectron.*, **23**, p. 1070 (2008).
- [11] Kataoka, S., Endo, A., Harada, A., Inagi, Y., Ohmori, T., Characterization of Mesoporous Catalyst Supports on Microreactor Walls, *App. Catal. A-Gen.*, **342**, p. 107 (2008).
- [12] Ma, H., He, J., Evans, D.G., Duan, X., Immobilization of Lipase in a Mesoporous Reactor Based on MCM-41, *J. Mo. Catal. B-Enzym.*, **30**, p. 209 (2004).
- [13] Brinker, C.J., Sehgal, R., Hietala, S.Z., Deshpande, R., Smith, D.M., Loy, D., Ashley, C.S., Sol-Gel Strategies for Controlled Porosity Inorganic Materials, *J. Membrane Sci.*, **94**, p. 85 (1994).
- [14] Burggraaf, A.J., Cot, L., "Fundamentals of Inorganic Membranes Science and Technology", Elsevier Co., (1996).
- [15] McCool, B.A., Hill, N., Dicarlo, J., DeSisto, W.J., Synthesis and Characterization of Mesoporous Silica Membranes Via Dip-Coating and Hydrothermal Deposition Techniques, *J. Membrane Sci.*, **218**, p. 55 (2003).

- [16] Zhao, D., Huo, Q., Feng, J., Chmelka, B.F., Stucky, G.D., Nonionic Triblock and Star Diblock Copolymer and Oligomeric Surfactant Syntheses of Highly Ordered, Hydrothermally Stable, Mesoporous Silica Structures, *J. Am. Chem. Soc.*, **120**, p. 6024 (1998).
- [17] Pang, X., Tang, F., Morphological Control of Mesoporous Material Using Inexpensive Silica Source, *Micropor. Mesopor. Mat.*, **85**, p. 1 (2005).
- [18] Brinker, C.J., Sehgal, R., Raman, N., Schunk, P.R., Headley, T.J., Polymer Approach to Supported Silica Membranes, *J. Sol Gel Sci. Techn.*, **2**, p. 469 (1994).
- [19] Alkan, M., Do, M., Surface Titrations of Perlite Suspension, *J. Colloid Interf. Sci.*, **207**, p. 90 (1998).
- [20] Kaya, C., Tuna, A.L., Ashraf, M., Altunlu, H., Improved Salt Tolerance of Melon (Cucumis Melo L.) by the Addition of Proline and Potassium Nitrate, *Environ. Exp. Bot.*, **60**, p. 397 (2007).
- [21] Homolka, L., Lisa, L., Nerud, F., Basidiomycete Cultures on Perlite Survive Successfully Repeated Freezing and Thawing in Cryovials without Subculturing, *J. Microbiol. Meth.*, **69**, p. 529 (2007).
- [22] Khavazi, K., Rejali, F., Seguin, P., Miransari, M., Effects of Carrier, Sterilization Method, and Incubation on Survival of Bradyrhizobium Japonicum in Soybean (Glycine Max L.) Inoculants, *Enzyme Microb Technol.*, **41**, p. 780 (2007).
- [23] Hosseini, S.N., Borghei, S.M., Vossoughi, M., Taghavinia, N., Immobilization of TiO₂ on Perlite Granules for Photocatalytic Degradation of Phenol, *App. Catal. B- Environ.*, **74**, p. 53 (2007).
- [24] Torabi, S.F., Khajeh, K., Ghasempur, S., Ghaemi, N., Ranaei Siadat, S.O., Covalent Attachment of Cholesterol Oxidase and Horseradish Peroxidase on Perlite through Silanization: Activity, Stability and Co-Immobilization, *J. Biotechnol.*, **131**, p. 111 (2007).
- [25] Vacassy, R., Flatt, R.J., Hofmann, H., Choiy, K.S., Singh, R.K., Synthesis of Microporous Silica Spheres, *J. Colloid Interf. Sci.*, **227**, p. 302 (2000).