

( )

**CETP**  
**HDL-C**      **CETP**      **Taq I, -629A/C**

**TaqI**      **Van19 I**      **RFLP**      **PCR**      **CETP**  
**CETP**      **B2**      **-629A/C**      **A**  
 (p: / / pmol/L / pmol/L:B2)      (p: / / pmol/L / pmol/L:A)  
 : \_\_\_\_\_ . **HDL-C**      .(p: / / pmol/L / pmol/L:A)  
**HDL-C**      **CETP**      **B2**  
                                  **629A/C**      **A**  
                                  :  
                                  // :      // :      // :  
                                  **HDL**      **CETP**  
                                  **HDL-C**  
                                  (CETP)  
**CETP**      **TaqI**      (HDL)  
                                  -629A/C

:

RFLP PCR -629A/C B1 HDL-C  
C A TaqI B2  
i CETP B1 -629A/C  
ii C A B2  
A B2  
CETP  
Biovision, USA  
(Fluostar, Germani ) HDL-C CETP  
(Extention:465nm; : 629A/C TaqI A B2  
CETP Emission:535nm)  
pmol/L  
SPSS :  
±  
post-hoc ANOVA  
/  
-629A/C TaqI //  
mg/dL mg/dL  
HDL-C HDL-C  
CC /  
AA / HDL HDL  
AA HDL-C / mg/dL %  
CC /  
.(p< / ) ≤ mg/dL: : HDL  
HDL-C ) HDL= mg/dL : ( ) HDL  
B2B2 .( ) HDL ≥ mg/dL : ( )  
-629A/C TaqI  
CETP  
HDL-C :  
C A TaqI B2 B1

i- Donor  
ii- Acceptor

CETP

HDL-C		CETP	-629A/C TaqI
HDL >	HDL=	HDL <	
≥ mg/dL	mg/dL	≤ mg/dL	
( )	( )	( )	
( / )	( / )	*( / )	B1B1
( / )	( / )	( / )	B1B2
( / )	( / )	*( / )	B2B2
/	/	/	B2
( / )	( / )	*( / )	CC
( / )	( )	( / )	AC
( / )	( / )	*( / )	AA
/	/	/	A

> (p < / )\*

-629A/C		A TaqI	B2
P	( ) AA/AC	( ) CC	P
( )	( )	( )	( )
( )	( )	( )	( )
/	±	±	/
/	± /	± /	/
/	±	±	/
/	±	±	/
/	/ ± /	/ ± /	/
/	±	±	/
/	±	±	/
< /	±	/ ±	< /
/	±	±	/
/	± /	/ ± /	/

A (p: / /

/ pmol/L)

A/C

A B2

A (p: / / pmol/L

HDL-C

B2

HDL-C

Total Cholesterol/HDL

CETP

B2

B2

pmo/L

/ pmol/L)

CETP

CETP 629A/C TaqI .(p: / B2 mg/dL mg/dL)

A C B2 B1

629A/C TaqI

CETP A B2 CETP

HDL-C A B2 HDL-C

CETP HDL-C HDL-C CETP

HDL-C HDL-C LDL VLDL

HDL-C HDL-C CETP

HDL-C HDL-C CETP CETP

629A/C TaqI HDL-C

### References

- Gordon T, Castelli WP, Hjortland MC, Kannel WB, Dawber TR. High density lipoprotein as a protective factor against coronary heart disease. The Framingham Study. *Am J Med* 1977; 62: 707-14.
- Ordovas JM, Cupples LA, Corella D, Otvos JD, Osgood D, Martinez A, et al. Association of cholesteryl ester transfer protein-TaqIB polymorphism with variations in lipoprotein subclasses and coronary heart disease risk: the Framingham study. *Arterioscler Thromb Vasc Biol* 2000; 20: 1323-9.
- Kondo I, Berg K, Drayna D, Lawn R. DNA polymorphism at the locus for human cholesteryl ester transfer protein (CETP) is associated with high density lipoprotein cholesterol and apolipoprotein levels. *Clin Genet* 1989; 35: 49-56.
- Drayna D, Lawn R. Multiple RFLPs at the human cholesteryl ester transfer protein (CETP) locus. *Nucleic Acids Res* 1987; 15: 4698.

Taq I -629A/C HDL-C CETP

- |         |       |            |      |
|---------|-------|------------|------|
|         | HDL-C | CETP(TaqI) |      |
| B2      |       |            |      |
|         | HDL-C | CETP       |      |
| -629A/C |       |            |      |
|         |       | CETP       | TaqI |
9. Le Goff W, Guerin M, Petit L, Chapman MJ, Thillet J. Regulation of human CETP gene expression: role of SP1 and SP3 transcription factors at promoter sites -690, -629, and -37. *J Lipid Res* 2003; 44: 1322-31.
10. Brown ML, Inazu A, Hesler CB, Agellon LB, Mann C, Whitlock ME, et al. Molecular basis of lipid transfer protein deficiency in a family with increased high-density lipoproteins. *Nature* 1989; 342: 448-51.
11. Azizi F, Rahmani M, Majid M. Tehran Lipid and Glucose Study (TLGS): Rationale and Design. *CVD Prevention*. 2000. 50-3.
12. Corbex M, Poirier O, Fumeron F, Betoulle D, Evans A, Ruidavets JB, et al. Extensive association analysis between the CETP gene and coronary heart disease phenotypes reveals several putative functional polymorphisms and gene-environment interaction. *Genet Epidemiol* 2000; 19: 64-80.
13. Bruce C, Chouinard RA Jr, Tall AR. Plasma lipid transfer proteins, high-density lipoproteins, and reverse cholesterol transport. *Annu Rev Nutr* 1998; 18: 297-330.
14. Dachet C, Poirier O, Cambien F, Chapman J, Rouis M. New functional promoter polymorphism, CETP/-629, in cholesteryl ester transfer protein (CETP) gene related to CETP mass and high density lipoprotein cholesterol levels: role of Sp1/Sp3 in transcriptional regulation. *Arterioscler Thromb Vasc Biol*. 2000; 20: 507-15.

Archive of SID