

()

E-mail: najibah_a@yahoo.com

Archive of SID

(%) Ǿ Ǿ (%) /) (Scc) (%) /) (SDA) (%) /) (%) /)

Ǿ Ǿ (%) (%) (%) / Ǿ (%) /) .(Ǿ)

Ǿ .(Ǿ) % .(Ǿ) .(Ǿ)

API



1. Teased mount
2. Slide culture

()

/ð

ð

ð

/

z

ð

/

/

ð

/

/

ð

(/) z̄x z̄

ð

(ð).

.()

()

()

% / /

(ð)

.()

()

/ð

(ð)

References

-
2. <http://www.doctorfungus.org/mycoses/human/onychomycoses>.
 3. Man. Heui. Han, Jee. Ho. Choi, Kyung. Jeh. Sung. Onychomycosis and Trichosporon beigelii in Korea. International Journal of Dermatology, 2000; 39 : 266 – 269 .
 4. Aman S., Haroon TS, Bokhari MA, Khorshid K.Tinea Ungium in Lahore , Pakistan .Medical Mycology, 2001; 39: 177 – 180
 5. Boni E, Elewski. Onychomycosis: Pathogenesis, Dignosis, and Management. Clin Micobiol Review, 1998; 11(3) P: 415-426
 6. Romano C, Paccagnini E, M. Difonzo E. Onychomycosis caused by Alternaria spp. in Tuscany, Italy, from 1985 to 1999. Mycoses , 2001; 44: 73 – 76 .
 7. Llovo J, Prieto E, Vazquez H and Munoz A. Onychomycosis due to Onychocolla canadensis : report of the first two Spanish cases. Medical Mycology, 2002 ; 40: 209 – 212 .
 10. Firooze A, Khamesipour A, Dowlati A. Itraconazole pulse therapy improves the quality of life of patients with toenail onychomycosis. Journal of Dermatological Treatment. 2003; 14 (2) P: 95-98
 11. Gupta AK, Jain HC, Lynda W. Macdonald P, Cooper EA, Summerbell RC. Prevalence and epidemiology of Onychomycosis in patients visiting physicians, offices: A multicenter Canadian survey of 15000 patients. J. Am. Acad. Dermatology, 2000; 43 : 244 – 248 .
 12. Romuald M, Zygmunt A. The genitourinary organ Candidosis problem in the course of Onychomycosis. Mycoses, 2001; 44: (supp .1) 59-61.
 14. Khosravi AR, Mansouri P. Onychomycosis in tehran, Iran: prevailing fungi and treatment with itraconazole. Mycopathologia, 2000; 150: 9-13
 15. Tosti A, Piraccini BM, Lolenzi S. Onychomycosis caused by nondermatophytic molds: Clinical features and response to treatment of 59 cases. J Am Acad. Dermatology. 2000; 42: 217 – 224 .
-