

E-mail: gholipour@tbzmed.ac.ir

UGIB

(UGIB)

UGIB

UGIB

(% /)

UGIB

UGIB

ICU

č

SPSS

/÷

P

(.)

UGIB

UGIB

()

)

(

UGIB

ICU

č

č

č

(% /)

(%č /)

/

.(÷)

UGIB

()

.()

()

÷

)

÷

č

(

.()

()

()

÷ /

÷

.()

UGIB

()

/

.(% /)

)

/

.()

UGIB

.()

.(÷)

UGIB

.()

)

(% /)

()

(

(% /)

.()

()

UGIB

.(÷)

UGIB

č

.(÷)

.()

.()

UGIB

ú

/

÷

/

/

/÷

/

/

/

÷

/

/

UGIB
(%)

(.)

UGIB

UGIB

UGIB

UGIB

() angulus
UGIB

UGIB

References

1. Farrel RJ, Alsahli M, Lamont JT. Is successful triage of patients with upper gastrointestinal bleeding possible without endoscopy? LANCET 2000; 356: 1289-90.
2. Sandel MH, Kolkman JJ, Kuipers EJ. Nonvariceal Upper Gastrointestinal Bleeding: Differences in outcome for patients admitted to internal medicine and gastrointestinal Services. Am J Gastroenterol. 2000; 95(9):2357-2362.
3. Vreeburg EM, Snel P, D Bruijne W. Acute upper gastrointestinal bleeding in the Amsterdam area :Incidence, Diagnosis and clinical outcome. Am J Gastroenterol 1997; 92(2): 236-243.
4. Starlinger M, Becker HD. Upper gastrointestinal bleeding, indications and results in surgery. Hepato-Gastroenterol 1991; 38: 216-219.
5. Morris DL, Hawker PC, Brearley S. Optimal timing of operation for bleeding peptic ulcer: prospective randomized trial. Br Med J 1984;288: 1277-1280 .
6. Steele RJC. Endoscopic hemostasis for non-variceal upper gastrointestinal hemorrhage. Br J Surg 1989; 76: 219-225.
7. Terdiman JP. Update on upper gastrointestinal bleeding. Postgraduate Med 1998; 103(6): 43-63
8. Hellers G, Ihre T. Impact of change to early diagnosis and surgery in major upper gastrointestinal bleeding. Lancet 1975; 2(7947): 1250-1.
9. Clark CS, Afifi AY. Impact of blood transfusion on outcome in patient admitted for gastrointestinal hemorrhage. Current Surgery 2000; 57(5): 493-496
10. Gostout CJ. Gastrointestinal bleeding in the elderly patient. Am J Gastroenterol. 2000; 95(3): 90-5.