* .

The effects of allopurinol and normal saline mouthwashes in the prevention of chemotherapy-induced stomatitis

Shabanloei R.¹, Ahmadi F.¹, Vaez Garamalaky J.², Hajizadeh E.¹, Javadzadeh Y.³

¹ Tarbiat Modarres University, ² Tabriz University of Medical Sciences, ³ School of pharmacy, Tabriz University of Medical Sciences

Received: 2006/5/6, Accepted: 2006/8/15

Objectives: Oral Mucositis (OM) or Stomatitis is a significant medical and nursing problem and a common side effect of chemotherapy. OM is associated with pain, reduced oral intake, higher incidence of infections and prolonged hospitalization and treatment. In this study, the efficacy of two protocols for oral care using either allopurinol or as normal saline oral rinses was compared in view point of preventing mucositis in patients undergoing chemotherapy. Methods: 69 patients were randomized to receive either alloporinol (n=28), normal saline (n=27) or water (14) for prevention of Oral Mucositis. With starting of chemotherapy, alloporinol and normal saline groups used their mouthwashes for 16 days and control group was advised to use water for washing their mouth. Results: The results showed that intensity of stomatitis and related pain were decreased significantly as well as their maintenance in allopurinol group in comparison with other groups (P< 0.05). Also it was showed that the differences between normal saline and control groups was significant (P<0.05). Conclusion: It can be concluded that using allopurinol mouthwash could decrease the occurrence and intensity of stomatitis. Then using allopurinol mouthwash for the prevention of stomatitis during chemotherapy was advised.

Key words: Chemotherapy, Chemotherapy-induced stomatitis, Allopurinol mouthwash, Normal saline mouthwash.

: .(P<0.05) .(P<0.05) ...

*Corresponding Author: Yousef Javadzadeh, Assistant Professor, Faculty of Pharmacy, Tabriz University of Medical Sciences, Tel: 0411-3392606; Fax: 0411-3344798; E-mail: javadzadehy@yahoo.com

www.SID.ir

```
.( )
                                                            .( )
   (HPMC)
                                                                             .(
                                                                                      .(
                                                                                             )
                                                                     .( )
                                                                                           .( )
.( )
                             ) who
   (
```

¹ World Heath Organization


² Self-Report

.() () شدت درد استوماتیت) 1.50 1.00 (P=0.64) .(P=0.87) (P= /) .(.() .() .()

```
P
               \chi^{2}
                           / ± /
                                             / ± /
                                                              / ± /
                           / ± /
                                             / ± /
                                                              / ± /
                                             / ± /
                           / ± /
                                                               / \pm /
                           / ± /
                                               ± /
                                                               / ± /
                           / ± /
                                             / ± /
                                               \pm
                           / ±
                           / ± /
                                             / ± /
                           / ± /
                                             / ± /
                             \pm
                                              / ±
                           / ± /
                                                          / ± /
                                                          / ± /
             P= /
                                                          / ± /
(P= / )
                                   .(
                                         )
```

www.SID.ir

		:
P= /	P= /	



7- References

- Rickardson L., Frykna M., Dhar S., Lovborg1 H., Gullbo1 J., Rydaker M., and et al. Identification of molecular mechanisms for cellular drug resistance by combining drug activity and gene expression profiles. British Journal of Cancer, 2005, 93:483 – 492.
- Clarkson J., Worthington H., Eden O. Interventions for preventing oral mucositis for patients with cancer receiving treatment (Review). The Cochrane Library, 2004, 4:2-5.
- Smiltzer B. Medical Surgical Nursing. 21 nd ed. Lippincot.Co., 2000, 276.
- Jones and Bartlett. A Cancer Source Book for Nursing. 8nd ed. Jones and Bartlett Publisher. 2001, 28-146.
- Kowanko I., Long L., Hodgkinson B., Evans D. The Effectiveness of Strategies For Prevention and Treating Chemotherapy and Radiation Induced Oral Mucositis in Patient with Cancer. Evidence Based Nursing and Midwifery Firist Published. Published by Briggs J., 1999, 1-5.
- Hicks J., Sugarman L., Sugarman B. Chemotherapy Induced Mucositis; Tretments and Potential New Therapies. U.S. Pharmacist, 2003, 28 (7).
- Eilers J., Epstein J. Assessment and Measurement of Oral Mucositis. Seminars in Oncology Nursing, 2004, 20 (1): 22-29.
- 8. Giles F., Rodriguez R., Weisdorf D., Wingard J., Martin P., Fleming T. and ete: A paseIII randomized double- blind, placebo-controlled, study of iseganan for the reduction of stomatotoxic chemotherapy, 2003, 559-566.
- Pico L., Arila A., Vito G., Naccache P. Mucositis: Consequences and Treatment in the Oncology Setting. The Oncologist, 1998, 3: 449-451.
- Hanawa T., Masuda N., Mohri K., Kawata K., Suzuki M., Nakajima S. Development of Patient-

- Friendly Preparations: Preparation of a New Allopurinol Mouthwash Containing Polyethylene (oxide) and Carrageenan. Drug development and industrial pharmacy, 2004, 30 (2): 151-161.
- Martindale W. The Cimplete Drug Refrence. Vol.1.
 32th Edition. Pharmaceutical Press, 1999.
- Eilers J. Nursing Interventions and Supportive Care for the Prevention and Treatment of Oral Mucositis Associated With Cancer Treatment. Oncology Nursing Forum, 2004, 31 (4):13-23.
- Wohlschlaeger A. Prevention and Treatment of Mucositis: A Guide for Nurses. Journal of Pediatric Oncology Nursing, 2004, (5): 281-287.
- Dodd M., Miaskowski C., Greenspan D., MacPhail L., Shih A., Shiba G. and et al. Radiation-Induced Mucositis: A Randomized Clinical Trial of Micronized Sucralfate versus Salt & Soda Mouthwashes. Cancer Investigation, 2003, 21 (1): 21–33.
- Skeel R. Handbook of Chemotherapy. 16 nd ed. Published by Lippincot. Williams and Wilkins, 2003, 3.
- Chenga K., Changb A., Yuenc M. Prevention of oral mucositis in paediatric patients treated with chemotherapy: a randomised crossover trial comparing two protocols of oral care. European Journal of Cancer, 2004, 40: 1208–1216.
- Kostie W., Hejna M., Wenzel C., Zielinsiei C. Oral Mucosit Complicating Chemotherapy and/ or RadiotherapyL Options for Prevention and Treatment. Cancer Jornal for Clinicians, 2001, 51 (5): 290-315.
- Donnelly P., Bellm L., Epstein J., Sonis S., Symonds P. Antimicrobial therapy to prevent or treat oral Mucositis. The Lancet Infectious Diseases, 2003, 3: 405–412.

- 19. Jakel P. The Impact of Cancer-Related Anemia on Quality of Life. J Oncology Supportive Care Quartery, 2003, 1 (4): 18-20.
- Bensadoun R., Magne N., Marcy P., Demard F. Chemotherapy- and radiotherapy-induced mucositis in head and neck cancer patients: new trends in pathophysiology, prevention and treatment Eur Arch Otorhinolaryngol, 2001, 258: 481–487.
- Arch Otorhinolaryngol, 2001, 258: 481–487.

 21. Tsavaris N., Caragiauris P., Kosmidis P. Reduction of oral toxicity of 5-fluorouracil by

allopurinol mouthwashes. Eur J Surg Oncol, 1988, 14: 405-406.

