1

The Journal of Qazvin Univ. of Med. Sci. No. 31, Summer 2004

The effect of helicobacter pylori on oral mucous in rats

GHr.Hassanzadeh M.Sharifi M.Khalili M.Sayfi A.Badrehessari

*Abstract

Background: Helicobacter pylori is one of the most prevalent infectious disease in the world. It causes gastric ulcers and stomach cancer, and normal microbial flora of oral cavity.

Objective: This study was conducted to determine the pathogenic effect of helicobacter pylori on mucous in rats

Methods: 40 rats randomly were divided into 4 groups as followed: Control 1: The lips, cheeks, tongue and palate of rats were conducted with swab contained physiologic serum. Case 1: The lips, cheeks, tongue and palate of rats were conducted with swab contained helicobacter pylori. Control 2: Incised cheek were conducted with swab contained physiologic serum. Then cheek was sutured. Case2: Incised cheeks were conducted with swab contained helicobacter pylori. Then cheek was sutured. After 15 days specimens were collected from lips, cheeks, tongue and palate. The slides were provided using H and E and Gimsa stain.

Findings: There was neither helicobacter pylori nor pathogenic change of mucous comparing case 1 and case 2 with control 1 and control 2 respectively.

Conclusion: Helicobacter pylori is unable to produce either colony or pathogenic change on oral mucous in rats.

Keywords: Helicobacter Pylori, Oral Mucous, Infection, Gastric Ulcer, Stomach Cancer, Rat

40 1381 : 4 2 2 1 15. 2 1 : **

... 20

```
TSB
                      0/5
 (
                    40)
                            10)
                      1
               1
                  2
                                                                    (4 3)
                                      2
                             15.
                                                                     (3)
                                                                     (6)
                                                                 1999
                                                nested PCR
                                                  64 82
                                                                          (2).
                                                                                     59
1
1
                                                         1381
                       2
                                2
2
         1
                                                                  Nitroqinolin
                                                                                40
```

www.SID.ir

21

2 1 (7) (2) 2 (5)) prevotella

(6)

1. Allen CM et al. Role of tetracycline in pathogenesis of chronic candidiasis of rat tongues. Infect Immun 1985; 47 (2): 480-3

2. Briek C, grandhi R et al. Detection of Helicobacter pylori in oral aphtous ulcers . J Oral Pathol Med 1999; 28: 197-203

	22
234-5 1379	

4. Nguyen A M, El-Zaatari et al. Helicobacter pylori in the oral cavity, A critical review of the literature. Oral Surg Oral Med Oral Pathol Oral Endod 1995 Jun; 79(6): 705-9

- 5) Ishihara K, Miura T et al. Oral bacteria inhibit Helicobacter pylori growth. FEMS Microbiol Lett 1997 Jul 15; 152 (2): 355-61(Abstract)
- 6. Okuda K, Ishihara K et al. Helicobacter pylori may have only a transient presence in the oral cavity and on the surface of oral cancer. Microbiol Immunol 2000; 44 (5): 385-8

19 - 25 1373

.7