

()

Archive of SID

*

Melles

()

*

(dk)

(DLKP)

.()

.()

(. . .)

(Eye Top/Eye

Image 5.2)

(masked

()

(.)

fashion)

)

(

(mean K)

(dk)

(mean K)

:() Homogenous.

No

Anti Torque

Torque

/

Orthogonal Symmetric Bow tie A.
(Bow tie) :()

/

Orthogonal Symmetric Bow tie B.
(Bow tie) :()

/

Orthogonal Non-Symmetric Bow tie .
(Bow tie) :()

/

:() Non-Orthogonal Bow tie.
(Bow tie)

SPSS 11.5 for Windows

:() Irregular Irregularity.

Paired-

Repeated measures Sample T Test

Independent-Sample T Test

Bonfferoni

:

.() Melles

/

(%)

(%)

)

/

(SD= /

(Interrupted)

/

/

() (%) (%)

(P<./..)

(average mean K)

/

/

(p<./..)

/

SD			
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(

:

() Interrupted () No Torque
 () Anti Torque
 (Interrupted)
 (No Torque & Anti Torque)

SD			
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(average dk)

/

/

(p<./..)

/

()*	()	(/)	
(/)	()	(/)	
(/)	(/)	()	()
	(/)	(/)	(/)
		(/)	()
			(/)

()

%

() *

()

% /

(p<*/***) /

.() /

.()

(p<*/***) /

.()

.()

(P=*/***) /

.()

.()

Archive of SID

.()

.()

/

.()

.(p<*/***)

(P<./..1)

(/)

(P<./..3)

(/)

/

/

(/)

(P=./..2)

(P<./..15)

() (Refractive SE)

()

()

Best Corrected)

() (Spectacle Vision

/

/

/

()

Archive of SID

%

%

%

%

()

()

()

()

()

()

References:

1. Archila EA. Deep lamellar keratoplasty dissection of host tissue with intrastromal air injection. *Cornea* 1984/1985; 3: 217-8.
2. Amayem AF, Anwar M. Fluid lamellar keratoplasty in keratoconus. *Ophthalmology* 2000;107: 76-9.
3. Touzeau O, Scheer S, Borderie V, et al. Change in refraction and topography after penetrating keratoplasty suture removal. *J Fr Ophtalmol* 2001, 24: 692-703.
4. Touzeau O, Borderie V, Loison K, et al. Correlation between corneal topography and subjective refraction in idiopathic and surgery-induced astigmatism. *J Fr Ophtalmol* 2001; 24: 129-38.
5. Touzeau O, Borderie VM, Allouch C, et al. Effects of penetrating keratoplasty suture removal on corneal topography and refraction. *Cornea* 1999; 18: 638-44.
6. Karabatsas CH, Cook SD, Sparrow JM. Proposed classification for topographic patterns seen after penetrating keratoplasty. *Br J Ophthalmol* 1999;83: 403-9.
7. Touzeau O, Borderie V, Carvajal-Gonzalez S, et al. Astigmatism after penetrating keratoplasty. Videokeratographic analysis on a series of 60 grafts. *J Fr Ophtalmol* 1997; 20: 680-8.
8. Shimazaki J, Tsubota K. Analysis of videokeratography after penetrating keratoplasty: topographic characteristics and effects of removing running sutures. *Ophthalmology* 1997; 104: 2077-84.
9. Ibrahim O, Bogan S, Waring GO. Patterns of corneal topography after penetrating keratoplasty. *Eur J Ophthalmol* 1996; 6:1-5.
10. Melles GR, Lander F, Rietveld FJ, et al. A new surgical technique for deep stromal, anterior lamellar keratoplasty. *Br J Ophthalmol* 1999 ;83: 327-33.
11. Shimazaki J, Shimmura S, Ishioka M, et al. Randomized clinical trial of deep lamellar keratoplasty vs penetrating keratoplasty. *Am J Ophthalmol* 2002;134: 159-65.
12. Panda A, Bageshwar LMS, Ray M, et al. Deep lamellar keratoplasty versus penetrating keratoplasty for corneal lesions. *Cornea* 1999; 18: 172-5.
13. Dolorico AM, Tayyani R, Ong HV, et al. Shortterm and longterm visual and astigmatic results of an opposing 10-0 nylon double running suture technique for penetrating keratoplasty. *J Am Coll Surg* 2003; 197: 991-9.
14. Wylegala E, Wroblewska EM, Tarnawska D, et al. Applying deep lamellar keratoplasty in corneal disorders without endothelial abnormalities. *Klin Oczna* 2003; 105: 263-6.