

( )

QOT QT

\*

QOTc QTc

/ /  
QTc

QOTc

/ /

QTc

: \_\_\_\_\_

( )

( )

( )

( P < / )

QOTc QTc

/ /

QOTc

QOTC QTC

/ /

: \_\_\_\_\_

/ / : - / / : - / / :

\*

/

/

.( )

PTH D

.( )

(Functional)

.( )

(Chelated) %

)

(

.( )

D

D

.( )  
(Preterm)

D  
(Term)

.( )

/

PTH

.( )

.( )  
( )  
.)

) VLBW

.( )

(

.( )

( )

QT

(VLBW)

www.SID.ir

	(RDS)	QT	ST
( )		T	
		QT	
		QT	Bazett
		QT	
	( )		Corrected QTC
		$QT = \frac{QT(s)}{\sqrt{RR(s)}}$	
QOT QT		QT	
	( )	R	R
	( )	( )	
		QOT	QOT
		T	Q
	( )	( )	
		QOT	
		( )	Bazett
		QT	
			M.V.P
			)
			(
			QT
			( )
Acid – washed			
Technicon RA			
QOT QT			QOTc QT
Q ECG =QT •			
( ) T			
Q ECG =QOT •			
( ) T			
QOT QT			
QOT QT			
BAZETT			
	( )		

QOTc	QTc	( )
( )	( )	
<hr/>		
/ ( / )	/ ( / )	/ ( / )*
/ ( / )	/ ( / )	/ ( / )
/ ( / )	/ ( / )	/ ( / )
		( ) *

( )	QTOc	QTc	QTc=Corrected QT=	$QT(s)$
( )				$\sqrt{RR(s)}$
.	( )		QOTc=Corrected QOT=	$QT(s)$
( / )	( / )			$\sqrt{RR(s)}$
QTc				QOTc
	.	(P < / )		
	QOTC			
( / )				
	( / )			
.	(P < / )			
	QTc			
QOTc		/		
			QTO	QT
QOTc	QTc			
			( P > / )	)
				( QOTc QTc )

CNS ( / ) ( ) / ( / ) / ( / ) ( ) .

.( $P < /$ )  
 QT  
 %  
 QTc  
 QT  
 %

( )  
 QOT QT  
 QT  
 (correlation)

/ QOT  
 ( )  
 ( / )  
 QOT  
 % /  
 %

.( $P < /$ )  
 ( )  
 QOT QT  
 QT  
 (Nelson)

( )  
 QOT QT  
 QT  
 (Nekvasil)

QOT QT  
 ( )  
 QOT QT  
 )

( )  
 QOT QT

QOTc QTc / QTc

/ ) ( )

## References:

---

1. Root AW. Parathyroid glands, calcium, phosphorous and vitamin D metabolites. In: Hung W (ed): Clinical Pediatric Endocrinology. St. Louis. Mosby Year Book, 1992, 89-128.
2. Venkataraman PS, Tsang RC, Steichen JJ, et al. Early neonatal hypocalcemia in the first week of life in premature and full term infants. *Scand J Clin Lab Invest* 1988;48:255-70.
3. Tsang RC, Light IJ, Sutherland JM, et al. Possible pathogenetic factors in neonatal hypocalcemia of prematurity; The role of gestation, hyper phosphatemia, hypomagnesemia, urinary calcium loss and parathormon responsiveness. *J Pediatr* 1973;82:423-7.
4. Romagnoli C, Zecca E, Tortorolo G, et al. Plasma thyrocalcitonin and parathyroid hormone concentrations in early neonatal hypocalcemia. *Arch Dis Child* 1987;62:580-8.
5. Rubin LP, Posillico JT, Anast CS, et al. Circulating levels of biologically activated immunoreactive intact parathyroid hormone in human newborns. *Pediatr Res* 1991;29:201-8.
6. Koo WW, Gupta JM, Nayanar VV, et al. Skeletal changes in very low birth weight infants. *Rch Dis Child* 1982;57:447-80.
7. Tsang RC, Kleinman LI, Sutherland JM, et al. Hypocalcemia in infants of diabetic mothers: studies in calcium, phosphorus, and magnesium metabolism and in parathormone responsiveness. *J Pediatr* 1972;80:384-9.
8. Noguchi A, Eren M, Tsang RC. Parathyroid hormone in hypocalcemic and normocalcemic infants of diabetic mothers. *J Pediatr* 1980;97:112-18.
9. Tsang RC, Chen I, Hayes W, et al. Neonatal magnesium disturbances. *Am J Dis Child* 1972;124:282-93.
10. Tsang RC, Chen I, Hayes W, et al. Neonata hypocalcemia in infants with birth asphyxia. *J Pediatr* 1974;84:428-32.
11. Venkataraman PS, Tsang RC, Chen IW, et al. Pathogenesis of early neonatal hypocalcemia: studies of serum calcitonin, gastrin and plasma glucagons. *J Pediatr* 1987;110:599-607.
12. Hahn TJ. Drug induced disorders of vitamin D and mineral metabolism. *Clin Endocrinol Metab* 1980;9:107-19.
13. Gardner LI, MacLachlan EA, Pick W, et al. Etiologic factors in tetany of newly born infants. *Pediatrics* 1958;5:228-34.
14. Carter EP, Andrus EC. QT interval in human electrocardiogram in absence of cardiac disease. *JAMA* 1922;78:342-64.
15. Bazett HC. An analysis of time relations of ECG. *Heart* 1920;7:353-64.
16. Garson A, Dick M, Fournier A, et al. The long QT syndrome in children. An international study of 287 patients. *Circulation* 1993;87:1866-72.
17. Surawicz B, Knoebe SB, Long QT, good, bad or indifferent? *J Am Coll Cardiol* 1983;4:138-45.
18. Colletti RB, Pan MW, Smith EW, et al. Detection of hypocalcemia in susceptible neonates. *New Engl J Med* 1974;290:931-8.
19. Nelson N. The QOTc and QTc interval and ionized calcium in newborns. *Clin Physiol* 1989;9:39-45.
20. Nekvasil R, Stejskal J, Tuma A. Detection of early onset neonatal hypocalcemia in low birth weight infants by QTc and QOTc interval measurement. *Acta Pediatr Acad Sci Hung* 1980;21:203-10.