



() -

*

**

Archive of SID

BRFSS

()

(Behavioral Risk Factor Surveillance System)

()

NCEP ATP III

(National Cholesterol Education Program Adult Treatment Panel III)

()

HDL

LDL

/ / / /

(P> /)

(/ /)

(/ /)

()

()

(

()

(

()

)

ICD

()

()

()

()

Archive of SID

()

()

BRFSS

()

(Behavioral Risk Factor Surveillance System)

)

(

)

()

(

(Population-based)

Archive of SID

()

)

(

HDL

SPSS

)

LDL

(SPSS Inc., Chicago, IL, USA)

()

(

/

/ (± /) / (± /)

/ (± /)

).

.() / P value (

(n =)	(n =)		
(/)	(/)*	(>= mg/dl)	
(/)	(/)	(>= mg/dl)	-LDL
(/)ζ	(/)	(>= mg/dl)	HDL
(/)ζ	(/)	(>= mg/dl)	
(/)	(/)		
(/)	(/)		
(/)	(/)		
(/)ζ	(/)		
(/)	(/)		
۱۸(۳۴/۶)	۱۳(۳۳/۳)	(BMI>=۳۰)	()
۱۸(۳۴/۶)	۸(۲۰/۵)	(BMI>=۳۰)	/ ± / ()

of SID

() *

P < / ζ

HDL

.(p = / p = /)

() / ()

() / ()

.()

log (TG/HDL-C) HDL LDL

/ (± /)

(p= / ;% / % /)
 (p= / ;% / % /)
 .()

(p= /)

:

()

(n=)	(n=)		
(/)	(/)*	(>= mg/dl)	
(/)	(/)	(>= mg/dl)	LDL
(/)	(/)	(>= mg/dl)	HDL
(/)	(/)	(>= mg/dl)	
(/)	(/)		
(/)	(/)		
(/)	(/)		
(/)	(/)		
(/)	(/)	(BMI>=۲۰)	
(/)	(/)	(BMI>=۲۰)	

/ (± /)	/ (± /)	()	
/ (/)	(/)	*	
/ (/)	/ (/)	*	LDL
/ (/)	/ (/)	*	HDL
/ (/)	/ (/)	ζ	
/ (/)§	/ (/)	*	
(/)	/ (/)	ξ	
/ (/)	/ (/)	ξ	
/ (/)	/ (/)		

*

HDL

ζ

ξ

P= / §

() *

PMI

.(P< /)

()

(n=)	(n=)		
(/)	(/)*	(>= mg/dl)	
(/)	(/)	(>= mg/dl)	LDL
(/)	(/)	(>= mg/dl)	HDL
(/)	(/)	(>= mg/dl)	
(/)	(/)		
(/)	(/)		
(/)	(/)		
(/)	(/)		
(/)	(/)	(BMI>=۲۰)	
(/)	(/)	(BMI>=۲۰)	

() *

[LP (a)] a

.()

a

B

.()

Apo B

()

.()

()

LP(a)

()

F

LDL

.()

LDL

()

Archive of SID

CVD

(Cardiovascular Disease)

(Coronary Artery Disease) CAD

()

()

()

()

()

()

CAD

)

(

/	/	/	/	/	
/	/	/	/	/	-LDL
/	/	/	/	/	HDL
/	/	/	/	/	

()

Archive

()

() (P < /)

Apo B

LP (a)

References:

۱. Ebrahim S, Smith GD. Exporting failure? Coronary heart disease and stroke in developing countries. *Int J Epidemiol* ۲۰۰۱; ۳۰: ۲۰۱-۵
۲. World health organization. The world health report ۲۰۰۲: Reducing risks, promoting healthy life Geneva, world health organization, ۲۰۰۲.
۳. Kannel WB, Dawber TR. Atherosclerosis as a pediatric problem. *J Pediatr* ۱۹۷۲; ۸۰: ۵۴۴-۵۴
۴. Tracy RE, Newman WP, Wattingey WA, et al. Risk factors and Atherosclerosis in youth: autopsy finding of the Bogalusa heart study. *Am J Med Sci* ۱۹۹۵; ۳۱۰ Suppl; ۳۷ - ۴۱.
۵. Wissler RW. An overview of the quantitative influence of several risk factors on progression of atherosclerosis in young people in the United States. *Pathobiological Determinants of Atherosclerosis in Youth (PDAY) Research Group. Am J Med Sci* ۱۹۹۵; ۳۱۰ Suppl: ۲۹-۳۶.
۶. Natural history of aortic and coronary atherosclerotic lesions in youth. Findings from the PDAY Study. *Pathobiological Determinants of Atherosclerosis in Youth (PDAY) Research Group. Arterioscler Thromb* ۱۹۹۳; ۱۳: ۱۲۹۱-۸.
۷. Kelder SH, Perry CL, Klepp KI, et al. Longitudinal tracking of adolescent smoking, physical activity, and food choice behaviors. *Am J Public health* ۱۹۹۴; ۸۴; ۱۱۲۱-۶.
۸. Lenfant C. Improving The health of america's Youth, The NHLBI Perspective. *J Health Educ* ۱۹۹۵; ۲۶: ۶-۸.
۹. Hoit BD, Gilpin EA, Henning H, et al. Myocardial infarction in young patient: an analysis by age subsets. *Circulation* ۱۹۸۶; ۷۴: ۷۱۲-۲۱.
۱۰. Bao W, Srinivasan SR, Valdez R. Longitudinal change in cardiovascular risk from childhood in offspring of parents with coronary artery disease: the Bogalusa heart study. *JAMA*, ۱۹۹۷; ۲۷۸; ۱۷۴۹-۵۴.
۱۱. National Cholesterol Education Program: High lights of the report of the expert panel on blood cholesterol levels in children and adolescents. *Pediatrics*, ۱۹۹۲; ۸۹: ۴۹۵-۵۰۱.
۱۲. Couch SC. Cross AT, Kida K. Rapid westernization of children's blood cholesterol in ۳ countries: evidence from nutrient-gene interactions? *Am J Clin Nutr* ۲۰۰۰; ۷۲; ۱۲۶۶-۷۴.
۱۳. WHO MONICA Project. MONICA manual. ۱۹۹۹, (<http://www.ktl.fi/publication/monica/manual/index.htm>).
۱۴. CDC. Behavioral risk factors surveillance system, ۲۰۰۴. (<http://www.cdc.gov/brfss/>).
۱۵. Third report of the expert panel on Detection, Evaluation, and treatment of high blood cholesterol in adult (adult treatment Panel III), ۲۰۰۴. (<http://www.nhlbi.nih.gov/guidelines/cholesterol/>).

۱۹. Kelishadi R, Zadegan NS, Naderi GA, et al. Atherosclerosis risk factors in children and adolescents with or without family history of premature coronary artery disease. *Med Sci Monit* ۲۰۰۲; ۸: CR ۴۲۰-۹. (at www.MEDSCIMONIT.com).
۲۰. Romaldini C, Issler H, Cardoso A, et al. Risk factors for Atherosclerosis in children And adolescents with family history of PCAD. *J Pediatr* ۲۰۰۴; ۸۰: ۱۳۰-۴۰.
۲۱. Cuomo S, Guarini P, Gaeta G, et al. Carotid intima-media thickness in children and adolescents, and young adult with a parental history of PMI. *Euro Heart J* ۲۰۰۲; ۲۳: ۱۳۴۵-۵۰.
۲۲. Freedman DS, Srinivasan SR, Shear CL, et al. The relation of apolipoproteins A-I and B in children – adolescents to parental MI. *N Eng J Med* ۱۹۸۶; ۳۱۵: ۷۲۱-۶.
۲۳. Srinivasan SR, Dahlen GH, Jarpa RA, et al. Racial (block-with) differences in serum lipoprotein (a) distribution and its relation to parental MI in children. Bogalusa heart study, *Circulation* ۱۹۹۱; ۸۴: ۱۶۰-۷.
۲۴. Chan MY, Woo KS, Wong HB, et al. Antecedent risk factors and their controls in young patient with a first MI. *Singapore Med J* ۲۰۰۶; ۴۷: ۲۷-۳۰.
۲۵. Ismail J, Jafar TH, Jafary FH, et al. Risk factors for non-fatal myocardial infarction in young South Asian adults. *Heart* ۲۰۰۴; ۹۰: ۲۵۹-۶۳.
۲۶. Tewari S, Kumar S, Kapoor A, et al. PCAD in north India: An angiography study of ۱۹۷۱ patient. *Indian heart J* ۲۰۰۵; ۵۷: ۳۱۱-۸.
۲۷. National Cholesterol Education Program: report of the expert panel on blood Cholesterol levels in children and adolescents. ۱۹۹۲; ۸۹: ۵۲۵-۸۴.
۲۸. III diretrizes brasileiras sobre dislipidemias e diretriz de prevenção da aterosclerose do departamento de aterosclerose da sociedade brasileira de cardiologia. *Arq Bras Cardiol* ۲۰۰۱; ۷۷Suppl: ۱-۴۸.
۲۹. Pais P, Pogue J, Gerstein H, et al. Risk factors for Acute MI in Indians: a case-control study. *Lancet* ۱۹۹۶; ۳۴۸: ۳۰۸-۶۳.

Archive