



() -

*

Archive of SID**

()

()

/

/

/ /

:

/ / :

/ / :

()
)
(
TSIF Dean's Index (Tooth surface index of Fluorosis) ()
)

(Model - , Thermo Orion; USA)

SPSS)
(
(SPSS Inc., Chicago, IL, USA)
(Anova)

()
(± /) ()

/

/

/ (± /)

(P < /)

/ (/)

()

(

/

TSIF* Dean

/

/

Dean

TSIF Dean

/

/

/

/

/

TSIF

(

/

()

/

/ (/)

()

/

/ (/)

()

/

Tooth Surface Index of Fluorosis *

(/)

()

/ (/)

()

/ (/)

()

()

()

()

/

/

/

/

()

/

/

/

()

()

()

()

()

()

()

()

()

()

()

/

/

/

(Marthaler)

/ /

/ /

/ - /

/

/

/

()

) / () /

(

/

/ /)

/)

(

(/

/	/)	(/	/)
/	/	(/			(
		()			(
		/				(
		/				(
		/				(
		/				(

References:

۱. Dean HT. The investigation of physiological effects by the epidemiological method. In: Moulton FR, editor. Fluorine and dental health. Washington, DC: American Association for the Advancement of science, ۱۹۴۲, ۲۳-۳۱.
۲. McDonagh, MS, Whiting PF, Wilson PM, et al. Systemic Review of water Fluoridation. Br Med J ۲۰۰۰; ۳۲۱:۸۰۰-۹.
۳. Wilson RH, De Eds F. The Synergistic Action of Thyroid on Fluorine Toxicity. Endocrinology ۱۹۴۰; ۲۶: ۸۵۱
۴. Wilson DC. Fluorine in aetiology of endemic goiter. Lancet ۱۹۴۱; ۱: ۲۱۱-۳.
۵. Travbesli M, Gurmazi F, Zeghal N. Effect of Fluoride on Thyroid function and cerebellar development in mice. Fluoride ۲۰۰۱; ۳۴: ۱۶۰-۷۳.
۶. Burt BA. The changing patterns of systemic fluoride intake. J Dent Res ۱۹۹۲; ۷۱: ۱۲۲۸-۳۷.
۷. Pendrys DG, Stamm JW. Relationship of total fluoride intake to beneficial effects and enamel fluorosis. J Dent Res ۱۹۹۰; ۶۹: ۵۲۹-۳۸.
۸. Zohouri FV, Rugg-Gunn AJ. Fluoride concentration in foods from Iran. Int J Food Sci Nutr. ۱۹۹۹; ۵۰: ۲۶۵-۷۴.
۹. National Research Council. Food and Nutrition Board. Recommended dietary allowances ۱۰th ed. Washington DC: National academy press, ۱۹۸۹, ۲۳۵-۴۰.
۱۰. Marthaler TM. Conservative ranges of optimal fluoride intake (mg). J Biol Buccale ۱۹۹۲; ۲۰: ۱۲۱-۷.
۱۱. McClure FJ. Ingestion of fluoride and dental caries. Quantitative relations based on food and water requirements of children ۱ to ۱۲ years old. Am J Dis Child ۱۹۴۳; ۶۶: ۳۶۲-۹.
۱۲. Ophaugh RH, Singer L, Harland BF. Estimated fluoride intake of average two-year-old children in four dietary regions of the United States. J Dent Res ۱۹۸۰; ۵۹: ۷۷۷-۸۱.
۱۳. CDC. Adapted from Institute of medicine. Fluoride in: Dietary reference intakes for calcium, phosphorus, magnesium, vitamin D, and fluoride. Washington DC: National academy Press, ۱۹۹۷, ۲۸۸-۳۱۳.
۱۴. Baelum V, Fejerskov O, Manji F, et al. Daily dose of fluoride and dental fluorosis. Tandlaegebladet ۱۹۸۷; ۹۱: ۴۵۲-۶.
۱۵. Fejerskov O, Stephen KW, Richards A, et al. Combined effect of systemic and topical fluoride treatments on human deciduous teeth-case studies. Caries Res ۱۹۸۷; ۲۱: ۴۵۲-۹.
۱۶. World Health Organization. Fluorides and Oral Health: Report of a WHO expert committee on oral health status and fluoride use ser. no ۸۴۶. Geneva: WHO tech: ۱۹۹۴.
۱۷. International Collaborative Research on Fluoride. J Dent Res ۲۰۰۰; ۷۹: ۸۹۳-۹۰۴.
۱۸. Murray JJ, editor. Appropriate use of fluorides for human health. Geneva: WHO ۱۹۸۶.
۱۹. Fakhri M, Prevalence of dental fluorosis in Bushehr province. DMD Thesis. Isfahan Univ Med Sci, ۱۹۹۱.

۲۰. Saadatnia, The prevalence of dental fluorosis among ۱۱-۱۴ year old children in Burazjan region of Bushehr Province. DMD Thesis. Shiraz Univ Med Sci, ۱۹۹۶.
۲۱. Nozari A, Khorshidian K, Hashemi A. Dental fluorosis and DMFT in ۱۲-۱۵ year old students in the coastal region of Tangestan (Bushehr province). Scientific Quarterly of Shiraz Univ Med Sci ۱۹۹۸; ۱: ۳۰-۳.
۲۲. Mortazavi M, Bardestani GH, Danesh M. The prevalence of fluorosis and DMFT among ۱۱-۱۶ year old children in Dayer (Bushehr province). Scientific Quarterly of Shiraz Univ Med Sci ۲۰۰۲; ۳: ۶۶-۷۳.
۲۳. Ramezani GH, Valaei N, Eikani H. Prevalence of DMFT and fluorosis in the students of Dayer city (Iran). J Indian Soc Pedod Prev Dent ۲۰۰۴; ۲۲: ۴۹-۵۳.
۲۴. Behroozi S, Tahmasebi M. The prevalence of gingivitis and its determinants, gingival pigmentation, dental fluorosis and DMFT in ۶-۱۸ year old Bushehr port students. Persian Gulf Health Research Center, Bushehr Univ Med Sci, ۲۰۰۱.
۲۵. Country report on Oral Health in the Islamic Republic of Iran. Tehran: Ministry of Health and Medical Education, Under-secretary for Public Health; Oral Health Department, ۲۰۰۰.
۲۶. World Health Organization. Oral Health Surveys Basic methods. ۴th ed. Geneva: WHO tech; ۱۹۹۷.
۲۷. Stephen KW, Banoczy J, Pakhomov GN, editors. Milk fluoridation for the prevention of Dental caries. WHO/ORH/MF/DOC ۹۶,۱. Geneva: WHO tech; ۱۹۹۶.
۲۸. Forsman B. Early supply of fluoride and enamel fluorosis. Scand J Dent Res ۱۹۷۷; ۸۵: ۲۲-۳۰.
۲۹. Ketley CE, Lennon MA. Determination of fluoride intake from urinary fluoride excretion data in children drinking fluoridated school milk. Caries Res ۲۰۰۱; ۳۵: ۲۵۲-۷.
۳۰. Villa A, Ababalon M, Cabezas L. The fractional urinary fluoride excretion in young children under stable fluoride intake conditions. Community Dent Oral Epidemiol ۲۰۰۰; ۲۸: ۳۴۴-۵۰.
۳۱. Ekstrand J, Whitford GM: Fluoride Metabolism; In: Ekstrand J, Fejerskov O, Silverstone LM, editors. Fluoride in dentistry. Copenhagen, Munksgaard, ۱۹۸۸, ch ۷.
۳۲. Marthaler TM, Steiner M, Menghini G, et al. Urinary fluoride excretion in children with low fluoride intake or consuming fluoridated salt. Caries Res ۱۹۹۵; ۲۹: ۲۶-۳۴.
۳۳. Brunetti A & Newburn E. Fluoride balance of children ۳ and ۴ years old. Caries Res ۱۹۸۲; ۱۷: ۱۷۱, Abstr ۴۱.
۳۴. Zohuori FV, Rugg-Gunn AJ. Total fluoride intake in ۴-year-old Iranian children residing in low-fluoride areas. Brit J Nutr ۲۰۰۰; ۸۳: ۱۵-۲۵.
۳۵. Mofid R, Sadr SJ. Prevalence of dental fluorosis and enamel opacities in Tehran students. Shahid Beheshti Med Sci Univ J Dental School, ۱۹۹۵; ۲۴: ۵۴-۵.
۳۶. Iramloo B, Ansari G, Khademi A. The prevalence of dental fluorosis and its relationship with drinking water in students of coastal Lengeh Port (Hormozgan province) Shahid Beheshti Med Sci Univ J Dental School, ۲۰۰۰; ۴: ۲۸۱-۶.
۳۷. Ermis RB, Koray F, Akdeniz BG. Dental caries and fluorosis in low- and high-fluoride areas in Turkey. Quintessence Int. ۲۰۰۳; ۳۴: ۳۵۴-۶۰.
۳۸. Whelton H, Crowley E, O'Mullane D, et al. Dental caries and enamel fluorosis among the fluoridated and non-fluoridated populations in the Republic of Ireland in ۲۰۰۲. Community Dent Health. ۲۰۰۴; ۲۱: ۳۷-۴۴.
۳۹. Grobleri SR, Louw AJ, Van Kotze TJ. Dental fluorosis and caries experience in relation to three different drinking water fluoride levels in South Africa. Int J Paediatr Dent. ۲۰۰۱; ۱۱: ۳۷۲-۹.
۴۰. Rugg-Gunn AJ, Nunn JH, Ekanayake I, et al. Urinary fluoride excretion in ۴-year-old children in Sri-Lanka and England. Caries Res ۱۹۹۳; ۲۷: ۴۷۸-۸۳.