





()

-



()

()



()

BCC SCC

(CI= / - /) /

/

/

(p> /)

(p< /)

SCC)

(BCC

()

(/ =)

()

(/ =)

() NMSC


NMSC

BCC


¹SCC

() (%)

Non melanoma skin cancer



NMSC
%
()
NMSC
()
SCC
%
()
()
NMSC
% SCC BCC
SCC
()
()
SCC NMSC
% SCC BCC
)
()
SCC BCC
()
SCC
()
BCC
SCC
%
SCC
()
% -
()
BCC
()
()
()



Human Herpes virus-8
Kaposi sarcoma

References:

- 1- Jeme G.E., Holm E.A.: Nonmelanoma skin cancer in organ transplant patients. *Transplantation* 2003; 75(31): 253.
- 2- Naldi L., Fortina A.B., Lovat S., et al: Risk of nonmelanoma skin cancer in Italian organ transplant recipients. *Transplantation* 2000; 70: 1479.
- 3- Penn I.: Cancer complicating organ transplantation. *N Engl J Med*, 1990; 323: 1767.
- 4- Penn I.: Occurrence of cancer in immunosuppressed organ transplant recipient. *Clin Transplant* 1998; 147:158.
- 5- Bouwes-Bavinck J.N., Hardie D.R., Green A., et al: The risk of skin cancer in renal transplant recipients in Queensland, Australia: a follow-up study. *Transplantation* 1996; 61: 715-721.
- 6- Carrol R.P., Ramsay H.M., Fryer A.A., et al: Incidence and prediction of nonmelanoma skin cancer post-renal transplantation. *Am J Kidney Dis* 2003; 41: 676.
- 7- Ramsay H.M., Fryer A.A., Hawley C.M., Smith A.G., Harden P.N.: Non-melanoma skin cancer risk in the Queensland renal transplant population. *Br J Dermatol* 2002;147: 950-956.
- 8- Ishikawa N., Tanabe K., Tokumoto T., et al: Clinical study of malignancies after renal transplantation and impact of routine screening for early detection: a single-center experience. *Transplant Proc* 2000; 32: 1907-1910.
- 9- Webb M.C., Compton F., Andrews P.A., Koffman C.G.: Skin tumors posttransplantation: a retrospective analysis of 28 years' experience at a single centre. *Transplant Proc* 1997; 29: 828-830.
- 10- Ramsay H.M., Fryer A.A., Reece S., et al: Clinical risk factors associated with non-melanoma skin cancer in renal transplant recipients. *Am J Kidney Dis* 2000; 36(1): 167.
- 11- Euvrard S., Kanitakis J., Pouteil-Noble C., et al: Comparative epidemiologic study of premalignant and malignant epithelial cutaneous lesions developing after kidney and heart transplantation. *J Am Acad Dermatol* 1995; 33: 222-229.
- 12- Adamson R., Obispo E., Dychter S., et al: High incidence and clinical course of aggressive skin cancer in heart transplant patients: a single-center study. *Transplant Proc* 1998; 30: 1124-1126.
- 13- Veness M.J., Quinn D.I., Ong C.S., et al: Aggressive cutaneous malignancies following cardiothoracic transplantation: the Australian experience. *Cancer* 1999; 85: 1758-1764.
- 14- Chan L., Kam I.: Outcome and complication of renal transplantation. Schrier Robbert W.; Gottschalk Carl W. *Disease of the Kidney*. Sixth ed. Boston-Little Brown and Company 1997 Vol. III: 2750-51.
- 15- Woodle E., Hanaway M., Buell J., et al: Kaposi's sarcoma: an analysis of the US

- and international experiences from the Israel Penn International Transplant Tumor Registry. *Transplant Proc*, 2001; 33: 3660-3661.
- 16- Penn I.: Neoplasm in renal transplant recipients. Massry and Glassocks textbook of nephrology. 4th ed. Williams & Wilkins 2001:1672-77.
- 17- Penn I.: Kaposi's sarcoma in transplant recipients. *Transplantation*, 1997; 64: 669-673.
- 18- Pellet C., Chevret S., Francès C., et al: Prognostic value of quantitative Kaposi sarcoma-associated herpesvirus load in posttransplantation Kaposi sarcoma. *J Infect Dis* 2002; 186: 110-113.
- 19- Allen U.: Human herpesvirus type 8 infections among solid organ transplant recipients. *Pediatr Transplant* 2002; 6: 187-192.
- 20- Regamey N., Tamm M., Wernli M., et al: Transmission of human herpesvirus 8 infection from renal-transplant donors to recipients. *N Engl J Med* 1998; 339: 1358-1363.
- 21- Hoshida Y., et al: Cancer risk after renal transplantation in Japan. *Int J Cancer*, 1997; 16: 517.
- 22- McKay D.B., Milford E.L., Tolckoff Rubin N.E.: Clinical aspects of renal transplantation. Brenner & Rectors the Kidney. 6th ed. Philadelphia W.B. Saunders Company 2000. Vol. III; 2586-87.
- 23- Wilkinson A.H., et al: Increased frequency of post-transplant lymphoma in patients treated with Cyclosporine-Azathioprine and Prednison. *Transplantation*, 1989; 47(2): 293.
- 24- Francès C., Mouquet C., Marcellin A.G., et al: Outcome of kidney transplant recipients with previous human herpesvirus-8 infection. *Transplantation* 2000; 69: 1776-1779.
- 25- Cattani P., Capuano M., Graffeo R., et al: Kaposi's sarcoma associated with Francès C., Mouquet C., Marcellin A.G., et al: Outcome of kidney transplant recipients with previous human herpesvirus 8 infection in kidney transplant recipients. *J Clin Microbiol*, 2001; 39: 506-508.