

()

()

I


Archive of SID

(II) (I)

I

II

()



SPSS

± I
 ± (II)
 / ± / I
 / ± / II
 / ± / I
 / ± / II
 %
 (P= /)
 II ± / I
 / ± /
 ICU
 .()
 .()
 .(/)

¹ DAI: Diffuse Axonal Injury

² Coma Arousal

³ Spare capacity and reorganization

()

HRQOL

(.)

()

(.)

(.)

()

⁷ Health Related Quality Of Life

⁴ Redundancy
⁵ Response at a cellular level
⁶ Rehabilitation

References:

- 1- Jacqueline Baker. Explaining coma arousal therapy from Coma Recovery Association. Australian nurses journal. 1998; 6: 11.
- 2- Wagner, Amy K., M.D., Fabio, Tony PhD; Zafonte, Ross D. Do; Goldberg, Gary M.D., Marion, Donald W. M.D., peitzman, Andrew B. M.D., Physical medicine and rehabilitation consultation: Relationships with acute functional outcome, length of stay, and discharge planning after traumatic. Brain injury. American journal of physical medicine and rehabilitation. 2003; 82(7): 526-536.
- 3-Sandy de young, RN Ed D; Robin B. Grass, RN BSN. Coma Recovery Program from coma recovery association. Rehabilitation nursing. 1987; 12(3) 121-124.
- 4-Trubel, Herbert k MD; Novotny, Edward MD; lister George MD. Outcome of coma in children. Current option in pediatrics, 2003; 5(3) 283-287.
- 5-Mendelsohn, Aaron B, PHD; Chelluri, lakshmipath; MD. MPH. Interviews with intensive care unite survivors: assessing post intensive care quality of life and patient's preferences regarding intensive care and mechanical ventilation. Critical care medicine 2003; 31(5) supplement: 400-406.
- 6-Mackey I. Early Intervention in Server Head Injury long term benefits of a formalized program. Arch phys med Rehabil .1992; 73: 635-410.
- 7-kater, m. Response of head injury patient's sensory estimation. Western, jourl, narsing research.1986; 11(1):20-32.
- 8-Sazbon, L.Gros Wasser,Z.Outcome in 134 patients with proloned osttraumatic unawareness.J.Neurosurgery.1990;72:7 5-80.
- 9-Rapport, M., et al: Evaluation of coma and vegetative states. Arch. phys. Med. Rehabil, 1992; 73: 628-34.
- 10-Wilson. S.L; et al: Sensory Stimulation in Prolonged Coma; four single case studies. Brain Injury.1991; 5(4): 393-400.
- 11-Stratton, M., et al: What happen after traumatic brain injury? Reg. Nursing. 1995; 20(6): 923-28.
- 12-Kanno, T., et al: Neurostimulation for patients in vegetative status. Pace. Pacing.Clin. Electrophysio, 1986; 10(1): 207-8.
- 13-Baggerly, J. Rehabilitation of the adult with head trauma. Neurs. Clin. North. America. 1987; 21(4): 577-586.
- 14-Ed Wards, p. Rehabilitation outcome in children with brain injury. Rehabil.Nursing, 1987; 12(3): 125-128.