



MD

MD

*

// : // :



	D	:
()	:	
D ()	/	D
(%)	(%)	:
(p< /)	(p< /)	(p< /) (p< /)
()	(p< /)	(p< /)
D	D	(p< /)
D	:	
D	:	

() *



PTH
D
/ () D
D
(UVB)
D
()

ESR
D
()

D
D
()

ProVit-D
D
P.T.H
(25OH D)


(1,25(OH)2D)
D
()

D
()

(%)
% %
()



-
- ¹ Looser's zone Milkman fracture
 - ² Calcitriol
 - ³ Ultraviolet B
 - ⁴ Paarl fish oil




(%) ()



()

)

(



/ ()



%

Archive of SID

%

()

()

D


P.T.H .

%

D

² Ground glass

¹ Waddling gait



PTH

()

B

D

PHT

D₃

D

D₃

)

PTH

)

(

D

()

(

()

()

()

(p < /)

()

()

(p < /)

D

25OHD

()

D

()

(% /)

()

¹ 7-dehydroxy cholecalciferol

² Finck



()

()

D

)

(

D

D

()

() D

D

%

/ ±

% /

D

()

D

D

()

()

D

)

(

(% /)

¹ Veiled

References:

- 1- Harris E, et al. Osteomalacia. **In:** Kelley's Text Book of Rheumatology. 7th ed ; 2005 Vol. 2 : 1485-1487.
- 2- Cukieman T, et al. A Fractured Diagnosis. **New England Journal of Medicine** 2005;353: 509-514,.
- 3- Berenstein DG. Lowback Pain, Medical Diagnosis and Comprehensive Management. 2nd ed., W. B. Saunders Company ;1995: 443-453.
- 4- Marshal WJ and Bangert SK. Clinical Biochemistry, Metabolic and Clinical Aspects Pub: Churchill Living Stone; 1995: 507-532.
- 5- Finck PJ, et al. (Clinical and Histologic) Spectrum of Osteomalacia Among Asian in South London. **A. J. Med** 1992; 83 (302): 439-48.
- 6- Androil-Carpenter-Griggs-Losscaizo, osteomalacia. **In:** Cecil Essential of Medicine; 4004: 1555-1562.
- 7- Collins N, Maher J, et al. A prospective study to evaluate the dose of Vit-D required to correct low 25-hydroxyvitamin D level, Calcium, and Alkaline phosphatase in patients at risk of developing antiepileptic drug-induced osteomalacia. **Q J Med** 1991;78(286):113-122.
- 8- Nisbet JA, Eastwood JB, et al. Detection of Osteomalacia in British Asians: a comparison of clinical score with biochemical measurements. **Clin Sci (lond)** 1990;78(4):113-122.
- 9- Holick MF. Noncalcoemic action of 1,25-dihydroxyvitamin D3 and Clinical Applications. **Bone** 1995; 17(2 suppl):1075-1115.
- 10- Francis RM, Selby PL. Osteomalacia. **In:** Bailiere's Clinical Endocrinology and Metabolism 1997; 11(1): 145-163.
- 11- Christiansen C, P Rodbro, M Laund. Incidence of anticonvulsant osteomalacia and effect of vitamin D: controlled therapeutic trial. **Br Med J** 1973; 4(5894): 695-701.
- 12- AlFaraj S and AlMutairi K. Vitamin D deficiency and chronic low back pain. **Saudi Arabia. Spine** 2003; 28(2): 177-179.
- 13- Hodson, AB, Wong, EG, et al, Priliminary trials with 24,25-dihydroxyvitamin D3 in dialysis osteomalacia. **Am J Med** 1983;78(3) : 407-414.
- 14- () .
- 15- Rajabian R, Larigani B, Navidi H, Layegh P. Serum vitamin D and related parameters in Mashhad. 13th Asia-Oceania Congress of Endocrinology, Tehran, Iran, May 9-12, 2006,.
- 16- Nozza J M, CP Rodda. Vitamin D deficiency in mothers of infants with rickets. **Med J. Aust** 2001;175(5):236-237.
- 17- Nozza GM, and Rodda CP. Vitamin D deficiency in mothers of infants with rickets. **Med J Aust** 2001; 175(5): 236-237.