



MD

Ph.D

MD

MD

*

MD

MD

/ / :

/ / :

SID

()

-

χ^2

SPSS

($p = /$)

Email: zari_javidi@yahoo.com

()

*

Archive of SID

SPSS



.()

(%)

(%)

.()

(%)

(%)

.()

(%)

(/)

(%)

.()

(p= /)

.(p< / Z= /)

.()

(p= /)

p= /

(p= /)

.()

.()

¹ Gueho

² Faergemann

PUVA

.()

PUVA

.()

T

.()

N

.()

.()

(%)

PGE2

Th2 Th1

(%)

(%)

.()

(p< /)

(p= /)

.()

HSP70

TGF β 1

AP-1

.()

.()

³ PuvA: Psoralen Ultra Violet A

⁴ Kanda

⁵ Gupta

(p= /)

.()

.()

(p= /)

References:

- 1- Griffiths CEM, Camp RDR, Barker JNWN. Psoriasis .In: Burns T, Breathnach S, Cox N, Griffiths CH. Rook's textbook of dermatology. Oxford: Blackwell Science Publication; 2004:35.1-50.
- 2- Donnarumma G, Paoletti I, Buommino E, et al. Malassezia furfur induces the expression of beta-defensin -2 in human keratinocytes in a protein kinase C-dependent manner.**Arch Dermatol Res.**2004;295(11):474-81.
- 3- Gupta AK, Batra R, Bluhm R, Boekhout T, Dawson TL Jr. Skin diseases associated with Malassezia species. **J Am, Acad Dermatol** 2004; 51(5):758-98.
- 4- Van de Kerkhof PC, Franssen ME. Psoriasis of the scalp: diagnosis and management. **Am J Clin Dermatol** 2001; 2:159-65?
- 5- Mayser P, Schutz M, Schuppe HC, Jung A, Schill WB. Frequency and spectrum of Malasezia yeasts in the area of the prepuce and glans penis. **BJU Int** 2001; 88:554-8.
- 6- Sandhu K, Jain R, Kaur I, Kumar B. Role of Pityrosporum ovale in guttate Psoriasis. **J Dermatol** 2003; 30(3):252-4.
- 7- Barker BS, Powles A, Garioch JJ, Hardman C, Fry L. Differential T-cell reactivity to the round and oval forms of Pityrosporum in the skin of patients with Psoriasis . **Br J Dermatol** 1997; 136:319-25.
- 8- Squidera L, Galimberti R, Morelli L, Plotkin L, Milicich R, Kowalczuk A, et al. Antibodies to proteins from pityrosporum ovale in the sera from patients with psoriasis. **Clin Exp Dermatol** 1994; 19:289-93.
- 9- Rosenberg EW, Belew PW. Improvement of psoriasis of the scalp with ketoconazole. **Arch Dermatol** 1982; 118:370-1.

- 10- Faergemann J, Diehl U, Bergfelt L, Brodd A, Edmar B, Hersle K, Lindemalm B, Nordin P, Ringdahl IR, Serup J. Scalp Psoriasis : synergy between the malassezia yeast and slight irritation due to calcipotriol. **Acta Derm Venereol** 2003; 83(6):438-41.
- 11- Gueho E, Midgley G, Guillot J. The genus Malassezia with description of four new species. **Antonie Van Leeuwenhoek** 1996; 69:337-55.
- 12- Sugita T, Takashima M, Shinoda T, Suto H, Unno T, Tsuboi R, et al . New yeast species. Malassezia dermatis, isolated from patients with atopic dermatitis. **J clin Microbiol** 2002; 40:1363-7.
- 13- Nell A, James SA, Bond CJ, Hunt B, Herrtage ME. Identification and distribution of a novel Malassezia species yeast on normal equine skin. **Vet Rec** 2002; 150:395-8.
- 14- Chang HJ, Miller HL, Watkins N, Arduino MJ, Ashford DA, Midgley G, et al. An epidemic of Malassezia pachydermatis in an intensive care nursery associated with colonization of health care worker's pet-dogs. **N Eng Med** 1998; 338:706-11.
- 15- Rosenberg EW, Noah PW, Skinner RBJr, Vander ZR, West SK, Browder JF. Microbial association of 167 patients with Psoriasis. **Acta Derm Venerol Suppl** (stockh) 1989; 146:72-4.
- 16- Holden CA and Berth-jones J. Eczema, lichenification, Prurigo and Erythroderma .In: Burn T, Breathnach S, Cox N, Griffiths CH. Rook's textbook of dermatology . Oxford: Blackwell Science Publication; 2004:17.1-55.
- 17- Mathov I, Plotkin L, Abatangelo C, Galimberti R, Squidera L, et al. Antibodies from patients with Psoriasis recognizes N-acetylglucosamine terminals in glycoproteins from pityrosporum ovale. **Clin Exp Immunol** 1996; 105(1):79-83.
- 18- 18 - Kanda N, Tani K, Enomoto U, Nakai K, Watanabe S. The Skin fungus-induced Th1- and Th2-related cytokines, chemokine and Prostaglandin E2 production in peripheral blood Griffiths CEM, Camp RDR, Barker JNWN. Psoriasis .In: Burns T, Breathnach S, Cox N, Griffiths CH. Rook's textbook of dermatology. Oxford: Blackwell Science Publication; 2004:35.1-50.
- 19- Alford RH, Vire CG, Cartwright BB, King LE JR. Ketoconazole's inhibition of fungal antigen-induced thymidin uptake by lymphocytes from patients with psoriasis. **Am J Med Sci** 1986; 291(2):75-80.
- 20- Barani A, Paoletti I, Ruocco E, Agozzine M, Tufano MA, Donnarum possible role of Malassezia furfur in psoriasis : modulation of TGF-beta 1 , integrin, and HSP 70 expression in human keratinocytes and in the skin of psoriasis -affected patients. **J Cutan Pathol** 2004; 31(1):35-42.
- 21- Bunse T, Mahrle G. Soluble pityrosporum-derived chemoattractant for polymorphonuclear leukocytes of psoriatic patients. **Acta Derm venereol** 1996; 76(1):10-2.
- 22- Hernandez Hernad z F, Mendez Tovar LJ, Bazan Mora E, Arevalo Lopez a, et al. Species of Malassezia associated with various dermatoses and healthy skin in the Mexican population. **Rev Iberoam Micol** 2003; 20(4):141-4.
- 23- Gupta AK, Kohli Y, Summerbell RC, Faergemann J. Quantitative culture of malassezia species from different body sites of individuals with or without dermatoses. **Med Mycol** 2001; 39(3):243-51.
- 24- Prohic A, Identification of Malassezia species isolated from scalp skin of patients with psoriasis and healthy subjects. **Acta Dermato-venereol Croast** 2003; 11:10-6.
- 25- Borelli D. [Pityriasis versicolor due to Malassezia ovalis]. **Mycopathologia** 1985; 147-53.